

TO: BOARD OF DIRECTORS
FROM: BRUCE BUEL *BB*
DATE: JANUARY 4, 2008

AGENDA ITEM
D-3
JAN. 9, 2008

ACCEPT DONNA MILLS RESIGNATION FROM PCAS

ITEM

Accept Donna Mills resignation from Parks Citizens Advisory Sub-Committee [RECOMMEND ADOPTION].

BACKGROUND

Attached is a copy of Donna Mills's resignation.

RECOMMENDATION

Staff recommends that your Honorable Board accept Donna Mills Resignation and direct the President to write a letter thanking her for her service.

Please see agenda item E-8 in regards to suspension of the Sub-Committee.

ATTACHMENTS

- Donna Mills Resignation

T:\BOARD MATTERS\BOARD MEETINGS\BOARD LETTER\BOARD LETTER 2008\Accept Mills PCAS Resignation.DOC

Bruce Buel

From: donna Mills [dmills100@yahoo.com]
Sent: Tuesday, December 04, 2007 8:50 PM
To: Ben Trogdon
Cc: Mike Winn; Bruce Buel

Hi Ben,

I hope all is going well with you.

I have decided to resign from the NCSD Recreation Committee. I just found out last week that my father has terminal cancer and has been told that he has six months to a year to live.

Il will turn in my folder and material at the NCSD office.

Sincerely,

Donna Mills

PS Mike can you please let Jim Harrison, Clift Trotter and Peg Miller know about my resignation. I do not have their email addresses. Thank you.

TO: BOARD OF DIRECTORS
FROM: BRUCE BUEL *BB*
DATE: JANUARY 4, 2008

AGENDA ITEM
D-4
JAN. 9, 2008

PREPARE REVISED WATER SYSTEM FINANCIAL PLAN

ITEM

Authorize execution of amendment to existing agreement with the Reed Group to prepare a combined water system financial plan incorporating the proposed supplemental water projects and amend FY07-08 Budget [RECOMMEND ADOPTION].

BACKGROUND

Attached is a proposal from the Reed Group to prepare a revised financial plan for NCSD's Combined Water System and a revised Supplemental Water Capacity Charge calculation based on implementation of the Waterline Intertie Project and a Desalination Project comparable to that described in Boyle's October 2007 Technical Memorandum. The proposed revised Financial Plan would supersede the September 14, 2007 Draft Combined Water System Financial Plan prepared by the Reed Group. This revised Financial Plan would also be coordinated with the In Lieu Fee analysis being prepared by the Reed Group for the County of San Luis Obispo.

As set forth in the proposal, Mr. Reed would perform this additional work on a time and materials basis with a "not-to-exceed" expenditure limit of \$11,750.

RECOMMENDATION

Staff recommends that your Honorable Board authorize the President to execute an amendment to the existing agreement with the Reed Group to add the attached Scope of Work and to increase the "not-to-exceed" expenditure limit by \$11,750. Staff further requests that the Board transfer the \$11,750 from the Town Water Fund Reserves into the Professional Services Line Item.

ATTACHMENTS

- Reed Group Proposal

T:\BOARD MATTERS\BOARD MEETINGS\BOARD LETTER\BOARD LETTER 2008\Water Rate Study 2008.DOC



THE REED GROUP, INC.

December 10, 2007

Bruce Buel
Nipomo Community Services District
148 South Wilson Street
P. O. Box 326
Nipomo, CA 93444-0326

Subject: Proposed Contract Amendment for Water Capacity Charge Analysis

Dear Bruce,

The Reed Group, Inc. is currently working with the District to prepare water and sewer financial plans and rate updates. Recently, you asked that we amend the scope of services to include the updating the District's water capacity charges, including the supplemental water capacity charge and the Town Division's buy-in capacity charge for distribution facilities. The current scope of work included updating the Town Division's sewer system capacity charges, and we are currently working with San Luis Obispo County to develop a supplemental water mitigation fee, which is closely related to the District's supplemental water capacity charge. A description of the proposed scope amendment, along with cost and schedule information, is presented below

Scope of Services - Water Capacity Charges

In 2005, The Reed Group, Inc. assisted the District in developing a supplemental water capacity charge and a buy-in capacity charge related to the water distribution system. The supplemental water capacity charge was based on anticipated costs associated with supplemental water from the City of Santa Maria. The buy-in capacity charge reflected the cost of capacity in the water system (exclusive of water supply facilities). The capacity charges, which would be paid by new development connecting to the water system, were intended to help finance the supplemental water project as well as improvements within the distribution system.

At present, the District is evaluating the feasibility of a desalinization project as a source of supplemental water. As a result, it is prudent to revise and update the supplemental water capacity charge to reflect the new direction of the District. With this study, the supplemental water capacity charge will be based on the estimated capital costs associated with evaluating, planning, and constructing a desalinization project as described in the September 24, 2007 Technical Memorandum prepared by Boyle Engineers for the District.



Earlier this year, The Reed Group, Inc. assisted the District with updating the buy-in capacity charges associated with the Town Division's sewer collection system. A new capacity charge related to treatment capacity (based on planned Southland WWTP improvements) was also developed. The proposed update to the water distribution system buy-in capacity charge is similar to the recent update to the sewer collection system capacity charge.

Specifically, this contract amendment will include:

- Obtaining and reviewing all pertinent information related to the District's supplemental water supply project (desalinization project), including project description, cost estimates, timeline, integration with current operations and water supplies, and other information.
- Develop a supplemental water capacity charge methodology and calculation model. All new development within the District will be presumed to need supplemental water to satisfy their demands (groundwater will continue to serve existing demands). The supplemental water capacity charge will represent a proportionate share of the capital costs associated with the supplemental water project.
- Obtaining fixed asset information on the Town Division's water system including original cost, acquisition date, service life, and current book value.
- Update the previously develop water system buy-in capacity charge calculation related to water system facilities, exclusive of water supply facilities. The calculation will also include appropriate adjustments related to the long-term financing of facilities.
- Prepare a draft report describing the methodology, assumptions, and calculations of the supplemental water capacity charge and the distribution system buy-in capacity charge. The report will describe how the proposed charges are consistent with the requirements of Government Code Section 66013.
- Present capacity charge recommendations to the Board of Directors and address questions and/or comments expressed by the Board and staff.
- Finalize water capacity charge recommendations in a final report.
- Present water capacity charge recommendations during a public hearing to adopt the charges.

Estimated Cost for Water Rate Structure Analysis

In an effort to minimize travel costs of the water capacity charge analyses, we propose to conduct the study such that the draft report and recommendations can be presented to the Board of Directors on the same day as the scheduled sewer rate hearings planned for January



23, 2008. A separate trip will be required to attend the public hearing to adopt the water capacity charges, but that might also be combined with other activities for the District. At this time, we estimate that the cost of the requested water capacity charge analyses to be \$11,750, including expenses (for one trip to Nipomo). My hourly billing rate for 2008 will be \$215. As you know, it is our practice to bill only for the actual time and expense required for the project subject to the not-to-exceed limit of our agreement.

* * * * *

If the above work is approved it would amend, and be completed in accordance with other terms of, the Agreement for Rate Studies approved by the District on May 9, 2007. Please let me know if you have any questions regarding this proposal. We appreciated the opportunity to be of continued service to the District.

Sincerely,

Robert Reed
The Reed Group, Inc.

TO: BOARD OF DIRECTORS
FROM: BRUCE BUEL *BBB*
DATE: January 2, 2008

**AGENDA ITEM
D-5
JANUARY 9, 2008**

**APPROVE SEWER SYSTEM MANAGEMENT PLAN
DEVELOPMENT PLAN AND SCHEDULE**

ITEM

Consider approval of Sewer System Management Plan Development Plan and Schedule.
[ADOPT RESOLUTION]

BACKGROUND

The California State Water Resources Control Board adopted Order No. 2006-003, Statewide General Waste Discharge Requirements (WDR) for Wastewater Collection Agencies, on May 2, 2006. The WDR affects all sewer agencies in the state and regulates the discharge of sanitary sewer overflows to receiving waters. The WDR requires the electronic reporting of all sanitary sewer overflows as well as the development of a Sewer System Management Plan (SSMP) and specifies monitoring, reporting and SSMP implementation requirements. The District began electronic reporting on May 2, 2007.

Development of the SSMP is phased with compliance dates based on population. Exhibit 'A' of the attached Resolution is the proposed Development Plan and Schedule that lists compliance dates as well as the outside resources that will be required to complete each element. The SSMP Development Plan and Schedule as well as the completed SSMP must be approved by the Board of Directors.

The SSMP consists of eleven (11) elements:

- Goals
- Organization
- Legal Authority
- O&M Program
 - Collection System Mapping
 - Preventative Operations & Maintenance
 - Rehabilitation and Replacement Program
 - Employee Training
 - Equipment Replacement Inventory
- Design/Performance Standards
 - Design Standards
 - Inspection Standards
- Overflow Emergency Response Plan
- Fats, Oils and Grease (FOG) Control Program
- System Evaluation & Capacity Assurance
 - Evaluation
 - Design Criteria
 - Capacity Enhancement Measures
 - Schedule
- Monitoring, Management and Plan Modifications
- SSMP Program Audits
- Communication Program

The purpose of the SSMP is to:

- Properly manage, operate, and maintain all portions of the District's wastewater collection system
- Provide adequate capacity to convey peak wastewater flows
- Minimize frequency of sanitary sewer system overflows
- Mitigate impacts of sanitary sewer overflows that may occur
- Meet all notification and reporting requirements

RECOMMENDATION

Staff recommends that your Honorable Board adopt Resolution 2008-XXXX approving the SSMP Development Plan and Schedule.

ATTACHMENT

Resolution 2008-XXXX Approving SSMP Development Plan and Schedule

**NIPOMO COMMUNITY SERVICES DISTRICT
RESOLUTION NO. 2008-XXXX**

**A RESOLUTION OF THE BOARD OF DIRECTORS OF THE
NIPOMO COMMUNITY SERVICES DISTRICT
APPROVING THE SEWER SYSTEM MANAGEMENT PLAN (SSMP)
DEVELOPMENT PLAN AND SCHEDULE**

WHEREAS, the California State Water Resources Control Board adopted Order No. 2006-003, Statewide General Waste Discharge Requirements (WDR) for Wastewater Collection Agencies; and

WHEREAS, the WDR requires the Nipomo Community Services District (District) to develop a Sewer System Management Plan (SSMP) that is phased with compliance dates based on population; and

WHEREAS, the SSMP Development Plan and Schedule must be approved by the District's Board of Directors.

NOW, THEREFORE, BE IT RESOLVED, DETERMINED AND ORDERED by the Board of Directors of the Nipomo Community Services District, as follows:

The District's SSMP Development Plan and Schedule is attached hereto as Exhibit "A".

Upon motion by Director _____, seconded by Director _____ on the following roll call vote, to wit:

AYES:
NOES:
ABSENT:
ABSTAIN:

the foregoing resolution is hereby passed and adopted this 9th day of January, 2008.

MICHAEL WINN
President of the Board of Directors

ATTEST:

APPROVED:

DONNA K. JOHNSON
Secretary to the Board

JON S. SEITZ
District Legal Counsel

T:\BOARD MATTERS\RESOLUTIONS\RESOLUTIONS 2008\2008-XXXX SSMP.DOC

NCSD SSMP DEVELOPMENT PLAN AND SCHEDULE

Element	Required Completion Date	Completed by	Comments
Development Plan & Schedule	February 1, 2008	Staff	Must be approved by Board - Schedule for January 2008
Section 1 - Goals Section 2 - Organization	May 1, 2008	Staff Staff	
Section 3 - Legal Authority Section 4 - O&M Program Section 6 - Overflow Emergency Response Section 7 - FOG Control	November 1, 2009	Staff/ District Legal Counsel Staff/ Maintenance Management Consultant Staff/ Risk Management Consultant Staff/ Engineering Consultant	Need to review existing ordinance code and update as required Need to set up preventative maintenance program and document Need to develop and document response plan procedures Need to evaluate need for program and develop if necessary
Section 5 - Design/Performance Section 8 - System Evaluation & Capacity Assurance Section 9 - Monitor/Measure Section 10 - Program Audits Section 11 - Communication SSMP Completion Certification	May 1, 2010	Staff/ Engineering Consultant Staff/ Engineering Consultant Staff/ Engineering Consultant Staff/ Engineering Consultant Staff/ Website Consultant Staff	Current standards need to be revised to include rehabilitation and repair Master plan satisfies most of this requirement - Need CIP Need to develop performance measures Need to develop procedure to review and evaluate SSMP Need to communicate plan elements with stakeholders Must be approved by Board - Schedule for April 2010

Note: Legally Responsible Official (LRO) must certify completion of elements in CIWQS On-Line Electronic Reporting System

EXHIBIT A

TO: BOARD OF DIRECTORS
FROM: BRUCE BUEL *BBD*
DATE: JANUARY 2, 2008

AGENDA ITEM
D-6
JAN. 9, 2008

SET SPECIAL MEETING TO TOUR MORRO BAY DESALINATION FACILITY

ITEM

Set Special Meeting to tour Morro Bay Desalination Facility [RECOMMEND APPROVAL].

BACKGROUND

The City of Morro Bay owns a desalination facility that was completed in 1993 and that is capable of producing 645 AFY. The plant is not currently in operation as the City typically operates the plant when water is not available from the State Water Project, typically during the month of November, or if there are problems with its groundwater supply. The City is allowed to use the plant as a regular non-emergency water source.

While the desalination facility that the District is considering studying will potentially be considerable larger and use current technology, staff feels that it would be beneficial for your Honorable Board to tour Morro Bay's desalination facility. Morro bay staff has indicated that the best day in February for such a tour would be Wednesday 2/6 or Wednesday 2/20.

RECOMMENDATION

Staff recommends that your Honorable Board set the Special Meeting to Tour the Morro Bay Desalination Facility for 10 AM on Wednesday February 6, 2008.

ATTACHMENTS

- None

T:\BOARD MATTERS\BOARD MEETINGS\BOARD LETTER\BOARD LETTER 2008\Morro Bay Desal Tour.DOC

TO: BOARD OF DIRECTORS
FROM: BRUCE BUEL *BB*
DATE: JANUARY 4, 2008

AGENDA ITEM
D-7
JAN. 9, 2008

ACCEPT USE OF NIMS/SEMS/ICS IN RESPONSE TO EMERGENCIES

ITEM

Adopt resolution accepting the use of NIMS/SEMS/ICS in response to emergencies [RECOMMEND ADOPTION].

BACKGROUND

As a result of the findings of the Federal 9/11 Commission and the aftermath of Hurricane Katrina, the Federal Department of Homeland Security (FDHS) has developed the National Incident Management System (NIMS) and required all governmental entities to use NIMS in response to emergencies as a pre-requisite to receipt of Federal Funding. The California Governor's Office of Emergency Services (OES) has coordinated with FDHS such that the State's Standardized Emergency Management System (SEMS) and the Incident Command System (ICS) are compatible with NIMS. The intent of the integrated NIMS is to provide a single platform for all levels of government to work together seamlessly in response to large scale disasters and to minimize the confusion inherent to different systems with their unique vocabulary.

The first step in NCSD becoming NIMS compliant is for the Board to adopt a resolution accepting the use of NIMS in response to emergencies (see attached draft). In addition, NCSD would need to establish a Emergency Operations Center and train its crew for implementation. Staff is researching the options for training and will bring back recommendations at a subsequent meeting.

RECOMMENDATION

Staff believes that the use of NIMS is vital in responding to disasters and that NCSD can maximize the community's preparedness by implementing the program. Staff recommends that your Honorable Board adopt the attached Resolution as the first step in becoming compliant.

ATTACHMENTS

- Draft Resolution

T:\BOARD MATTERS\BOARD MEETINGS\BOARD LETTER\BOARD LETTER 2008\NIMS Compliance.DOC

**NIPOMO COMMUNITY SERVICES DISTRICT
RESOLUTION NO. 2008-XXX**

**A RESOLUTION OF THE BOARD OF DIRECTORS OF THE
NIPOMO COMMUNITY SERVICES DISTRICT
ADOPTING THE USE OF THE NATIONAL INCIDENT MANAGEMENT SYSTEM
(NIMS) IN RESPONSE TO EMERGENCIES**

WHEREAS, the Board of Directors of Nipomo Community Services District (District) is committed to providing excellence in legislative leadership; and

WHEREAS, the District believes that the universal adoption of NIMS by all levels of government will result in improved communication and improved disaster response; and

WHEREAS, the Federal Department of Homeland Security and the California Governor's Office of Emergency Services have requested that all governmental agencies adopt NIMS.

NOW, THEREFORE, BE IT RESOLVED, DETERMINED AND ORDERED by the Board of Directors of the Nipomo Community Services District, as follows:

1. The District will integrate the National Incident Management System (NIMS), to the extent possible, into its emergency management system and will utilize NIMS in response to emergencies; and
2. District staff shall forward a copy of this resolution to the Governor's Office of Emergency Services and to the Governor's Office of Homeland Security for their information and action, as necessary.

Upon motion by Director _____, seconded by Director _____ on the following roll call vote, to wit:

AYES:

NOES:

ABSENT:

ABSTAIN:

the foregoing resolution is hereby passed and adopted this 9th day of January, 2008.

MICHAEL WINN
President of the Board of Directors

ATTEST:

APPROVED:

DONNA K. JOHNSON
Secretary to the Board

JON S. SEITZ
District Legal Counsel

T:\BOARD MATTERS\RESOLUTIONS\RESOLUTIONS 2008\2007-XXXX NIMS.DOC

TO: BOARD OF DIRECTORS
FROM: BRUCE BUEL *B&B*
DATE: JANUARY 4, 2008

AGENDA ITEM
D-8
JAN. 9, 2008

SET OPERATIONS CENTER OPEN HOUSE

ITEM

Set operations center open house [RECOMMEND ADOPTION].

BACKGROUND

Staff expects that the shop office project will be complete this month. Staff proposes to hold an open house from 4pm to 6pm on Wednesday March 19, 2008 so that the community can see the facility and meet our new District Engineer and Superintendent. Staff further proposes to work with the Chamber to announce the event.

RECOMMENDATION

Staff recommends that your Honorable Board set the open house from 4pm to 6pm on Wednesday March 19, 2008.

ATTACHMENTS

- None

T:\BOARD MATTERS\BOARD MEETINGS\BOARD LETTER\BOARD LETTER 2008\SHOP OFFICE OPEN HOUSE.DOC

TO: BOARD OF DIRECTORS
FROM: BRUCE BUEL *BBB*
DATE: JANUARY 4, 2008



AWARD LOW BID FOR PURCHASE OF PICK UP TRUCK

ITEM

Purchase a new 2008 ½ ton pick-up truck adding, one more service vehicle to the District fleet.
[RECOMMEND APPROVAL

BACKGROUND

The purchase of a 2008 ½ ton pick-up truck was budgeted in the 2007-2008 fixed asset purchases. It was scheduled to replace a vehicle. With the addition of personnel, an additional truck needs to be retained until next year.

Bid specifications for the new truck were faxed to dealers. The dealers and the results are listed below.

Paso Robles Ford	\$19,594.11
Perry Ford	\$19,833.36
Mullahey Ford	\$14,982.56
Kimball Motors	No response
Christianson Chevrolet	No response

RECOMMENDATION

Staff recommends that your Honorable Board award the bid for the purchase of a 2008 ½ ton pick-up truck to Mullahey Ford, with a not-to-exceed expenditure limit of \$14,982.56.

ATTACHMENTS

- Bid specifications faxed to dealers
- Responses from dealers

T:\BOARD MATTERS\BOARD MEETINGS\BOARD LETTER\BOARD LETTER 2008\TRUCK BID.DOC

NIPOMO COMMUNITY SERVICES DISTRICT

148 So. Wilson St. Nipomo, CA 93444

Phone: (805) 929-1133

Fax: (805) 929~1932

MINIMUM BID SPECIFICATIONS FOR A NEW ½ TON PICK-UP TRUCK

1. New 2008 - ½ Ton Standard Cab with 145" Wheel Base
2. Engine - 4.2 L EFI V-6 (minimum)
3. Exterior - Oxford White
4. Interior - Grey
5. Seating - Bench
6. Transmission - Electronic 4- speed Auto
7. Standard Option Package (inc. air conditioning, radio, etc.)
8. Tow Package and Draw-Tite hitch with receiver
9. Bed liner - Line-X

Priced out, itemized, and returned by **12/31/07** including taxes license, delivery charges.

Please mark ATTN: Dan Migliazzo or e-mail to dmigliazzo@ncsd.ca.gov

T:\DOCUMENTS\STAFF FOLDERS\ DAN\TRUCK SPECS 10-07.DOC

Hello Dan Migliazzo ,

NIPOMO COMMUNITY SERVICES DISTRICT

Bid for 2008 1/2 ton Standard Cab with 145" wheel base

Engine- 4.2L EFI V6

Exterior- Oxford white

Interior- Grey(flint)

Seating- Bench

Transmission- Electronic 4-speed automatic

Options:

\$850- A/C

\$350- Trailer tow package

\$450- Line X bedliner

Bid Price- \$19,677.15

Rebates- \$2,500

Sales tax- \$1463.21

Lic fee- \$440.00

Doc fee- \$55

Total out the door- \$19,594.11

Thank you for considering our bid for your 2008 1/2 ton pick-up.
We look forward to earning your business.

Respectfully submitted,


Jan Shaddox

Paso Robles Ford, Lincoln, Mercury

805 239-3673 ext 127

Dated 12/19/2007

PERRY



Jeep

SAN LUIS OBISPO

To NIPOMO COMMUNITY SERVICES Quote
 Date 12/14/07
 Attn: DAN MIGLIAZZO
 Phone: _____

Gentlemen: We are pleased to submit a quote on the following equipment:

2008 FORD F150 STANDARD CAB 145'WB
4.2 V16
ELECTRONIC 4-SPEED AUTO


YOUR FLEET PRICE	20,350
TAX	1580 ⁶¹
LIC	402 ⁷⁵
	22,333
REBATE -	1,000
REBATE -	1,500
TOTAL	19,833 ³⁶

QUOTE GOOD THRU 1/2/08

Vehicles out of stock-subject to prior sale. Prices subject to change by manufacturer prior to ordering. Thank you for the opportunity to submit this quote and we hope we may be of service to you in the future.


 Harvey Green, Commercial & Leasing Mgr.

11/17/07
 Date



Mullahey Ford

December 19, 2007

To: Nipomo Community Services District
Attn: Dan Migliazzo

RE: Bid on 2008 Ford F150 1/2 ton Pickup Truck Per Your Specifications


- 1. New 2008 - 1/2 Ton Standard Cab with 145" Wheel Base
- 2. Engine -- 4.2 L EFI V-6
- 3. Exterior -- Oxford White
- 4. Interior -- Grey
- 5. Seating -- Bench
- 6. Transmission -- Electronic 4-speed Auto
- 7. Standard Option Package (incl. air conditioning, radio, etc.)
- 8. Tow Package and Draw-tite hitch with receiver
- 9. Bedliner --Line-X

\$13,961.60
 1,012.21 Sales Tax
 8.75 Tire Fee
 \$14,982.56 OTD

Bo Bocox,
Fleet Manager
Mullahey Ford
805-610-5532 cell phone



330 Traffic Way • P.O. Box 578 • Arroyo Grande, CA 93421
(805) 481-FORD (3673) • (805) 929-3218 • FAX (805) 473-0877

TO: BOARD OF DIRECTORS
FROM: BRUCE BUEL 
DATE: JANUARY 4, 2008



AWARD PURCHASE OF TRAILER

ITEM

Purchase a new trailer to transport compact backhoe/tractor [RECOMMEND APPROVAL

BACKGROUND

The purchase of a trailer to transport backhoe/tractor was budgeted in the 2007-2008 fixed asset purchases.

A proposal was received from Coastline Equipment for \$7,650.00.

RECOMMENDATION

Staff recommends that your Honorable Board approve the purchase of a trailer from Coastline Equipment for \$7,650.00 plus tax and DMV fees.

ATTACHMENTS

- Proposal from Coastline Equipment
- Detail sheet

T:\BOARD MATTERS\BOARD MEETINGS\BOARD LETTER\BOARD LETTER 2008\TRAILER BID.DOC



PROPOSAL



JOHN DEERE

TO: Nipomo Community Service

DATE: 9/13/07

DELIVERY DATE: 4-5 Weeks

F.O.B.: Order

FAX #: 929-5090

PHONE #: 929-1341

QUOTATION GOOD FOR 10 DAYS

ATTN: Dan



PRODUCT DESCRIPTION	PRICE
<p align="center">NEW TRAIL KING TKT12U TILT TRAILER (12,000 LB)</p> <p align="right">Sale Price:</p> <p><u>Standard Equipment</u></p> <p>12" x 2" electric brakes on both axles Single disc wheel (6-hole) 235/85R x 16 radials 1 1/2" oak decking (NET) Structural channel main frame 6 D-Rings 82" deck width between fenders 102" overall width 16' deck length 3 1/2" x 11" cushioning cylinder 12° load angle 2 - 6,000 lb. Torflex axles 4Ft Stationary Deck</p> <p>C-channel crossmembers Star traction covered approach 12,000 Lb. jack stand 14 ga. Steel enclosed fenders Pintle hitch with adjustment Electrical system per DOT regulation Safety chains and hooks Headboard Registration holder Breakaway switch (with battery) Red & white conspicuity markings Color: Trail King off-white 2-part polyurethane</p> <p><i>Talked with Julio 1/3/08 Price is still good. Dm 1/3/08</i></p>	<p align="right">\$7,650.00 Plus Tax & DMV Fees</p>

1) Proposed by Salesman:
Julio Gomez
 Compact Equipment Salesman
 Cell: 805/896-0013

2) Accepted by Customer:
 Company _____
 By: _____
 Date: _____

3) Approved by Coastline Equipment
 Name: _____
 Title: _____
 Date: _____

LONG BEACH (562)272-7400 OXNARD (805) 485-2106 SANTA MARIA (805) 922-8329 BAKERSFIELD (661) 399-3600 LANCASTER (661) 948-9993 SANTA ANA (714) 265-5500 SYLMAR (818)890-3353



MODEL TKT12U
 CAPACITY 12,000 LBS IN 18 FT
 WIDTH 8'6"
 HITCH TOUNGE W/ PINTLE EYE
 SUSPENSION.. 6,000 LB TORFLEX
 TIRE SIZE 235/85R X 16
 WHEELS 8 HOLE DISC
 DECKING 1 1/2" RAISED OAK
 OTHER 4' STATIONARY DECK
 16' TILT DECK

ESTIMATED WEIGHT - 4,100 LBS

MODEL TKT12-2000 TRAILER		
TRAIL KING, INC. INC. D.C.		
BOX-1064 - MITCHELL, RD 57301		
DRAWN BY RW	DATE 04/18 2002	IDONT, MA 022340