



STATIC WATER LEVELS

SANTA MARIA VALLEY WATER CONSERVATION DISTRICT

Test Well No.	1999				2000				2001				2002			
	Jan	Apr	July	Oct	Jan	Apr	July	Oct	Jan	Apr	Jul	Oct	Jan	Apr	Jul	Oct
1 A	83.5	84.5	101	96.5	84	83.5	87.5	95.5	84.5	81	81.5	83	83.5	85	86.5	84.5
2	135	136	140	131	131	130	134	131.5	130	129.5	129	131	130	138	141	138
3	65	71	65	64	64	64	66.5	63	63	61	61	64	65.5	74	74.5	71
4	*	*	41	38.5	39	*	39	37	37	34	36	39	36	36	38	39
5	55	55	59	57	54	51	55	56	53.4	51.5	52.5	53	54.5	57	58	56
6	95	96	90	88.5	93.5	91	94	93	93.5	90.5	88.5	91	94	100	101	98
7	*	49	46	54	*	87	58	56	47	45	44	49	45	49.5	49	48.5
8	62	64	59	64	57	55	61	61	57.5	55	56	57.5	58	65	67.5	67
9 B	91	96	103	90	98	98	101	98	96	93.5	91	94	95.5	97.5	99	97
10	48.5	49	52	51	49	47.5	50.5	50	48.5	47.5	47	47	49	51	53	51
11	*	62	59.5	*	78	71	79	77.5	77	71	71	71.5	77	64	71	70
12	41	42	*	44	44	*	60	54	42	42.5	41.5	42	41	43.5	48	47
13 A	54	54.5	60	61	42	*	51	53	42	42	43	45	48	56	59	57
14	27	29	32	32	24.5	22.5	24	26	25	26	27	29	25.5	31	34	33
15	18	19	*	28	22	24	25.5	25.5	23.5	24.5	24	22.5	24	21	28	27
16	28	27.5	35.5	34.5	27.5	25.5	29	31	31.5	31	31	31	31	29.5	32	32
17 A	30	30	(not assess) 35		31	31	37	36	31.5	30	30	30	32	31	N/A	31
18	*	*	111	126	*	*	123	123	122	119	120	121	124	120	121	120
19 A	179	181	*	52	184	180	181	184	183	175	177	177	180	183	181	179
20	*	25	55	63.5	65	62	64	64	62.5	59.5	58.5	59	64	62	66	64
21	61	62	65.5	63.5	65	62	64	64	63	61	64	67	67	64	68	67
22A	*	*	69	69	*	*	63.5	64	63	61	64	67	67	64	68	67
Avg	67.07	64.87	67.36	64.50	68.70	70.19	69.16	69.03	65.93	63.48	63.69	64.96	66.44	67.50	72.08	68.87
23	169	172	173	179	165	162	167	166	164	162	163	171	165	173	177	174
24	48	49	50	49.5	49	46.5	48	47	48	46.5	48	49	49	50	52	49.5
25	117	119	119	118	119	119	121	120	117	117	117	117	117	119	119	119
26	*	*	194	191	171	175	177	174	171	170	170.5	170	173	171	172	171
27	118	120	119	119	118.5	118	120	119	118	118	118	119	118.5	120	119	119
Avg	113	115	131	131.30	124.50	124.10	126.60	125.20	123.60	122.70	123.30	125.20	124.50	126.60	127.80	126.50

\* Unable to measure

STATIC WATER LEVELS

SANTA MARIA VALLEY WATER CONSERVATION DISTRICT

Test Well No.	1995				1996				1997				1998			
	Jan	Apr	July	Oct	Jan	Apr	July	Oct	Jan	Apr	Jul	Oct	Jan	Apr	Jul	Oct
1 A	123	*	117	117	112	105	107	108	101.5	99	102	*	94	86	83	86*
2	174.5	171	170	169	165	158	156	153	148.5	*	145	144	139.5	135	131	132
3	88	88	79	76	73	70	71	69.5	70	70.5	70.5	69	72	71.5	66	65.5
4	64	50	*	42	*	38	*	38.5	42.5	*	41	41.5	48	38	35.5	36
5	118	81.5	*	86.5	87	73	*	89.5	82.5	70	82.5	89	85	59	55	64*
6	129	122.5	112	112	109	109	109	*	106	*	104	106.5	105	95	95.5	88
7	66	45	39	37.5	38	36.5	42.5	37	42	37	38	46	48	*	41.5	51*
8	91	84	72.5	66.5	65	60	61.5	59	64	61	60	59	67	62	57	73
9 B	138	137	133	128.5	124	118	114.5	112.5	111	108	108	106	105	101.5	94	90
10	87	80.5	82	83.5	74	71.5	76	76	*	67.5	71.5	73	62	51	51.5	48
11	100	93.5	90	91.5	86	80.5	84	*	79	76.5	80	81	74	59.5	*	78*
12	73.5	68	*	*	66.5	*	*	*	57	*	*	82	54	43	54.5	41
13 A	85.5	77	83.5	86	76	73	82	80.5	65	72	82	82.5	67	47.5	61	57.5
14	*	45	52	53.5	41	44	*	47	34.5	*	46	48	36	28	36	27
15	25	*	*	*	18.5	23.5	29.5	26.5	14	21.5	36	*	13	10	27.5	29.5
16	53	47	56	58.5	45	48	55	51	36	45	52	55	40	26	35	31
17 A	52	46	53	56	49	42	52	50	39	43	49	50	38	30	35.5	19.5
18	163	156.5	158.5	*	154	147	149	149	141.5	139	142	140.5	134	*	123	137*
19 A	222	216	*	*	213	208	214	212	201	201	207	200	188	179	181	182*
20	46	41	54	*	*	45	*	53	31.5	42	50	*	30	20.5	36	38*
21	94	88.5	95	95.5	81	78	88	88	75	77.5	82	87	72	61	64	62
22A	118	114.5	106	102.5	98	93.5	94	92	90	88	88	87	85	78	67.5	68.5*
Avg	100.5	92.6	91.3	86.0	88.7	82	93.2	72.9	77.7	77.6	82.7	86.7	75.3	64.9	68.2	60.0
23	*	224	227	226.5	217	213	219	218	201	210	218	217.5	199	187	201	167
24	75.5	69.5	58	56.5	53.5	51	52	52	53.5	53	53.5	54	58	51	46.5	48
25	167	161	175	166	149	151.5	161	152	135	145	152	144	131.5	124	135	117
26 A	216	211	222	215	206	*	209	203	190	201	*	198	183	173	188	211*
27	161	*	167.5	163.5	146	147	156	146	130	143.5	148	140	128.5	118	134	119
28 A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Avg	154.8	166.4	169.9	165.5	154.3	140.6	159.4	154.2	141.9	150.5	142.9	150.7	140.0	130.6	140.9	112.8

\* Unable to measure



STATIC WATER LEVELS

SANTA MARIA VALLEY WATER CONSERVATION DISTRICT

Test Well No.	1991				1992				1993				1994			
	Jan	Apr	July	Oct	Jan	Apr	July	Oct	Jan	Apr	Jul	Oct	Jan	Apr	Jul	Oct
1 A	132	129	135	137	136	132	137	140	138	131	134	133.5	129	123	-	125.5
2	186	186	192.5	197	193	192.5	195	196	196	193	193.5	191.5	187	181	-	177
3	187	185.5	190	190	163	162.5	163	162	142	99	90.5	86	79	73.5	78	83
4	104.5	*	*	94	89	86	60	56	61.5	46.5	*	42	39.5	40.	49	58
	138.5	132	135	136	135	127.5	130	136	131	98	94	105	103	91	-	113.5
6	146.5	147.5	151.5	154	147	148	*	152	147	139	*	129.5	127	125	-	128
7	135	131.5	124	112	98	93	80	60	61.5	43	47	47	39	39	50	59.5
8	136	135.5	136	131.5	115	113.5	101	95.5	99	89.5	80	74.5	68	65	75	84
9 B	163.5	160	170.5	171	170	168	167	166.5	166.5	161.5	154	148.5	144.5	138	134.5	135
10	*	*	*	101	97	94.5	101	105	100	94	98	97	90	87	91.5	91
11	111.5	109	115	*	115.5	110	115	119.5	116	105	106.5	107.5	103	99	-	103.5
12	89	81	86	91	79	77.5	91	97	82.5	80	85.5	84.5	76.5	-	96	81
13 A	94	94	*	108	92	92	107.5	108.5	94.5	89.5	94.5	96	88	87	98	92
14	54	56.5	63	63	55.5	53	65	166	57	*	62	59	52.5	-	-	55
15	26.5	24.5	43	*	24	24	*	*	26	*	*	32.5	31	-	-	30
16	49	53	*	68	58	51.5	*	68.5	*	56.5	65	60	55	-	-	58
17 A	57	52	62	62.5	59	53.5	63	66	58.5	55	64	66	58	52	58	*
18	170	168.5	174	175	174	172.5	177.5	179.5	178	173.5	175.5	175	170	165	166	166.5
19 A	222	221.5	231.5	234	227	227	234	236.5	232	229	234	232	227	222.5	-	*
20	48	46.5	61	61	58	50.5	*	*	51	53	66	60	49.5	49	60	51.5
21	102	100.5	*	109	103	100	108	114	106	101.5	108	107	100	94	102.5	99.5
22A	145	145	147	147	146	142.5	142.5	*	143	136	123	121	118.5	112	112.5	115
Avg	118.90	117.95	130.41	127.05	115.18	112.34	124.31	127.61	113.67	108.68	109.32	102.5	97.05	102.39	90.08	95.33
23	247.5	144	252	257	*	*	*	*	243	242	*	240	233	226	234	228.5
24	148.5	145	124.5	111.5	99	98	94	88	77	71.5	63	59	54.5	53	60	68.5
25	190.5	185	198.5	200	189	186	203.5	200	186	183	192.5	183	170	-	184.5	174.5
26	*	144	*	247	230	231	254	251	232	241.5	*	237	227	-	-	217
27	185	184	192.5	193	184.5	181.5	209	196	181.5	179.5	186	179	166.5	-	171	167
28 A	189	*	*	-	-	-	-	-	-	-	-	-	-	-	-	-
Avg	192.10	160.40	191.88	201.70	175.63	174.13	190.13	183.75	183.9	183.5	147.17	179.6	170.2	139.50	162.38	171.1

\* Unable to measure

STATIC WATER LEVELS

SANTA MARIA VALLEY WATER CONSERVATION DISTRICT

Well No.	1984				1985				1989				1990			
	JAN.	APRIL	JULY	OCT.	JAN.	APRIL	JULY	OCT.	SEPT.				Jan.	May	July	Sept.
1 A	90.8	89.2	92.4	90.0	89.0	88.5	89.6		118.0				117.5	121.5	124.	128.
2	138.0	122.3	124.0	117.0	117.0	118.4	123.7		170.0				174.	17.6	180.	183.
3	70.6	70.0	71.0	70.0	74.4	79.2	86.0		180.0				177.	180.5	185.5	189.
4	33.7	33.6	37.8	43.0	49.3	54.7	69.0		117.5				114.	-	*	*
	52.0	53.0	55.6	60.1	62.5	64.6	67.3		123.5				120.	126.	131.	*
6	58.2	56.5	70.0	73.0	72.8	76.8	80.0		137.5				134.5	137.5	143.5	146.5
7	30.6	31.6	39.3	42.0	45.5	62.0	75.0		122.5				121.	125.	127.5	135.
8	66.0	64.8	68.4	68.0	70.0	75.0	79.7		129.5				131.5	132.5	133.5	135.
9 A	92.0	88.5	95.6	94.3	97.5	99.5	98.1		148.0				152.5	154.5	155.5	160.
10	75.4	74.5	75.4	73.6	72.7	70.0	72.5		90.0				82.	-	93.5	*
11	66.5	65.5	66.8	63.8	64.0	64.5	67.2		-				98.	101.5	127.5	*
12	44.0	45.0	48.2	*	*	*	60.0**		80.0				70.5	79.	82.5	92.
13 A	48.3	60.8	61.3	48.0	48.0	47.5	49.0		93.0				80.	91.5	98.	*
14	31.5	40.8	41.1	26.3	34.0	35.3	37.7		53.5				45.	56.	57.	*
15	*	*	*	*	*	*	23.7		-				23.	30.	*	*
16	26.0	25.4	25.0	23.5	25.0	25.5	28.6		50.5				40.5	59.	59.	62.
17 A	25.0	30.6	36.9	34.8	34.2	34.5	37.7		51.0				45.	51.5	57.	60.
18	130.0	*	130.1	128.8	132.5	134.7	*		156.5				156.5	160.	162.5	167.
19	185.0	184.5	180.5	175.7	175.0	186.8	185.2		0				0	-	220.	223.5
20	32.4	40.0	43.6	66.3	66.3	66.8	67.5		52.0				48.5	51.	55.	64.
21	65.8	65.5	67.0	66.0	66.0	65.6	69.5		92.0				87.	93.	98.	102.
22A	73.8	72.0	73.4	74.2	173.5	175.0	77.4		127.5				131.	134.	136.	141.5
Avg	68.4	65.70	77.59	71.92	78.46	81.24	74.97		110.13				102.33	100.08	121.32	132.56
23	186.0	175.0	177.2	168.0	170.4	172.5	175.5		212.5				117.5	229.	236.	246.5
24	57.4	46.3	48.0	54.4	55.5	56.7	75.7		130.0				128.5	133.	136.5	147.
25	128.5	126.4	144.0	139.0	138.4	136.2	140.4		179.5				161.	185.	186.	193.
26	188.4	179.5	180.5	178.0	180.9	181.4	188.0		231.0				222.5	235.	*	*
27	131.0	125.0	147.8	126.2	129.0	133.5	145.0		174.0				164.	175.	179.	186.
28 A	148.8	139.0	140.3	138.7	139.8	140.0	142.0		178.0				179.	181.5	185.	188.
Avg	140.0	131.86	139.63	134.05	135.66	136.71	144.43		184.17				162.08	189.75	184.5	192.10

\* Unable to measure 1936-1988: levels were not recorded

STATIC WATER LEVELS

SANTA MARIA VALLEY WATER CONSERVATION DISTRICT

Test Well No.	1980				1981				1982				1983			
	JAN.	APRIL	JULY	OCT.	JAN.	APRIL	JULY	OCT.	JAN.	APRIL	JULY	OCT.	JAN.	APRIL	JULY	OCT.
1 A	121.6	120.2	119.0	117.0	118.5	101.0	102.5	105.7	104.0	102.0		103.5	103.0	99.6	97.7	95.4
2	141.0	142.9	143.0	138.0	140.5	135.0	137.4	137.0	135.0	136.0		138.4	135.7	138.5	135.5	139.0
3	73.6	68.4	62.0	67.5	69.7	73.5	77.5	82.5	80.0	90.5		91.0	89.5	80.0	76.8	73.0
4	44.6	39.4	37.4	36.0	41.0	38.1	53.3	56.0	61.3	67.0		55.4	50.0	41.5	42.8	40.5
	70.0	49.9	48.0	49.4	63.0	55.8	63.2	68.5	70.3	71.5		72.6	69.5	63.5	63.0	54.2
6	79.2	66.3	64.0	67.0	70.5	68.5	70.6	75.5	78.0	82.0		81.1	80.0	75.0	73.5	60.6
7	44.6	42.4	38.5	34.5	42.0	46.0	55.5	57.0	58.0	65.0		66.5	61.6	32.0	43.5	33.0
8	69.2	65.8	56.6	55.0	57.8	70.9	72.5	74.3	74.0	95.1		97.3	95.4	91.5	89.0	68.4
9 A	*	*	*	*	*	*	*	*	*	*		*	120.0	113.7	106.5	103.0
10	94.5	92.0	97.2	95.1	95.0	92.0	92.5	96.0	93.0	92.0		93.0	91.6	85.5	82.3	78.5
11	96.0	92.4	93.6	91.4	87.3	88.4	89.8	91.6	90.0	87.6		88.0	86.3	83.4	71.5	68.3
12	94.7	90.8	91.5	90.0	87.5	88.5	90.0	91.5	88.5	85.5		89.0	84.7	80.5	79.0	42.2
13 A	79.1	77.6	78.0	76.4	74.0	71.5	73.5	75.0	66.2	63.1		73.8	70.6	67.4	67.9	50.5
14	46.9	42.7	44.5	42.0	41.0	45.7	48.8	49.6	38.0	38.7		40.0	42.8	40.0	38.5	33.8
15	20.6	16.4	14.7	12.8	12.0	11.0	14.5	14.0	13.3	12.0		17.4	14.5	21.8	37.6	29.6
16	38.0	37.7	35.4	35.0	33.4	34.0	36.0	38.8	35.5	32.3		35.0	37.4	33.8	32.0	28.4
17 A	39.4	38.6	37.4	37.0	36.2	35.5	38.7	46.0	44.5	30.7		33.5	31.0	30.0	37.5	34.0
18 A		**	**	**	**	**	**	**	**	**		**	**	**	**	174.0
19 A	195.3	190.0	196.0	194.0	193.0	190.2	194.0	197.8	194.0	193.5		194.0	193.5	190.3	188.0	186.5
20	40.4	38.8	37.0	36.5	35.0	36.0	38.4	42.2	41.0	32.3		35.5	35.0	39.5	38.0	35.5
21	90.3	90.0	88.0	93.0	86.0	91.0	92.0	95.5	78.4	76.0		79.5	79.0	78.0	81.8	69.4
22A	104.4	99.5	101.0	99.0	95.8	95.5	99.3	100.5	96.8	102.5		109.6	107.5	104.0	88.8	80.7
Avg	79.2	75.1	74.2	73.3	74.0	72.9	77.0	79.8	77.0	77.7		79.7	79.9	75.7	74.8	71.8
23	189.3	194.0	201.6	200.0	184.6	181.9	194.5	194.0	182.5	181.0		185.5	187.0	182.8	182.0	183.8
24	147.0	143.8	143.0	141.0	137.8	135.1	137.4	65.3	71.2	76.6		69.0	70.0	68.0	67.0	51.6
25	138.2	139.0	145.0	142.0	139.0	144.7	149.0	148.0	140.0	137.5		*	*	126.7	128.0	129.0
26	200.5	200.0	206.5	203.0	197.5	194.5	199.0	197.5	193.0	192.0		190.8	191.8	187.5	187.0	185.5
27	146.2	140.0	149.8	143.0	140.2	139.2	148.5	146.3	132.7	134.0		140.0	146.3	140.5	148.5	134.5
28 A	153.3	151.0	151.4	150.2	154.7	148.0	148.5	147.0	149.0	148.3		152.7	153.5	148.0	147.5	146.3
Avg	162.4	161.3	166.2	163.2	159.0	157.2	162.8	149.7	144.7	144.9		147.6	149.7	142.3	143.3	138.5



STATIC WATER LEVELS

SANTA MARIA VALLEY WATER CONSERVATION DISTRICT

Test Well No.	1976				1977				1978				1979			
	JAN.	APRIL	JULY	OCT.	JAN.	APRIL	JULY	OCT.	JAN.	APRIL	JULY	OCT.	JAN.	APRIL	JULY	OCT.
1	154.0	154.0	**	**	**	**	**	**	**	**	**	**	**	**	126.5	124.9
2	159.5	160.0	164.3	163.6	163.0	166.7	173.3	183.8	181.9	170.0	178.4	172.2	160.5	157.3	160.5	*
3	143.0	143.5	168.0	170.4	159.0	167.5	177.4	181.6	178.1	172.2	150.0	106.5	85.8	78.1	93.8	72.0
4	88.0	89.0	99.0	115.0	100.5	101.8	105.0	128.0	109.5	101.0	68.0	51.4	40.1	37.5	39.9	38.0
5	90.0	92.3	98.6	103.0	104.6	120.0	124.2	134.0	137.3	76.8	80.6	83.4	81.0	55.0	65.3	70.0
6	101.3	102.4	107.5	116.7	119.3	120.4	122.6	133.4	132.8	121.0	120.6	112.0	91.7	78.3	81.8	78.5
7	93.6	96.0	109.5	102.5	101.7	101.5	116.4	115.0	112.3	97.7	49.9	44.9	36.6	35.0	42.8	37.5
8	111.0	113.3	119.7	122.0	123.2	124.8	126.7	109.0	129.4	124.5	89.4	73.0	61.6	57.5	65.1	58.5
9	126.2	126.3	131.2	132.3	129.0	130.0	132.7	133.4	132.0	109.0	**	**	**	**	*	*
10	87.3	89.0	103.0	105.3	89.4	91.2	92.3	109.4	111.5	*	100.6	101.2	97.4	93.0	98.4	97.6
11	104.7	105.1	110.4	111.6	106.1	108.4	113.7	118.8	120.3	106.0	100.7	98.0	105.7	99.0	104.6	100.0
12	97.0	107.6	105.4	107.8	102.6	103.7	104.7	107.8	108.0	103.0	99.8	97.3	100.3	79.6	100.0	95.5
13	79.6	81.4	81.2	82.1	79.4	81.4	86.3	89.9	90.8	79.3	84.0	85.6	81.1	*	*	86.0
14	54.7	54.9	63.5	67.4	51.3	54.4	65.7	70.2	57.0	51.0	50.2	63.5	51.5	62.8	62.5	58.8
15	21.0	20.7	23.7	21.0	19.4	21.7	23.2	33.7	22.7	18.2	29.3	22.7	18.8	18.2	36.3	26.4
16	36.2	49.0	59.6	58.2	56.0	58.9	59.5	62.7	58.6	41.5	39.5	38.4	42.0	48.1	58.3	54.0
17	*	*	*	*	**	*	*	*	*	*	*	*	*	*	51.8	49.5
18	11.0	10.0	11.8	10.7	8.1	10.9	**	**	**	**	**	**	**	**	**	**
19	**	**	**	**	**	**	**	**	**	**	**	**	**	**	195.6	201.0
20	55.0	57.0	64.1	50.0	42.5	44.0	48.0	51.5	46.6	47.6	62.4	62.4	44.6	46.4	49.0	54.7
21	96.0	100.3	106.0	104.5	96.4	99.6	101.2	112.0	109.7	97.4	95.4	97.7	98.7	95.2	102.5	101.1
22A	**	**	**	**	**	**	**	**	**	**	**	**	**	**	113.4	110.2
Avg:	89.9	92.2	95.9	96.9	91.7	94.8	104.3	110.2	108.1	94.0	87.0	81.0	74.84	69.4	86.7	79.0
23	208.7	210.0	212.7	208.0	207.6	210.0	213.5	216.0	219.7	217.8	233.2	223.3	208.1	204.8	209.6	199.0
24	**	**	**	**	**	**	**	**	**	**	**	**	**	157.6	154.7	151.5
25	153.4	158.3	167.3	170.4	164.0	172.2	176.3	177.0	181.3	165.0	178.6	163.7	151.8	143.0	148.2	141.7
26	213.6	217.5	---	212.4	210.0	211.7	216.3	219.7	222.8	222.2	234.2	227.6	212.5	209.5	218.0	204.0
27	164.0	164.0	176.3	172.6	162.0	165.5	181.0	179.7	169.5	168.3	182.5	174.0	157.1	154.3	159.0	149.5
28	197.8	199.0	202.7	202.0	201.4	204.6	207.4	211.6	206.5	*	207.0	200.4	191.0	187.0	164.5	159.0
Avg:	187.5	189.7	189.7	193.1	189.0	192.8	198.9	200.8	200.0	193.3	207.1	197.0	141.6	176.0	175.7	167.45

Note \*- Unable to measure \*\* Well Abandoned

STATIC WATER LEVELS

SANTA MARIA VALLEY WATER CONSERVATION DISTRICT

Well No.	1972				1973				1974				1975			
	Jan 1st	Apr 1st	July 1st	Oct. 1st	Jan. 1st.	Apr. 1st.	July 1st.	Oct. 1st.	Jan. 1st.	April 1st.	July 1st.	Oct. 1st.	Jan 1st.	April 1st.	July 1st.	Oct. 1st.
1	138.8	141.0	146.0	149.3	142.9	155.6	150.0	153.2	153.2		155.0	152.0	150.0	151.3	152.0	154.6
2	143.6	151.4	160.0	154.0	156.0	159.3	152.2	158.4	170.2		153.3	155.0	153.0	158.1	163.4	160.0
3	99.5	106.3	155.2	145.8	100.9	110.4	97.7	105.8	109.7		100.0	121.8	123.0	143.6	151.0	141.0
4	79.1	85.2	90.3	96.7	84.8	99.8	80.0	87.0	87.0		79.3	63.6	69.5	72.7	78.5	86.0
5	71.8	76.9	81.2	90.4	67.4	86.9	81.1	85.6	69.9		87.7	84.1	85.3	*	*	90.0
6	74.8	86.0	92.6	99.0	74.0	90.0	88.7	94.4	94.4		83.4	85.5	86.5	82.0	88.3	95.6
7	72.8	82.7	104.0	95.2	70.1	91.0	101.3	98.3	98.3		104.8	59.1	64.0	72.4	88.8	92.9
8	103.0	105.6	108.2	121.0	100.8	74.7	110.0	106.0	97.0		104.7	100.0	102.5	106.0	109.2	109.0
9	118.3	122.3	127.3	127.4	123.0	108.0	106.4	115.0	115.0		110.0	122.5	123.0	121.5	123.8	125.0
10	78.3	84.0	91.4	82.3	75.6	61.6	75.6	79.4	79.3		80.2	100.0	85.0	86.4	88.7	84.2
11	90.0	92.7	99.2	96.0	86.4	93.4	89.9	95.6	86.8		87.6	102.8	98.7	99.4	100.3	104.0
12	79.5	83.4	92.4	92.5	76.2	80.0	80.4	83.4	72.0		81.1	96.0	93.4	92.6	96.3	90.2
13	72.8	70.7	78.0	73.0	81.7	79.4	86.9	87.6	89.0		87.6	78.2	72.8	76.0	80.1	79.5
14	45.8	46.1	61.1	47.4	50.6	46.2	76.8	50.0	53.3		74.4	51.0	59.3	60.8	59.8	56.4
15	18.8	22.0	25.0	14.6	16.8	12.8	12.6	17.2	18.4		13.7	20.4	16.3	14.6	18.6	13.2
16	38.0	50.8	51.9	39.5	34.0	38.7	41.0	40.4	37.8		45.7	42.0	38.7	39.3	40.8	37.7
17	52.0	*	61.0	*	*	*	*	*	*		*	*	*	*	*	*
18	9.5	11.5	12.8	8.3	14.5	18.3	18.7	22.3	16.1		16.4	16.4	9.6	10.4	12.6	9.6
19	40.0	50.5	59.0	39.5	43.4	55.4	54.6	58.0	58.0		55.3	**	**	**	**	**
20	40.2	48.0	59.0	45.8	45.6	44.6	46.0	48.9	47.7		51.1	47.5	52.0	55.3	59.0	53.8
21	91.0	90.1	99.0	88.7	97.6	99.0	98.7	102.3	100.8		100.5	93.8	91.3	94.0	96.3	93.1
22A	113.0	115.5	122.8	*	117.3	25.0	125.3	130.0	130.0		133.3	*	**	**	**	**
Avg	75.9	82.1	89.8	85.3	79.0	77.6	84.5	86.6	84.9		86.0	83.8	82.8	85.4	89.3	88.5
23	186.8	189.9	202.0	197.6	192.3	190.1	190.7	193.8	186.4		193.4	*	197.0	200.9	212.0	206.3
24	**	**	**	**	**	**	**	**	**		**	**	**	**	**	**
25	135.3	164.4	168.8	144.1	172.1	164.4	164.0	178.3	180.0		169.7	143.7	160.0	161.0	164.0	151.5
26	192.0	205.7	215.7	203.0	*	191.7	190.0	197.0	218.0		194.3	206.3	208.4	211.6	223.0	210.5
27	143.8	159.5	158.0	147.7	187.0	172.0	171.4	152.9	172.3		176.0	156.4	153.5	158.4	166.3	153.0
28	178.0	182.3	*	188.0	180.5	184.7	174.3	178.8	179.3		184.7	192.5	194.6	196.6	198.0	195.6
Avg	167.2	180.3	186.1	176.1	183.0	180.6	178.1	180.2	187.2		183.6	174.7	182.7	185.7	192.7	184.4

\* - Unable to measure      \*\* Well Abandoned



STATIC WATER LEVELS

SANTA MARIA VALLEY WATER CONSERVATION DISTRICT

Test Well No.	1968				1969				1970				1971			
	Jan 1st	Apr 1st	July 1st	Oct 1st	Jan 1st	Apr 1st	July 1st	Oct 1st	Jan 1st	Apr 1st	July 1st	Oct 1st	Jan 1st	Apr 1st	July 1st	Oct 1st
1	172.3	166.3	166.6	168.0	162.5	158.5	158.0	156.4	149.5	143.2	*	140.0	135.1	134.2	137.0	140.0
2	171.2	164.0	174.1	165.9	157.1	156.0	161.4	155.2	145.0	139.5	144.4	138.4	133.3	129.2	157.4	143.5
3	104.8	88.0	88.7	91.2	90.4	90.2	83.5	79.0	75.3	73.2	76.0	75.2	78.5	91.3	87.9	95.4
4	41.4	33.9	47.1	54.4	62.8	46.2	40.0	39.0	37.1	39.4	42.9	46.6	52.0	58.2	66.6	75.0
5	72.3	68.8	75.3	81.2	84.9	51.7	47.0	54.7	53.7	51.0	55.4	60.0	58.6	60.0	67.8	72.5
6	75.4	75.2	77.8	84.1	82.2	60.3	55.5	56.8	59.5	54.3	61.4	65.2	62.7	63.0	67.1	74.0
7	44.4	43.5	55.2	63.4	60.3	44.7	42.1	40.8	38.2	31.5	43.0	43.2	49.4	61.6	73.0	71.0
8	80.5	70.6	78.2	85.6	92.6	82.3	80.2	67.7	65.3	64.0	69.3	70.9	77.8	81.1	87.2	86.5
9	95.3	102.0	108.3	117.1	123.6	88.0	80.0	70.5	66.5	65.0	62.4	77.2	88.0	94.8	102.6	112.3
10	101.8	99.4	102.6	109.0	97.4	91.1	94.1	89.2	83.2	82.3	85.4	83.1	70.8	75.0	83.5	82.1
11	116.7	112.0	117.0	119.2	111.7	100.0	100.0	100.0	92.0	87.7	91.0	91.3	82.3	84.5	89.2	92.0
12	110.7	107.3	110.0	112.1	108.0	89.4	84.6	87.0	81.0	76.4	80.0	80.3	77.4	82.3	89.5	84.0
13	89.8	86.0	91.5	93.6	86.6	82.4	77.1	77.7	77.8	66.7	71.7	71.0	61.7	64.6	69.2	68.3
14	61.5	59.4	70.3	70.0	57.9	56.7	54.2	58.8	48.2	52.2	60.0	54.2	41.4	48.0	57.7	52.7
15	23.0	24.1	35.0	31.0	22.0	30.8	28.5	24.4	18.0	26.0	32.6	29.3	12.6	18.4	25.6	23.0
16	50.2	49.3	64.1	63.4	47.9	41.8	56.8	50.4	40.0	53.0	57.7	48.3	31.6	44.2	50.0	45.5
17	58.0	57.5	62.3	71.4	66.5	*	64.2	60.0	48.3	54.4	60.3	55.0	38.2	40.6	49.0	53.2
18	24.3	25.0	33.7	33.6	*	24.0	29.0	26.6	19.2	22.1	27.7	20.0	11.8	17.0	26.5	25.5
19	51.7	51.9	64.9	66.5	52.1	54.2	58.8	67.3	44.8	48.4	56.0	53.6	34.1	39.4	52.1	49.0
20	51.5	51.6	55.8	56.9	57.4	55.6	59.8	55.2	45.7	50.5	57.6	54.8	34.0	39.8	*	56.6
21	109.4	106.5	114.0	116.2	126.3	101.0	105.7	102.4	92.2	91.3	97.7	96.8	80.5	85.3	92.0	91.7
22A	144.7	139.5	139.5	141.8	137.0	128.0	126.1	123.8	115.5	108.0	109.0	108.6	104.0	105.1	109.7	115.0
Avg	84.1	81.0	87.8	90.7	89.9	77.8	76.7	74.7	68.0	67.3	68.6	71.0	64.4	69.0	78.1	77.7
23	216.5	210.2	217.3	221.5	208.8	202.4	207.4	203.2	191.0	191.8	203.2	194.0	180.0	190.0	199.6	190.7
24	206.1	197.5	203.8	198.8	187.6	184.7	188.6	178.0	168.0	165.8	165.8	163.1	158.2	158.6	164.0	
25	154.5	143.8	167.4	153.2	150.0	149.2	161.3	154.8	148.3	144.0	154.5	131.1	121.3	*	141.2	140.3
26	220.3	213.1	xxxx	223.7	209.0	207.2	223.3	210.0	197.8	205.8	208.0	207.0	185.6	195.0	206.0	196.0
27	162.8	154.3	176.2	169.7	154.0	154.2	163.6	152.9	142.4	142.8	152.3	142.3	132.8	146.3	149.0	147.0
28	207.9	200.2	200.3	207.8	196.3	192.2	197.0	196.5	184.1	183.7	184.8	190.0	173.6	177.4	186.3	182.5
Avg	194.7	186.5	193.0	195.8	184.3	181.7	190.2	182.6	171.9	172.3	178.1	171.2	158.6	173.46	174.4	171.3

Note \*- Unable to measure \*\* Well Abandoned

STATIC WATER LEVELS

SANTA MARIA VALLEY WATER CONSERVATION DISTRICT

Test Well No.	1964				1965				1966				1967			
	Jan 1st	Apr 1st	July 1st	Oct 1st	Jan 1st	Apr 1st	July 1st	Oct 1st	Jan 1st	Apr 1st	July 1st	Oct 1st	Jan 1st	Apr 1st	July 1st	Oct 1st
1	156.8	157.1	*161.0	164.0	162.6	162.7	165.7	168.4	168.0	168.0	171.4	174.7	173.3	172.0	172.7	176.2
2	159.8	159.5	*178.5	173.5	165.0	166.5	170.2	178.8	171.5	174.4	184.3	183.4	178.0	177.0	183.0	180.5
3	153.7	150.3	171.7	179.0	164.7	167.4	180.5	185.0	177.2	178.4	185.4	188.4	181.9	176.2	168.0	156.5
4	80.4	83.3	97.7	103.2	98.7	100.8	102.7	103.1	100.0	93.0	89.6	95.0	96.9	89.3	73.7	49.5
5	93.2	96.0	100.5	103.2	109.5	110.0	103.5	114.1	112.0	108.4	114.8	120.0	118.3	103.8	73.7	79.2
6	111.2	113.7	121.0	*154.0	122.4	123.6	126.0	130.6	126.4	122.9	125.7	127.8	120.8	106.3	76.0	74.7
7	73.4	79.3	*85.6	99.2	96.4	100.0	112.8	119.0	106.9	104.1	103.0	94.2	92.0	96.8	80.0	33.9
8	113.0	114.2	*122.5	122.8	122.9	124.4	129.4	131.8	128.3	128.7	130.2	135.6	129.3	127.6	114.0	94.1
9	127.6	128.1	131.1	132.2	129.9	131.1	133.8	135.5	132.0	130.5	135.0	136.5	129.6	124.2	107.3	89.7
10	92.1	89.5	*99.5	102.5	93.6	94.0	98.6	106.2	97.5	101.6	108.6	109.3	104.8	102.5	106.0	111.8
11	102.0	101.5	*109.6	111.1	106.4	105.8	110.3	116.0	110.3	112.6	117.0	120.0	120.0	118.0	118.2	123.2
12	*100.4	100.0	*104.9	109.5	106.0	104.3	108.0	111.8	xxxx	110.2	113.3	115.4	113.5	111.4	110.4	112.5
13	81.0	79.6	*87.8	87.2	83.2	84.2	86.5	91.0	86.6	87.1	92.4	96.0	91.6	88.9	90.7	95.0
14	55.3	52.6	*60.6	63.0	54.6	56.8	66.4	66.0	56.9	65.7	70.9	68.8	67.3	62.0	68.4	79.8
15	21.1	19.0	28.7	26.6	19.1	21.9	29.0	27.7	21.4	31.9	33.6	29.9	23.5	22.7	35.0	32.0
16	44.7	42.0	*45.7	58.0	43.2	45.7	61.8	56.0	45.2	57.0	63.8	61.6	52.3	50.6	63.3	63.5
17	53.4	49.1	64.8	65.0	51.0	53.3	66.0	65.1	53.3	63.4	70.0	67.3	61.0	61.1	69.1	68.4
18	21.6	18.5	28.2	29.6	20.8	22.0	28.6	29.3	21.2	29.2	35.1	34.2	26.0	25.7	27.3	33.0
19	*65.8	46.4	xxxx	61.3	45.2	47.4	64.0	64.8	48.3	52.4	64.8	62.3	54.5	55.2	64.5	62.5
20	48.9	42.3	*62.7	60.0	43.8	44.2	60.0	62.3	47.1	57.1	61.0	60.5	58.5	56.6	59.0	65.3
21	xxxx	99.4	xxxx	xxxx	98.7	99.3	xxxx	xxxx	102.6	107.0	xxxx	xxxx	110.3	106.9	113.8	124.6
22A	134.4	136.2	137.4	143.0	140.5	140.0	142.5	144.3	145.9	145.7	149.2	153.5	151.5	149.8	148.9	151.3
Avg	90.0	89.0	99.9	102.3	94.5	95.7	102.2	100.3	98.0	101.3	105.7	106.4	102.5	99.3	96.5	93.5
23	204.3	205.6	*218.3	224.8	219.0	219.8	228.0	235.0	216.6	223.8	240.0	233.7	225.7	223.5	234.8	232.0
24	191.0	193.2	*216.8	211.0	201.0	203.8	216.2	226.3	208.0	214.2	229.5	224.0	214.0	212.0	218.6	219.0
25	*148.8	*149.2	*154.2	157.8	*159.4	162.3	164.7	165.4	154.4	162.0	179.5	188.0	179.0	162.4	170.2	178.3
26	208.8	*210.0	*228.0	228.1	215.9	219.0	232.0	241.0	222.0	226.6	241.3	238.0	228.0	226.2	238.5	xxxx
27	152.2	152.2	166.3	167.7	156.5	161.0	170.0	169.2	162.2	172.6	188.1	187.0	176.7	170.5	180.0	176.5
28	195.1	197.0	208.2	211.3	203.7	206.2	211.3	220.0	209.0	213.4	218.8	224.0	215.0	214.4	219.0	218.8
Avg	183.3	184.6	198.6	200.1	192.6	195.4	205.2	209.5	195.4	202.1	216.2	215.8	206.4	201.5	210.2	204.9

Note \*- Well had been pumping

xxxx - Unable to measure



7 Sheets Mailed

Oct. 17-1963

KEEP FOR REFERENCE — CURRENT REPORTS MAILED QUARTERLY

SANTA MARIA VALLEY STATIC WATER LEVELS Taken By SANTA MARIA VALLEY WATER CONSERVATION DISTRICT

Test Well No.	1960				1961				1962				1963			
	January 1st	April 1st	July 1st	October 1st	January 1st	April 1st	July 1st	October 1st	January 1st	April 1st	July 1st	October 1st	January 1st	April 1st	July 1st	October 1st
1	148.40	*147.40	152.47	154.47	152.2	153.7	157.3	*161.7	158.5	*156.5	160.0	*161.8	158.5	154.9	155.5	158.0
2	149.25	147.75	160.42	156.36	152.1	159.8	*166.3	165.5	160.3	159.5	*173.0	166.7	159.0	154.5	*162.0	163.3
3	141.46	136.85	168.40	163.45	152.4	163.1	177.2	179.0	167.7	162.8	176.9	158.0	127.1	128.2	144.4	155.4
4	* 81.37	83.60	91.40	98.65	96.9	101.7	107.0	*109.3	110.0	103.7	61.0	47.8	53.8	59.5	66.5	75.2
	73.58	75.70	79.05	83.08	84.1	86.9	93.0	104.9	107.0	88.0	80.2	80.0	81.0	82.0	84.5	90.1
6	85.52	87.30	101.30	109.41	105.2	116.7	120.8	*128.8	120.7	114.3	*114.6	*118.6	110.3	106.8	*113.4	115.7
7	74.40	77.60	90.51	98.82	94.9	101.6	*105.2	*107.4	113.8	101.7	45.6	38.8	46.6	* 57.5	* 68.0	* 76.0
8	116.03	115.67	123.15	127.04	123.2	126.2	*128.8	131.3	129.4	129.4	*130.1	106.3	102.7	102.0	106.6	*117.0
9	122.30	113.17	126.55	127.85	125.8	130.1	132.3	134.0	130.1	113.4	106.0	104.7	115.5	120.0	124.6	127.2
10	85.90	* 85.55	92.40	94.20	88.1	91.3	95.6	100.0	* 98.2	90.3	* 95.5	* 99.2	94.5	88.4	* 96.5	96.8
11	99.20	95.95	103.35	108.27	103.9	104.7	*106.8	109.2	108.3	106.1	xxx x	102.0	103.5	99.5	101.8	*107.0
12	* 94.04	* 92.64	95.20	100.60	97.3	99.8	102.5	*107.0	107.0	99.8	*103.6	*107.0	*103.3	100.5	*101.3	*103.2
13	73.96	70.94	76.98	80.50	75.5	76.8	88.5	85.8	82.1	77.7	* 82.5	85.4	* 82.0	78.0	80.0	83.5
14	47.66	50.28	60.40	55.59	50.4	57.2	65.0	60.9	53.9	51.8	62.5	61.5	55.1	51.4	61.6	58.7
15	15.80	15.35	23.01	21.77	16.1	14.6	* 45.6	23.4	18.5	17.0	25.8	26.5	19.6	17.7	24.2	23.5
16	38.90	40.39	54.35	50.29	39.6	39.9	39.0	50.9	45.5	42.0	* 60.3	* 55.7	44.0	40.5	* 60.3	* 61.1
17	46.97	* 49.73	57.42	55.84	48.5	55.1	* 63.2	60.4	58.0	49.9	60.8	59.6	56.3	48.0	58.1	57.6
18	16.55	18.43	25.70	26.04	21.2	25.2	* 39.2	27.0	25.2	* 18.2	27.3	25.8	20.9	17.6	* 22.5	* 31.4
19	* 50.40	46.22	47.95	54.45	47.8	55.7	* 61.1	* 63.5	56.4	41.5	* 52.3	* 53.5	* 52.8	42.5	54.3	* 69.5
20	40.66	43.33	57.38	54.50	42.1	49.9	* 60.5	* 58.5	43.0	42.5	* 56.7	* 57.0	45.7	40.9	* 58.5	* 56.4
21	* 92.20	* 91.24	96.50	101.10	91.2	97.6	*108.8	xxx x	96.3	94.7	*102.0	*102.8	101.2	93.4	xxx x	xxx x
22	xxx xx	125.10	129.85	134.55	131.5	132.7	138.2	141.4	139.5	135.6	138.0	139.8	135.2	131.2	131.8	136.0
Average	80.69	82.27	91.54	93.48	88.2	92.7	100.1	100.4	96.8	90.7	91.1	89.0	84.9	82.5	89.3	93.5
23	187.10	*189.90	203.95	196.96	192.3	204.6	207.0	*210.5	208.5	201.8	*206.3	208.0	199.8	198.0	*208.2	*219.7
24	188.00	187.00	198.50	199.59	180.9	189.5	*192.4	*199.0	190.0	189.8	*203.5	*201.0	190.0	185.6	*194.6	199.0
25	*156.20	140.30	*148.15	147.20	139.1	145.5	*154.7	*150.7	*144.5	*139.7	*148.8	*146.6	*138.2	* 138.5	*150.2	*151.0
26	*190.40	190.50	205.48	201.45	196.6	207.6	212.4	*213.8	206.5	206.1	221.9	215.6	*204.9	*202.6	218.5	*218.3
27	146.38	*141.25	151.55	150.35	145.6	151.6	160.9	159.5	154.3	149.1	159.1	156.8	148.1	146.3	160.0	161.3
28	177.21	176.73	186.25	186.80	182.1	188.1	*190.6	195.2	*193.6	*190.0	*204.0	*202.4	191.0	189.5	*201.6	*205.0
Average	174.2	170.9	182.3	180.4	172.8	181.1	186.3	186.1	182.9	179.3	190.6	188.4	178.5	176.7	188.9	192.4

\* - Well had been pumping.

xxx xx Unable to measure.



SANTA MARIA VALLEY STATIC WATER LEVELS

taken by

SANTA MARIA VALLEY WATER CONSERVATION DISTRICT

Test Well No.	WELL OWNER	LOCATION		1957				1958				1959			
		U. S. GEO. Survey	Lipp. No.	January 1st	April 1st	July 1st	October 1st	January 1st	April 1st	July 1st	October 1st	January 1st	April 1st	July 1st	October 1st
1	Geo. J. Wheat	10/34-22R1	92M	149.50	148.19	150.75	154.54	161.33	149.30	151.72	*156.44	147.54	145.34	*146.47	*145.51
2	Marion B. Rice	10/34-23H1	131D	158.58	157.26	*155.55	155.25	152.72	146.00	*159.15	151.30	154.58	*153.40	*156.20	151.39
3	Owen T. Rice	10/33-19B1	134G	144.20	125.50	155.10	162.78	142.36	138.20	119.60	119.48	119.55	120.80	*120.00	127.38
4	Security Farms	10/33-28A1	99I	* 88.65	* 90.70	91.77	*101.76	99.32	91.38	* 64.40	* 59.80	* 60.55	62.36	67.49	* 76.20
5	Francis J. Calderon	9/33-2A-1	62H	80.10	80.84	* 89.00	* 92.12	86.50	74.78	56.40	63.53	65.10	64.36	66.17	70.60
6	Valerio Tognazzini	9/32-7R1	29E	102.90	100.82	107.00	101.35	110.08	106.48	* 77.43	73.26	74.47	73.84	* 81.61	* 86.33
7	L. H. Adam	10/33-27G1	100G	80.10	82.20	86.55	97.22	97.50	66.57	* 46.27	* 51.26	53.00	* 56.37	* 65.00	71.90
8	La Brea Sec. #3 Well #3	10/33-18G1	134-02	124.35	*123.28	*125.80	*128.08	125.10	124.55	*113.07	103.25	104.00	106.60	*113.80	*117.81
9	Gnacio Apalatequi	10/34-2R1	161Q	127.15	125.95	131.10	132.24	130.24	117.51	98.55	108.05	113.30	115.76	114.91	*133.61
10	E. & G. LeRoy	10/35-12M1	124F	87.75	* 86.27	* 91.80	* 94.10	87.00	82.18	* 87.21	* 82.52	* 86.24	* 84.10	* 89.15	* 88.27
11	Grisingher & Signorelli	10/34-6N1	156K	*100.80	99.00	103.55	*105.90	103.54	98.29	* 95.05	* 92.29	* 96.00	94.84	* 97.60	* 99.35
12	Mary Bolton	11/34-30Q1	182A	97.10	95.25	95.50	100.00	98.75	91.20	* 54.00	81.00	* 52.40	* 71.30	87.96	* 93.50
13	Elmer A. Runels	11/35-35A1	162M	78.55	73.00	* 78.75	83.85	77.61	71.58	* 67.79	71.87	71.09	69.37	73.40	75.47
14	H. E. Pezzoni	11/35-33G2	180B2	49.80	49.62	57.43	57.37	49.49	45.06	55.40	52.75	48.90	* 48.66	* 56.69	51.67
15	Union Sugar F-3	11/35-20M1	199C	18.29	16.20	22.60	22.00	16.31	13.11	?	18.40	17.10	17.00	25.64	18.76
16	Union Sugar F-1 No.2	11/35-28M1	179I	40.05	39.00	55.70	45.73	38.27	34.13	* 54.30	33.00	41.75	* 23.14	* 52.66	44.82
17	Waller Flower Seed Co.	10/35-9F1	119H	46.20	46.53	54.79	54.50	44.20	39.70	* 53.30	52.33	46.67	* 50.80	* 61.63	51.60
18	Emma Filipponi, etal	10/35-7F1	116C	18.25	* 31.30	* 29.30	24.16	16.25	13.18	* 30.58	23.35	20.06	19.90	25.28	19.10
19	Agnes F. King	10/35-9N2	119J	* 50.80	45.50	* 48.00	* 60.00	41.03	36.80	* 51.00	* 40.60	45.62	* 55.10	* 56.08	59.65
20	Thomas J. Brucker	10/35-21B1	82N	45.50	* 41.40	42.30	* 39.17	* 41.00	34.50	* 51.88	* 58.25	43.83	47.82	51.42	47.46
21	Union Sugar N-6	10/35-24B1	85C	91.18	89.94	96.30	99.24	90.10	86.40	*100.82	92.53	90.00	90.04	93.38	93.14
22	Annie E. Preitner	10/34-9F1	129Z2	129.56	126.57	130.00	135.62	132.00	129.00	124.00	121.80	118.99	116.65	120.07	-----
Average				88.79	85.20	90.85	93.50	89.93	81.36	81.52	77.59	75.94	76.75	82.84	82.06
23	Lillian Cook No. 1	10/33-30G1	96J	185.00	*185.09	*137.10	193.60	188.15	186.82	*199.90	188.15	183.75	*191.50	*198.31	*198.50
24	Lillian Cook No. 2	10/33-30H1	96K	180.00	*177.50	*183.00	186.00	184.00	182.00	*197.00	187.00	185.00	*188.00	*195.00	193.00
25	Union Oil Battles #3	10/34-24K3	194G2				*145.69	*137.93	134.80	*134.80	*139.75	*133.20	*138.92	*141.74	*140.63
26	Hancock Oil Co.	10/33-30I1	96G	188.90	187.66	198.00	197.80	190.83	189.78	201.58	198.00	187.62	194.00	200.00	195.68
27	Union Oil Battles #2	10/34-24K2	94G1	*126.93	128.16	132.70	145.61	141.47	137.25	137.25	143.30	143.30	142.20	143.50	140.91
28	Sheehy Bros.	10/33-30R1	96I	175.40	175.30	179.33	182.00	179.00	178.43	182.82	178.70	175.00	*178.80	*181.70	*181.50

SANTA MARIA VALLEY STATIC WATER LEVELS

Taken by

SANTA MARIA VALLEY WATER CONSERVATION DISTRICT

Test Well No.	1953				1954				1955				1956			
	January 1st	April 1st	July 1st	October 1st	January 1st	April 1st	July 1st	October 1st	January 1st	April 1st	July 1st	October 1st	January 1st	April 1st	July 1st	October 1st
1	*132.60	132.33	*134.48	138.17	136.92	*135.51	*139.30	138.75	140.00	*133.34	*142.40	*144.83	*144.43	*143.17	147.9	149.75
2	149.20	148.10	*155.83	152.75	151.42	148.83	*152.00	151.25	150.50	149.40	*153.25	155.40	153.55	*153.56	*159.23	160.11
3	100.90	128.92	109.10	115.80	116.55	112.10	125.00	115.85	115.75	116.00	142.41	146.40	133.90	*136.45	152.55	155.50
4	58.83	53.50	*59.00	64.10	*68.90	66.23	*63.65	*68.45	*71.00	*73.67	*82.60	*90.25	90.42	*64.60	*81.30	*88.00
5	60.12	57.00	59.00	61.50	63.72	61.73	*60.65	66.00	68.57	68.33	70.90	75.90	78.02	73.00	87.16	*80.70
6	70.80	69.92	73.31	76.46	76.69	77.56	82.10	86.20	85.15	88.75	92.25	100.25	98.80	100.60	102.30	106.80
7	46.70	*44.53	*43.00	58.00	63.20	58.30	*52.60	59.90	64.35	*69.90	74.00	86.16	83.40	68.40	71.56	81.62
8	104.33	*109.33	*112.63	*116.17	111.10	110.58	110.58	*118.42	*117.00	*115.33	*120.40	*123.75	*123.70	*120.59	*124.47	*125.37
9	113.80	116.20	*143.00	121.00	120.50	121.50	125.60	123.00	124.17	124.30	*149.55	138.50	125.00	123.57	*155.35	*164.10
10	68.61	75.00	79.50	*81.67	77.00	71.10	*84.83	84.10	77.50	*81.94	*88.78	*88.00	80.76	*84.18	*92.00	*92.15
11	82.90	*85.59	*88.87	*91.69	88.37	85.55	*92.72	96.45	92.65	92.75	97.90	102.00	97.10	96.35	*99.00	*101.80
12	77.50	77.50	79.60	*88.00	83.60	82.15	83.80	86.30	83.38	*83.75	88.00	91.50	92.00	*92.10	*92.82	*97.60
13	59.80	62.40	66.40	68.20	65.03	62.07	*69.45	71.00	66.90	*68.07	71.55	*74.33	71.35	*71.00	76.47	81.30
14	36.90	46.82	48.47	50.30	43.20	38.20	*54.26	50.00	42.86	49.93	*55.08	52.71	45.00	51.90	57.62	55.00
15	8.33	*47.30	*25.00	*43.00	13.60	9.83	19.40	17.50	*38.90	17.40	*51.00	20.33	13.60	*50.00	31.40	23.13
16	26.85	*45.82	44.50	45.83	34.75	28.75	50.15	41.10	32.50	41.90	*54.35	*51.90	35.40	*51.15	*60.32	*54.50
17	31.22	44.30	46.08	47.85	38.53	33.11	*54.26	45.71	37.41	*50.28	50.47	49.16	41.55	46.50	55.20	53.25
18	6.40	17.40	20.59	19.25	13.60	9.50	*27.09	*20.33	11.90	18.70	21.20	*26.80	13.80	19.82	26.35	25.20
19	29.00	*51.50	*53.70	*52.00	38.00	30.90	*56.74	46.90	35.10	*55.23	*58.75	46.00	37.40	*56.00	*58.20	*59.60
20	25.75	39.50	*51.20	*47.47	36.56	27.00	47.62	*47.85	32.64	42.65	*48.16	43.10	33.30	*48.50	49.68	*53.75
21	55.63	78.68	85.75	84.28	82.05	77.52	88.39	87.20	80.12	86.40	91.70	90.70	84.60	86.83	95.38	95.20
22	108.90	109.00	112.34	116.90	116.17	114.00	117.93	119.50	120.83	119.30	122.16	126.40	125.00	122.36	127.28	130.48
23	170.42	*184.33	*182.17	182.00	177.50	172.50	*186.84	178.65	176.90	175.00	*188.90	185.37	188.20	183.33	*195.54	187.90
24	171.00	*170.00	173.50	172.50	171.00	167.00	*173.00	177.00	176.00	182.00	175.00	178.00	170.00	188.00	*183.00	182.00
25	157.00	*158.10	158.45	160.00	159.06	157.10	161.70	160.75	159.50	*159.00	162.00	174.50	162.10			
26	174.00	180.33	*182.80	185.00	182.20	174.90	188.83	183.33	182.00	192.70	191.08	190.47	181.37	188.00	196.63	194.13
27	112.62	114.70	119.92	123.75	117.75	115.35	*125.63	120.44	119.10	*119.30	125.80	128.90	122.58	125.00	*125.00	130.35
28	165.38	*167.45	*168.92	*170.75	*171.00	162.90	*171.58	167.17	165.60	*170.50	*174.50	173.80	170.23	172.40	*179.47	176.92

Note: \* Well had been pumping



SANTA MARIA VALLEY STATIC WATER LEVELS

taken by

SANTA MARIA VALLEY WATER CONSERVATION DISTRICT

Test Well No.	1949				1950				1951				1952			
	January 1st	April 1st	July 1st	October 1st	January 1st	April 1st	July 1st	October 1st	January 1st	April 1st	July 1st	October 1st	January 1st	April 1st	July 1st	October 1st
1	*116.50	115.92	120.50	*123.70	125.17	123.00	127.50	130.00	127.20	129.75	133.10	134.60	133.00	131.75	133.34	137.40
2	133.00	131.75	136.17	*142.70	140.20	141.30	146.50	148.33	145.90	146.25	*155.75	151.92	151.17	148.25	*155.25	152.75
3	115.00	114.92	119.25	121.65	121.54	123.93	*145.50	148.17	137.70	143.50	*153.10	*150.50	142.20	144.10	120.40	109.80
4	96.68	96.58	*102.70	105.42	101.50	101.93	*106.18	107.45	103.00	104.17	*115.75	*125.50	107.85	89.50	57.22	58.39
5	61.24	63.68	66.91	70.82	73.15	74.35	76.06	78.75	76.72	* 82.12	80.66	82.92	84.00	62.67	53.50	59.00
6	84.48	87.35	94.12	97.84	98.75	101.50	*111.70	109.80	107.80	*115.10	113.33	114.70	113.17	92.83	70.00	71.00
7	87.75	88.50	*103.40	*109.42	101.58	101.10	*116.25	116.83	105.25	*109.00	119.80	*124.00	111.33	* 62.50	* 43.30	49.80
8	121.10	121.40	*126.40	128.00	126.20	126.20	*115.33	*131.90	*132.30	*132.60	*134.60	*134.80	131.60	*131.15	110.10	*110.94
9	114.00	114.00	*149.25	121.00	118.70	*148.30	125.67	125.90	122.00	125.00	*149.10	130.00	123.60	109.60	102.90	110.00
10	56.90	57.83	* 69.75	68.40	62.25	64.80	* 74.25	* 72.75	* 68.17	* 74.60	* 63.00	79.42	71.90	* 84.30	76.10	78.17
11	70.50	69.38	* 77.00	79.60	76.75	77.50	* 83.70	* 86.00	82.17	84.15	* 89.18	91.08	87.43	83.56	* 88.30	* 89.70
12	68.32	* 67.65	* 71.92	* 75.00	73.75	73.17	* 71.83	79.17	75.50	74.15	* 79.33	81.70	80.10	* 76.75	75.83	79.40
13	51.55	49.42	57.13	60.00	55.70	56.00	* 63.55	64.25	59.57	62.90	66.70	67.73	63.78	58.52	64.55	67.08
14	31.37	31.47	44.53	* 44.88	35.30	37.75	* 48.60	44.27	44.27	* 46.90	* 50.75	* 49.70	39.43	38.81	50.64	48.35
15	5.65	6.10	* 38.00	* 42.70	7.58	10.50	* 50.00	13.33	9.17	* 49.00	17.00	17.00	10.00	8.60	* 49.00	18.50
16	20.83	20.50	36.90	* 36.10	26.75	* 31.00	* 32.00	36.25	27.10	41.60	41.30	43.70	30.15	* 31.75	46.67	44.60
17	25.25	25.50	39.00	40.50	29.10	39.75	46.50	42.25	31.90	44.90	45.70	46.90	33.40	34.30	48.00	44.40
18	4.55	5.41	14.50	14.00	7.00	10.75	* 25.50	* 23.17	8.33	14.90	* 25.00	17.00	9.50	8.10	* 25.10	* 22.67
19	23.00	27.50	40.35	* 46.75	26.00	32.50	* 37.83	42.75	* 33.25	* 54.00	* 50.20	* 51.55	31.46	* 41.70	* 57.00	44.06
20	16.92	21.83	* 38.47	38.60	21.43	27.50	* 41.00	* 40.48	* 31.66	* 39.20	* 44.17	44.27	26.50	27.37	* 46.35	* 44.69
21	59.55	58.74	* 73.15	73.10	65.05	66.43	75.00	75.35	70.65	* 76.20	79.00	80.70	75.30	76.13	* 84.10	82.77
22	97.90	96.93	*102.92	107.10	105.10	105.82	*111.50	*114.87	110.77	112.00	*117.50	*119.50	116.00	113.00	112.60	115.00
Average	66.05	66.92	78.29	79.43	72.67	76.14	83.27	83.30	77.74	84.64	87.46	80.28	80.72	75.24	75.83	74.48
23											*188.00	186.25	177.30	173.60	189.35	*185.10
24											*176.00	168.17	170.00	*151.51	176.50	*178.50
25											*158.00	157.90	158.50	*156.17	158.50	167.25
26											*194.25	189.50	178.20	175.25	187.40	*187.00
27											124.75	123.25	117.50	*114.70	120.00	119.50
28												184.00	175.00	175.00	*135.00	*182.00

Note: \* Well had been pumping



SANTA MARIA VALLEY STATIC WATER LEVELS

taken by

SANTA MARIA VALLEY WATER CONSERVATION DISTRICT

Well No.	1945				1946				1947				1948			
	January 1st	April 1st	July 1st	October 1st	January 1st	April 1st	July 1st	October 1st	January 1st	April 1st	July 1st	October 1st	January 1st	April 1st	July 1st	October 1st
1	94.42	95.40	97.60	99.10	97.90	98.00	*111.00	104.40	102.50	103.40	109.60	109.50	109.42	110.40	113.50	116.7
2	105.93	105.67	*110.25	*112.90	111.17	111.80	*115.50	*118.20	117.00	118.50	*124.00	123.25	125.83	126.67	*130.67	133.1
3	80.60	81.25	84.10	* 86.25	86.00	87.58	* 82.75	95.75	94.80	94.00	*105.50	107.17	107.80	106.17	*112.17	115.1
	50.25	46.25	* 45.67	* 52.83	54.30	56.35	* 61.25	* 66.75	* 65.92	* 68.75	* 70.00	* 82.67	83.00	85.83	* 92.70	* 99.3
	31.50	27.80	* 30.25	32.00	34.83	34.35	* 37.17	38.75	40.25	40.25	* 45.50	46.60	49.12	51.67	* 55.77	* 60.0
6	45.10	43.00	* 44.83	45.60	48.17	51.00	* 55.58	* 56.50	55.50	57.40	62.43	66.45	68.25	71.75	76.63	81.20
7	45.10	37.17	37.75	* 48.40	50.25	50.67	54.50	60.00	59.91	* 93.75	* 78.75	* 77.00	72.27	77.80	* 87.15	* 95.40
8	83.67	85.50	88.60	90.90	92.25	94.40	99.50	*104.10	101.20	*106.10	*111.25	*111.75	111.00	113.33	*119.83	121.50
9	84.83	85.67	87.20	91.55	93.30	94.50	*104.33	100.00	100.92	103.50	105.42	113.33	108.70	109.33	*142.00	115.00
10	39.60	38.42	48.57	46.75	42.10	44.70	* 55.60	* 54.67	55.25	* 54.50	* 61.30	57.80	52.60	52.17	62.20	64.80
11	50.60	49.33	55.42	56.70	53.75	54.25	* 60.75	61.40	57.60	60.75	* 66.60	67.30	65.20	65.10	* 71.37	73.60
12	* 48.60	* 46.33	* 49.25	* 52.10	50.10	50.80	* 55.93	56.17	55.10	57.90	* 61.17	* 62.67	* 66.67	62.58	* 66.00	* 71.30
13	35.00	33.50	* 40.50	40.50	38.25	38.57	* 45.25	45.75	41.15	45.90	* 49.50	49.75	49.75	47.25	* 56.70	53.90
14	* 19.90	18.25	* 28.67	27.00	20.17	21.00	33.17	29.58	21.40	30.50	* 37.83	31.90	27.60	28.73	* 43.50	* 40.50
15	.40	.25	30.00	* 33.00	1.60	2.58	40.00	19.00	2.00	* 30.50	* 49.50	* 41.00	* 27.00	4.91	* 41.42	* 47.00
16	12.83	12.65	28.62	20.20	13.12	17.25	32.00	28.25	14.40	26.00	32.83	25.33	20.17	18.50	39.25	30.50
17	16.45	13.33	* 34.10	25.80	17.40	18.75	34.00	28.50	19.17	27.60	* 38.35	32.33	* 30.95	22.83	* 42.25	37.60
	Flow.	Flow.	10.60	6.17	Flow.	1.50	* 14.67	6.33	Flow.	* 15.75	13.90	13.40	9.00	3.20	* 21.50	* 19.80
19	14.45	13.50	* 34.75	25.25	15.10	16.25	* 37.75	31.58	17.92	32.90	34.83	31.17	* 33.90	20.75	38.50	* 47.50
20	10.00	* 14.60	* 26.75	* 24.45	10.75	* 18.57	27.17	31.00	12.00	24.67	* 34.10	* 30.00	22.00	16.02	* 39.05	33.60
21	43.45	43.83	* 53.00	49.25	45.67	46.00	55.83	54.67	48.40	54.75	* 61.70	58.25	55.25	54.67	64.52	63.20
22	72.34	71.67	* 76.20	*79.17	77.15	77.83	82.25	* 85.67	82.65	* 84.67	* 90.50	* 92.90	92.92	96.42	* 96.50	96.50
Average	44.77	43.79	52.39	52.06	47.88	49.17	58.91	58.14	52.94	60.55	65.66	65.07	63.11	60.99	73.44	73.50
23	First															
24	Reading															
25	August															
26	1951															
27	Note * Well had been pumping															
28																

SANTA MARIA VALLEY STATIC WATER LEVELS

taken by

SANTA MARIA VALLEY WATER CONSERVATION DISTRICT

Test Well No.	1940					1941					1942					1943					1944				
	October 1st	January 1st	April 1st	July 1st	October 1st	January 1st	April 1st	July 1st	October 1st	January 1st	April 1st	July 1st	October 1st	January 1st	April 1st	July 1st	October 1st	January 1st	April 1st	July 1st	October 1st				
1	*114.93	114.80	113.00	*112.30	*109.70	104.75	101.54	102.87	102.50	100.60	99.17	99.43	98.93	* 97.70	96.70	95.50	* 96.4								
2	128.50	129.30	128.00	*122.00	121.00	116.00	112.41	113.00	113.75	112.35	110.65	*109.80	108.25	106.00	104.75	*105.57	107.2								
3	*102.90	101.75	100.50	* 85.20	87.67	77.42	77.75	* 78.13	* 80.30	79.60	79.30	* 72.90	73.75	76.25	78.40	* 77.25	78.6								
4	64.41	67.00	* 43.60	33.25	37.80	42.75	36.42	* 36.38	* 45.00	47.42	36.17	* 35.60	43.00	46.80	* 43.80	* 40.83	47.6								
5	43.50	46.00	28.90	* 25.33	29.92	31.60	28.20	* 29.45	32.92	35.42	25.25	* 24.60	30.00	31.50	25.33	26.83	30.2								
6	* 64.50	65.83	* 49.50	* 3.50	47.80	52.67	* 49.50	* 50.38	* 52.48	* 52.83	37.83	* 40.17	* 44.33	45.44	39.52	* 38.83	* 44.3								
7	* 59.33	61.59	32.60	28.08	32.25	31.75	29.75	29.00	39.50	43.25	30.48	* 33.50	* 41.00	43.30	34.90	32.75	* 44.9								
8	106.67	106.00	99.90	* 85.20	78.25	79.83	80.00	80.75	83.75	84.60	80.00	* 67.25	71.17	78.80	* 83.50	* 84.82	80.6								
9	*126.33	110.58	100.60	76.10	81.00	85.00	85.50	86.57	89.12	91.67	77.80	70.20	85.70	81.20	70.92	77.00	82.0								
10	* 62.00	55.10	52.00	* 54.82	* 52.17	43.45	45.50	* 55.00	* 49.42	43.75	41.00	* 47.75	45.75	38.90	* 45.00	* 47.50	47.1								
11	71.00	68.50	60.00	* 58.11	58.17	54.75	* 54.75	57.82	57.63	55.67	49.10	* 53.08	57.41	49.25	* 51.17	52.48	* 54.9								
12	* 67.10	65.25	* 50.00	* 45.83	46.17	47.50	* 48.90	48.83	* 53.00	51.50	43.42	* 41.50	* 48.83	45.10	* 44.80	* 47.60	47.0								
13	* 53.83	50.00	* 40.60	33.17	40.96	37.93	36.41	* 40.42	41.75	38.75	33.00	* 36.75	* 33.25	34.20	32.88	37.10	* 39.1								
14	40.10	28.80	25.90	* 32.10	28.50	20.00	25.30	27.66	26.88	21.25	17.70	27.50	* 27.41	18.00	20.88	* 25.70	27.0								
15	* 43.75	4.92	* 29.50	* 41.25	* 38.00	0.58	* 27.00	5.80	8.25	2.40	.75	* 35.50	5.08	11.00	* 44.75	7.83	8.2								
16	39.25	19.40	24.70	* 38.30	28.17	12.75	20.96	27.00	* 28.90	15.75	14.25	20.50	21.75	11.71	14.00	27.33	* 28.5								
17	35.10	25.17	22.67	31.30	30.00	16.48	22.55	* 32.00	24.17	18.40	17.00	26.00	24.08	15.50	19.80	* 27.42	25.2								
18	13.00	3.92	3.17	* 20.83	7.42	Flow.	5.08	* 10.33	6.25	.83	.60	11.83	6.00	Flow.	* 6.80	6.80	8.3								
19	34.75	23.17	23.37	* 37.10	25.60	16.17	* 27.25	* 35.42	* 30.80	17.00	* 23.90	27.92	* 31.17	13.75	* 23.17	* 32.50	25.2								
20	* 36.00	18.42	* 25.50	* 33.10	22.85	11.75	16.83	39.63	18.10	12.25	11.00	* 28.00	18.25	9.46	14.40	* 24.80	20.3								
21	66.75	59.67	56.00	57.80	57.70	49.95	49.70	54.67	52.28	49.00	48.25	50.40	50.10	44.44	46.67	* 49.50	51.4								
22	-- --	-- --	-- --	-- --	-- --	-- --	-- --	77.50	* 80.50	* 78.67	75.25	* 74.13	* 74.08	74.08	* 70.92	72.33	* 74.9								
Average	65.41	58.35	52.82	51.96	50.34	44.43	46.73	50.85	50.78	47.86	43.25	47.01	47.28	44.20	45.05	47.19	48.6								

23 First  
24 Reading  
25 August  
26 1951  
27  
28

Note \* Well had been pumping

SANTA MARIA VALLEY STATIC WATER LEVELS

taken by

SANTA MARIA VALLEY WATER CONSERVATION DISTRICT

Test Well No.	Lippincott No.	OWNER	LEGAL DESCRIPTION	U S G S	1938			1939			1940			
					April 1st	July 1st	October 1st	January 1st	April 1st	July 1st	October 1st	January 1st	April 1st	July 1st
1	92-M	Geo. J. Wheat	S1/2 SE1/4	22-10-34	115.88	114.67	113.25	110.40	103.25	109.37	110.04	110.33	109.83	112.70
2	131-D	Marion B. Rice	S1/2 NE1/4	23-10-34	132.17	123.75	123.50	120.33	111.75	121.75	123.40	123.33	123.42	*127.37
3	134-G	Owen T. Rice	W1/2 NE 1/4	19-10-33	86.96	* 79.33	77.70	79.67	82.00	* 87.93	95.50	92.41	91.42	*100.45
	99-I	Joe Soares	NE 1/4	28-10-33	35.60	* 32.19	37.48	45.67	46.17	* 53.75	58.00	61.15	* 60.42	* 59.87
	62-H	S.M. Realty Co.	NE1/4 SW 1/4	2- 9-33	32.81	* 32.00	34.00	35.83	34.00	36.25	39.50	41.00	37.41	* 41.00
6	29-R	Valerio Tognazzini	S1/2 NE 1/4	12- 9-33	53.00	* 51.50	43.67	* 52.90	44.49	* 50.09	51.10	54.00	55.25	* 61.73
7	100-G	L.H. Adam		27-10-33	29.50	26.30	33.25	39.80	39.00	* 48.67	* 54.73	57.00	* 50.25	* 51.00
8	134-02	La Brea Securities Co.		18-10-33	82.17	* 72.27	75.50	80.30	84.42	89.25	95.67	98.70	100.33	*108.60
9	161-Q	Gnacio Apalatequi	SE1/4 SE 1/4	2-10-34	94.25	82.25	87.83	91.83	94.46	*104.00	102.00	105.00	106.00	108.11
10	124-F	E. & G. LeRoy	Guad. Rcho Lot	82-10-35	52.75	* 60.08	53.30	51.00	50.00	60.25	54.42	52.00	55.00	59.41
11	156-K	Grisinger & Signorelli	" " "	91-10-34	62.33	65.08	63.75	62.42	60.70	* 66.83	* 67.92	64.90	64.90	* 69.83
12	186-A	Mary Bolton	Nip. " "	8-11-34	54.77	52.50	54.20	55.33	54.00	* 59.83	60.60	* 60.60	* 60.42	* 64.08
13	182-H	Bello Estate	Guad. " "	61-11-35	44.54	47.08	46.67	44.25	42.67	* 50.10	49.58	46.90	46.75	* 52.41
14	180-B	H. E. Pezzoni	" " "	69-11-35	25.48	36.83	32.40	25.50	24.90	* 39.80	32.40	26.90	32.50	* 39.84
15	199-C	Union Sugar Co.	" " "	20-11-35	4.30	* 35.20	7.83	4.40	* 25.50	* 48.80	11.60	5.30	* 36.20	* 49.75
16	179-I	Union Sugar Co.	" " "	73-11-35	18.57	36.17	* 30.30	18.00	20.17	40.60	25.80	19.33	31.00	* 44.16
17	119-H	Waller-Franklin	" " Pt. "	143-10-35	19.54	34.33	25.25	23.17	21.70	38.00	27.67	23.80	29.20	39.75
18	116-C	M. J. Ellis	" " " "	158-10-35	6.67	* 19.00	7.92	3.40	6.25	* 20.60	6.20	4.00	* 10.00	* 18.25
19	119-J	Mary Donovan	" " " "	9-10-35	21.52	46.12	26.00	21.90	25.34	* 45.00	26.83	22.33	27.75	* 44.83
20	82-N	C.P. Mathison Est.	" " " "	109-10-35	19.94	* 36.08	* 27.00	19.25	17.65	37.60	28.60	18.20	21.50	* 40.00
21	85-C	Union Sugar Co.	" " " "	118-10-35	58.00	64.42	61.00	56.75	54.75	62.70	60.12	58.60	57.83	* 67.50
22	129-Z2	C.L. Preisker	Punta de la Laguna	10-34	----	----	----	----	----	----	----	----	----	----
Average					50.03	54.62	50.56	49.62	50.24	60.53	56.27	54.56	57.49	64.79
23	96-J	Lillian Cook	W1/2 W1/2 NE1/4	30-10-33	} First Reading August 1951									
24	96-K	John Prell	E 1/2 NE 1/4	30-10-33										
25	96-H	Ross J. Martinez	Sub2 N1/2 SE1/4	30-10-33										
26	96-G	Hancock & General	E1/2 SW1/4	30-10-33										
27	94-G	Union Oil-Battles #2	N1/2 NE1/4 SE1/4	24-10-34										
28	96-I	Sheehy Brothers	S1/2 SE 1/4	50-10-35										

Note \* Well had been pumping



Prepared By	Initials	Date
Approved By		

WILSON JONES B7112 BUFF 07112

Tst well #	LOCATION	1	2	3	4	5	6	7	8	9	10	11	12
		4/97	6/27-29/97	9/26-28/97	1/6/98	4/2-3/98	7/98	10/98					
1A	10N/34W-20H3	99	102	*	94	86	*	*					
3	10/33-19B1 134G	70.5	70.5	69	72	71.5	66	65.5					
4	10/33-28A1 99I	*	41	41.5	48	38	35.5	36					
7	10/33-27G1 100G	37	38	46	48	*	41.5	*					
8	10/33-18E1 134D	61	60	59	67	62	57	73					
1	10/34-6M1 156K	76.5	80	81	74	59.5	*	*					
12	11/34-30Q1 186A	*	*	82	54	43	54.5	41					
13A	11N/35W-25F3	72	82	82.5	67	47.5	61	57.5					
14	11/35-33G1 180B2	*	46	48	36	28	36	27					
15	11/35-20E1 199C	21.5	36	*	13	10	27.5	*					
16	11/35-28M1 179I	45	52	55	40	26	35	31					
17A	10N/35W-9E5	43	49	50	38	30	35.5	29.5					
20	10/35-21B1 82N	42	50	*	30	20.5	36	*					
21	10/35-24B1 85C	77.5	82	87	72	61	64	62					
22A	10N/34W-4R1	88	88	87	85	78	67.5	*					
23	10/33-30G1 96J	210	218	217.5	199	187	201	167					
24	10/33-21P1 96K	53	53.5	54	58	51	46.5	48					
25	10/34-24K3 94G3	145	152	144	131.5	124	135	117					
26	10/33-30M1 96G	201	*	198	183	173	188	*					
27	10/34-24K1	143.5	148	140	128.5	118	134	119					

9-5-91

#26 Hancock well, now using Bill Newman's well  
between Prell and Betteravia on Rosemary Road,  
 $\frac{1}{2}$  mile North West of Hancock well.

#9A S.M. City, abandoned, now using S.M. City  
well 4H two blocks South of old well.

SMV WCD

STATIC WATER LEVELS

Prepared By	Initials	Date
Approved By		

© WILSON JONES B7112 BUFF G7112

Test well #	LOCATION	1 9/7-11/89	2 5/1/90	3 7/1/90	4 9/6-15/90	5 1/2/91	6 4/8-14/91	7 7/24-28/91	8 9/5-8/91	9 1/8/92	10 3/16-22/92	11 7/6-12/92	12 9/19-22/92
5	9/33-2H9 62H	123.5	126	131	*	138.5	132	135	136	135	127.5	130	136
10	10/35-12M1 124A	90	*	93.5	*	*	*	*	101	97	94.5	101	105
19A	10N/34W-34G2	*	—	220	223.5	222	221.5	231.5	234	227	227	234	236.5
2	10/37/23H1 131D	124	176	180	183	186	186	192.5	197	193	192.5	195	196
		1/4/93	4/7-8-11/93	7/5/93	10/13-14-17/93	1/2/94	4/1/94	7/3-5-6/94	10/6-8-9/94	1/2/95	4/95	7/2/95	10/1-2-3/95
2		196	193	193.5	191.5	187	181	*	177	174.5	171	170	169
5		131	98	94	105	103	91	*	113.5	118	81.5	*	86.5
10		100	94	98	97	90	87	91.5	91	87	80.5	82	83.5
19A		232	229	234	232	227	222.5	*	*	222	216	*	*
		1/96	3/29-30-31/96	6/27-28-30/96	10/1/96	1/4/97	4/97	6/27-29/97	9/26-28/97	1/6/98	4/2-3/98	7/98	10/98
2		165	158	156	153	148.5	*	145	144	139.5	135	131	132
5		87	73	*	89.5	82.5	70	82.5	89	85	59	55	*
10		74	71.5	76	76	*	67.5	71.5	73	62	51	51.5	48
19A		213	208	214	212	201	201	207	200	188	179	181	*



# SMVWCD

## Static Water Levels - Original Wells

Initials	Date
Prepared By	Page 1
Approved By	

Well #	Location	Date	1	2	3	4	5	6	7	8	9	10	11	12
1	10/34-22R1	12/28/61	158.5	157.3	*	156.5	160.0	161.8	158.5	154.9	155.5	158.0	156.8	157.1
9	10/34-2R1	7/1/61	130.1	132.3	134.0	113.4	106.0	104.7	115.5	120.0	124.6	127.2	127.6	128.1
12	11/34-30Q1	7/1/61	107.0	102.5	*	99.2	103.6	*	100.5	120.0	124.6	103.2	*	100.0
13	11/35-35A1	7/1/61	82.1	88.5	85.8	77.7	82.5	85.4	78.0	80.0	80.0	83.5	81.0	79.6
17	10/35-9F1	7/1/61	58.0	63.2	60.4	49.9	59.6	56.3	48.0	58.1	57.6	57.6	53.4	49.1
18	10/35-7F1	7/1/61	25.2	39.2	27.0	*	27.3	25.8	17.6	*	*	*	21.6	18.5
19	10/35-9N1	7/1/61	56.4	61.1	*	41.5	*	*	42.5	54.3	*	*	*	46.4
22A	10/34-9F1	7/1/61	139.5	138.2	141.4	135.6	139.8	135.2	131.2	131.8	136.0	136.0	134.4	136.2
24	10/33-30H1	7/1/61	190.0	192.4	*	189.8	*	190.0	185.6	*	*	199.0	191.0	193.2
26	10/33-30L1	7/1/61	206.5	212.4	*	206.1	221.9	215.6	204.9	218.5	*	*	208.8	210.0
28	10/33-30R1	7/1/61	193.6	190.6	195.2	*	*	*	189.5	*	*	*	195.1	197.0
1	164.0	10/1/64	162.4	162.7	168.4	168.4	168.0	168.0	171.4	174.7	173.3	173.0	173.7	173.7
9	132.2	4/3/65	129.9	131.1	133.8	135.5	132.0	130.5	135.0	136.5	129.6	124.2	107.3	107.3
12	109.5	4/3/65	106.0	104.3	108.0	111.8	*	110.2	113.3	115.4	113.5	111.4	110.4	107.3
13	87.2	4/3/65	83.2	84.2	86.5	86.5	86.6	87.1	92.4	96.0	91.6	88.9	90.7	90.7
17	65.0	4/3/65	51.0	53.3	66.0	65.1	53.3	63.4	70.0	67.3	61.0	61.1	69.1	69.1
18	29.6	4/3/65	20.8	22.0	28.6	29.3	21.2	29.2	35.1	34.2	26.0	25.7	27.3	27.3
19	61.3	4/3/65	45.2	47.4	64.0	64.8	48.3	52.4	64.8	62.3	54.5	55.2	64.5	64.5
22A	143.0	4/3/65	140.5	149.0	143.5	144.3	145.7	149.2	149.2	153.5	151.5	149.8	148.9	148.9
24	211.0	4/3/65	201.0	203.8	216.2	226.3	208.0	214.2	229.5	224.0	214.0	212.0	218.6	218.6
26	228.1	4/3/65	215.9	219.0	232.0	241.0	220.0	226.6	241.3	238.0	228.0	226.2	238.5	238.5
28	211.3	4/3/65	203.7	206.2	211.3	220.0	209.0	213.4	218.8	224.0	215.0	214.4	219.0	219.0

© WILSON JONES B7112 BUFF G7112

well #	12											
	10/30-11/3/67	1/2-3/68	4/4-5/68	7/2-3/68	10/1-2-20/68	1/6/69	4/1/69	7/1/69	10/2-20/69	1/5-7/70	4/1-2-14/70	7/3-25/70
1	176.2	172.3	166.3	166.6	168.0	162.5	158.5	158.0	156.4	149.5	143.2	144.4
9	89.7	95.3	102.0	108.3	117.1	123.6	88.0	80.0	70.5	66.5	65.0	62.4
12	112.5	110.7	107.3	110.0	112.1	108.0	89.4	84.6	87.0	81.0	76.4	80.0
13	95.0	89.8	86.0	91.5	93.6	86.6	82.4	77.1	77.7	77.8	66.7	71.7
17	68.4	58.0	57.5	62.3	71.4	66.5	*	64.2	60.0	48.3	54.4	60.3
18	33.0	24.3	25.0	33.7	71.4	*	24.0	29.0	26.6	19.2	22.1	27.7
19	62.5	51.7	51.9	64.9	66.5	52.1	54.2	58.8	67.3	44.8	48.4	56.0
22A	151.3	144.7	139.5	139.5	141.8	137.0	128.0	126.1	123.8	115.5	108.0	109.0
24	219.0	206.1	197.5	203.8	198.8	187.6	184.7	188.6	178.0	168.0	165.8	165.8
26	*	220.3	213.1	*	223.7	209.0	207.2	223.3	210.0	197.8	205.8	208.0
28	218.8	207.9	200.2	200.3	207.8	196.3	192.2	197.0	196.5	184.1	183.7	184.8
	10/1-19/70	1/1-18/71	11/1-27/71	7/1-29/71	10/1/22/71	1/10-24/72	4/1-6/14/72	7/1-9/11/72	10/11-13/72	1/7/73	4/1/73	7/1/73
1	140.0	135.1	134.2	137.0	140.0	138.8	141.0	146.0	149.3	142.9	155.6	150.0
9	77.2	88.0	94.8	102.6	112.3	118.3	122.3	127.3	127.4	123.0	108.0	106.4
12	80.3	77.4	82.3	89.6	84.0	79.5	83.4	92.4	92.5	76.2	80.0	80.4
13	71.0	61.7	64.6	69.2	68.3	72.8	70.7	78.0	73.0	81.7	79.4	86.9
17	55.0	38.2	40.6	49.0	53.2	52.0	*	61.0	well abandoned			
18	20.0	11.8	17.0	26.5	25.5	9.5	11.5	12.8	8.3	14.5	18.3	18.7
19	53.6	34.1	39.4	52.1	49.0	40.0	50.50	59.0	39.5	43.4	55.4	54.6
22A	108.6	104.0	105.1	109.7	115.0	113.0	115.5	122.8	*	117.3	125.0	125.3
24	163.1	158.2	158.6	164.0	Well Abandoned							
26	207.0	185.6	195.0	206.0	196.0	192.0	205.7	215.7	203.0	*	*	190.0
28	190.0	173.6	177.4	186.3	182.5	178.0	182.3	*	188.0	180.5	184.7	174.3





SMVWCD

Static Water Levels - original wells

\* month new readings begin

+ transfer to new wells

Prepared By	Initials	Date
Approved By	Page 4	

© WILSON JONES B7112 BUFF G7112

Well #	New location (if applicable)	1 7/10/79	2 10/79	3 1/15/80	4 4/15/80	5 7/10-11/80	6 10/15/80	7 1-15-81	8 3/3-13/81	9 7/5-15/81	10 10/2/81	11 1/7-22/82	12 4/15/82
1A	10N/34W-20H3	* 126.5	124.9	121.6	120.2								
9A	10N/34W-12P1	* *	*	*	*	*	*	*	Destroyed				
12		100.0	95.5	94.7	90.8								
13	11/35 - 25L1	*	86.0	79.1	77.6								
17A	10N/35W-9E5	* 51.8	49.5	39.4	38.6								
18		*	*	*	well destroyed								
19A	10N/34W-34G2	* 195.6	201.0	195.3	190.0								
22A	10N/34W-4R1	* 113.4	110.2	104.4	99.5								
24	10N/33W-21P1	154.7	151.5	147.0	143.8	143.0	141.0	137.8	135.1	137.4	* 65.3	71.2	76.6
26		218.0	204.0	200.5	200.00	206.5	203.0	197.5	194.5	199.0	197.5	193.0	192.0
28A	10/33-3056	* 164.5	159.0	153.3	151.0	151.4	150.2	154.7	148.0	148.5	147.0	149.0	148.3
		10/10-20/82	1/15/83	4/15/83	7/83	10/15/83	1/15/84	4/15/84	7/15/84	10/15/84	1/5/85	4/15/85	7/15/85
9A	10/N-34/W4E5		* 120.0	113.7	106.5	103.0	92.0						
18	106979 USGS#					* 174.0	130.0	*	130.1	128.8	132.5		
26	10/33-30M1	190.8	* 191.8	187.5	187.0	185.5							
28A		152.7	153.5	148.0	147.5	146.3	148.8	139.0	140.3	138.7	139.8	140.0	142.0
		9/7-17/89	1/25-28/90	5/1/90	7/1/90	9/6-7-15/90	1/2/91	4/8/91					
28A		178.0	179.0	181.5	185.0	188.0	189.0	*	New owner - not allowed to do any more				