

Harold Snyder
P.O. Box 926
Nipomo, CA 93444
(805) 929-2455 H

August 29, 2006


Nipomo Community Services District
148 Wilson Street
P.O. Box 326
Nipomo, CA 93444

(805) 929-1133 Phone
(805) 929-1932 Fax

Dear Bruce Buel:

I am requesting a current copy of NCSD's training/procedure used when making the well level measurements that are listed in the spread sheet NCSD Well Levels. (see attached example).

Thank You



Harold Snyder

Hand Delivered.

RECEIVED
SEP 1 2006
NIPOMO COMMUNITY SERVICES DISTRICT
148 WILSON STREET
NIPOMO, CA 93444

**NCSD
WELL LEVELS**

	10/20/93	2/25/94	4/14/94	7/27/94	10/13/94	11	4/9/01	7/18/01	10/16/01	5/2/02	8/15/02	12/3/02	5/30/03	3/8/04
EUREKA (elev. 173.6 ft.)														
Well Pumping (X = Yes)	X	X	X	X	X			X	X		X	X		
measured depth	197	178	87	198	189		142.2	188	179	146.8	193	156	159	166
depth (msl)	-23.4	-4.4	86.6	-24.4	-15.4		31.4	-14.4	-5.4	26.8	-19.4	17.6	14.6	7.6
VIA CONCHA (elev. 263.9)														
Well Pumping (X = Yes)								X	X	X	X		X	
measured depth	263			277	270		249.5	316	316	305	316	323	345	
depth (msl)	0.9			-13.1	-6.1		14.4	-52.1	-52.1	-41.1	-52.1	-59.1	-81.1	
BLACK LAKE #3 (elev. 319.1)														
Well Pumping (X = Yes)								X	X		X			
measured depth							269	299	294	289	291	296	290	285
depth (msl)							50.1	20.1	25.1	30.1	26.1	23.1	29.1	54.1
BLACK LAKE #4 (elev. 301.4)														
Well Pumping (X = Yes)	X				X	X			X		X	X		X
measured depth	355	312	300	319	355		328	307	342	327	345	330	360	328
depth (msl)	-53.6	-10.6	1.4	-17.6	-53.6		-26.6	-5.6	-40.6	-25.6	-43.6	-37.6	-58.6	-26.6
SUNDALE (elev. 251.0)														
Well Pumping										X	X		X	X
measured depth							214.2	237	226	260.4	260	228	268	257
depth (msl)							36.8	14	25	-9.4	-9	23	-17	-6
BEVINGTON (elev. 317.1 ft)														
Well Pumping (X = Yes)	X		X	X			X		X			X		
measured depth	335	303	330	338	323		357.6	309	392	311.4	353	363	334	305
depth (msl)	-17.9	14.1	-12.9	-20.9	-5.9		-40.5	8.1	-74.9	5.7	-35.9	-45.9	-16.9	12.1
Knollwood (elev. 279)														
Well Pumping (X = Yes)														
measured depth														
depth (msl)														
DANA #1/Mandi (320.9)														
Well Pumping (X = Yes)														
measured depth	302		292	305	299		267	274	285	279	294	279	268	272
depth (msl)	18.9		28.9	15.9	21.9		53.9	46.9	35.9	41.9	26.9	41.9	52.9	48.9
DANA #2/Cheyene (307.7)														
Well Pumping (X = Yes)														
measured depth	266		257	268			231	249	249	241	257	239	238	236
depth (msl)	41.7		50.7	39.7			76.7	58.7	58.7	66.7	50.7	68.7	69.7	71.7
OMIYA (elev. 389.6)														
Well Pumping (X = Yes)				X										
measured depth	348	357	356	345	298		296	305	297	298	321	349	294	322
depth (msl)	41.6	32.6	33.6	44.6	91.6		93.6	84.6	92.6	91.6	68.6	40.6	95.6	67.6
OLYMPIC (elev. 346.4)														
Well Pumping (X = Yes)					X						X			
measured depth	307	304	309	311	346		342	323	296	335	367	362	322	314
depth (msl)	39.4	42.4	37.4	35.4	0.4		4.4	23.4	50.4	11.4	-20.6	-15.6	24.4	32.4
DANA Sc. 3 (HS) (elev. 360?)														
Well Pumping (X = Yes)														
measured depth														
depth (msl)														

SAVAGE (elev. 310)														
Well Pumping (X = Yes)														
measured depth	63	68	58		57		19	38	50	36	65	57	82	82
depth (msl)	247	242	252		253		291	272	260	274	245	263	228	228
CHURCH (elev. 300)														
Well Pumping (X = Yes)									X				X	X
measured depth	76	88	76	89	51		57	57	71	59	79	56	141	122
depth (msl)	224	212	224	211	249		243	243	229	241	221	244	159	178
HERMRECK (elev. 340)														
Well Pumping (X = Yes)							N/A	37	50	N/A	N/A	N/A	N/A	N/A
measured depth														
depth (msl)														

(MONITOR WELL)							135	133	142	157			174	
EGG CITY #A														
(MONITOR WELL)							36	36	32	33	32	32		
LAGOMARSINO #B														
(MONITOR WELL)														
101 #C														

NIPOMO COMMUNITY

BOARD MEMBERS

LARRY VIERHEILIG, PRESIDENT
MICHAEL WINN, VICE PRESIDENT
JUDITH WIRSING, DIRECTOR
CLIFFORD TROTTER, DIRECTOR
ED EBY, DIRECTOR



SERVICES DISTRICT

STAFF

BRUCE BUEL, GENERAL MANAGER
LISA BOGNUDA, ASSISTANT ADMINISTRATOR
JON SEITZ, GENERAL COUNSEL

148 SOUTH WILSON STREET POST OFFICE BOX 326 NIPOMO, CA 93444 - 0326
(805) 929-1133 FAX (805) 929-1932 Website address: NipomoCSD.com

September 8, 2006

Mr. Harold Snyder
PO Box 926
Nipomo, CA 93444

SUBJECT: TWO AUGUST 29, 2006 PUBLIC RECORDS REQUESTS


Dear Mr. Snyder,

This letter responds to your two public records requests dated August 29, 2006 regarding NCSD's Well Level Pumping and Water Level Readings for the period 1/1/05 through 8/27/06. Attached are the Public Records available in response to your requests.

If you have any questions, please don't hesitate to call me.

Sincerely,

NIPOMO COMMUNITY SERVICES DISTRICT



Bruce Buel
General Manager

cc: File

N.C.S.D. WELL LOCATIONS

The Benchmark for this Survey is a N.G.S. First order monument designated Z-25, located on the Southeast abutment of the Railroad bridge located 400±feet North of 22nd St. in the Town of Oceano. Horizontal coordinates are NAD 83, California Zone 5, and Elevations are NAVD88.

Sta. X002 :**"EUREKA"**: Painted cross located at the Northwest corner of the pad on which the electrical panel is located. Because of tree cover a GPS reading at the well was unobtainable. A nail and tin was set 60'± to the west, and differential leveling was utilized to transfer the elevation to the well site.

Elevation = 171.15'

Sta. X003 **"VIA CONCHA"**. A painted cross located at the Southeast corner of the building pad.

Elevation = 262.89'

North 2212232.45

East 5798297.08

Sta. X004 **"SUNDALE (North)"** A painted cross located at the Southwest corner of the concrete well casing pad.

Elevation = 277.77'

North 2210645.35

East 5801025.56

Sta. X005 **"SUNDALE (South)"** A painted cross located at the Southwest corner of the concrete building pad.

Elevation = 249.51'

North 2208766.74

East 5800966.27

Sta. X006A **"DANA 1 (Cheyenne Court)"** Top of casing

Elevation = 307.66'

North 2207464.64

East 5805975.40

Sta. X006B "**DANA 2 (Mandi Court)** Top of casing.

Elevation = 320.88'

North 2207425.77

East 5806672.28

Sta. X007 "**OLYMPIC**" A painted cross located at the Northwest corner of the concrete pad.

Elevation = 345.10'

North 2208984.43

East 5809045.07

Sta. X008 "**OMIYA**" A painted cross located at the Southwest corner of the concrete well casing pad. Because of tree cover a GPS reading at the well was unobtainable, and differential leveling was utilized to transfer the elevation to the well site.

Elevation = 388.10''

Sta. X009 "**BEVINGTON**" A painted cross located at the Southeast corner of the electrical panel pad.

Elevation = 315.94'

North 2213099.17

East 5799843.47

Sta. X010 "**BLACK LAKE 4**" A painted cross located at the Northeast corner of the concrete well casing pad.

Elevation = 300.43'

North 2213296.60

East 5798550.54

Sta. X011 "**BLACK LAKE 3**" A painted cross located at the Southwest corner of the concrete pad. Because of tree cover a GPS reading at the well was unobtainable, and differential leveling was utilized to transfer the elevation to the well site.

Elevation = 316.14'

INTEROFFICE MEMORANDUM

TO: BRUCE BUEL
FROM: DAN MIGLIAZZO
SUBJECT: ANSWERS FOR SNYDER REQUEST
DATE: 9/5/2006
CC: WELL INFORMATION

- 1) A COPY OF NCSD'S TRAINING/PROCEDURES USED TAKING WELL LEVEL MEASUREMENTS: WE TAKE OUR MEASUREMENTS FROM OUR PRESSURE TRANSDUCERS AT THE WELL SITES THAT READ DIRECTLY IN FEET. IF YOU MANUALLY DIP THE LEVELS WE TAKE THE DIPPED LEVEL SUBTRACT IT FROM THE SURVEYED LEVEL TO GIVE US FEET ABOVE OR BELOW SEA LEVEL WE ARE PUMPING
- 2) COPIES OF THESE REPORTS ARE ATTACHED:
- 3) PLEASE SEE THE ATTACHED SURVEYED LEVELS:
- 4) OFFICE DOCUMENTS
- 5) IF HE WOULD LIKE TO VIEW WELL INFORMATION ON OUR TELEMETRY SYSTEM, I CAN ENTER HIM FOR A SET PERIOD TO VIEW ONLY. I WILL NEED HIS E-MAIL ADDRESS TO ENTER HIM WITH A PASSWORD.

THANK YOU,

DAN