

Harold Snyder
P.O. Box 926
Nipomo, CA 93444
(805) 929-2455 H

May 25, 2007

Nipomo Community Services District
148 Wilson Street
P.O. Box 326
Nipomo, CA 93444

(805) 929-1133 Phone
(805) 929-1932 Fax

Dear Bruce Buel:

I am requesting a current copy of NCSD's Pumping amounts and well standing water levels for January 1st 2005 to May 25, 2007. (Copies of the the last reports I received in Febuary were titled Nipomo Community Services District Gross Well Production and NCSD Well Levels see attached)

Thank You



Harold Snyder

Hand Delivered.

RECEIVED

MAY 25 2007

NIPOMO COMMUNITY
SERVICES DISTRICT

NCS
WELL LEVELS

	10/20/93	2/25/94	4/14/94	7/27/94	10/13/94	11	4/9/01	7/18/01	10/16/01	5/2/02	8/15/02	12/3/02	5/30/03	3/8/04
EUREKA (elev. 173.6 ft.)														
Well Pumping (X = Yes)	X	X	X	X	X			X	X		X	X		
measured depth	197	178	87	198	189		142.2	188	179	146.8	193	156	159	166
depth (msl)	-23.4	-4.4	86.6	-24.4	-15.4		31.4	-14.4	-5.4	26.8	-19.4	17.6	14.6	7.6
VIA CONCHA (elev. 263.9)														
Well Pumping (X = Yes)								X	X	X	X		X	
measured depth	263			277	270		249.5	316	316	305	316	323	345	
depth (msl)	0.9			-13.1	-6.1		14.4	-52.1	-52.1	-41.1	-52.1	-59.1	-81.1	
BLACK LAKE #3 (elev 319.1)														
Well Pumping (X = Yes)								X	X		X			
measured depth							269	299	294	289	291	296	290	265
depth (msl)							50.1	20.1	25.1	30.1	28.1	23.1	29.1	54.1
BLACK LAKE #4 (elev 301.4)														
Well Pumping (X = Yes)	X				X		X		X		X	X		X
measured depth	355	312	300	319	355		328	307	342	327	345	339	360	328
depth (msl)	-53.6	-10.6	1.4	-17.6	-53.6		-26.6	-5.6	-40.6	-25.6	-43.6	-37.6	-58.6	-26.6
SUNDALE (elev 251.0)														
Well Pumping									X		X		X	X
measured depth							214.2	237	226	260.4	260	228	268	257
depth (msl)							36.8	14	25	-9.4	-9	23	-17	-6
BEVINGTON (elev. 317.1 ft)														
Well Pumping (X = Yes)	x		X	X			X		X			X		
measured depth	335	303	330	338	323		357.6	309	392	311.4	353	363	334	305
depth (msl)	-17.9	14.1	-12.9	-20.9	-5.9		-40.5	8.1	-74.9	5.7	-35.9	-45.9	-16.9	12.1
Knollwood (elev 279)														
Well Pumping (X = Yes)														
measured depth														
depth (msl)														
DANA #1/Mandi (320.9)														
Well Pumping (X = Yes)														
measured depth	302		292	305	299		267	274	285	279	294	279	268	272
depth (msl)	18.9		28.9	15.9	21.9		53.9	46.9	35.9	41.9	26.9	41.9	52.9	48.9
DANA #2/Chayene (307.7)														
Well Pumping (X = Yes)														
measured depth	266		257	268			231	249	249	241	257	239	238	236
depth (msl)	41.7		50.7	39.7			76.7	58.7	58.7	66.7	50.7	68.7	69.7	71.7
OMIYA (elev. 389.6)														
Well Pumping (X = Yes)				X										
measured depth	348	357	356	345	298		296	305	297	298	321	349	294	322
depth (msl)	41.6	32.6	33.6	44.6	91.6		93.6	84.6	92.6	91.6	68.6	40.6	95.6	67.6
OLYMPIC (elev 346.4)														
Well Pumping (X = Yes)					X						X			
measured depth	307	304	309	311	346		342	323	296	335	367	362	322	314
depth (msl)	39.4	42.4	37.4	35.4	0.4		4.4	23.4	50.4	11.4	-20.6	-15.6	24.4	32.4
DANA Sc. 3 (HS) (elev. 360.7)														
Well Pumping (X = Yes)														
measured depth														
depth (msl)														
SAVAGE (elev. 310)														
Well Pumping (X = Yes)														
measured depth	63	68	58		57		19	38	50	36	65	57	82	82
depth (msl)	247	242	252		253		291	272	260	274	245	253	228	228
CHURCH (elev 300)														
Well Pumping (X = Yes)									X				X	X
measured depth	76	88	76	89	51		57	57	71	59	79	56	141	122
depth (msl)	224	212	224	211	249		243	243	229	241	221	244	159	178
HERMRECK (elev. 340)														
Well Pumping (X = Yes)							N/A	37	50	N/A	N/A	N/A	N/A	N/A
measured depth														
depth (msl)														

(MONITOR WELL) EGG CITY #A							135	133	142	157			174	
(MONITOR WELL) LAGOMARSINO #B							36	36	32	33	32	32		
(MONITOR WELL) 101 #C														

NIPOMO COMMUNITY SERVICES DISTRICT
 GROSS WELL PRODUCTION
 JANUARY 1, 2006 TO DECEMBER 31, 2006

TOWN DIVISION	EUREKA	VIA CONCHA	BEVINGTON	SUNDALE	OMIYA	OLYMPIC	CHURCH	KNOLLWOOD	DANA(MANDI)	DANA(CHEY)	SUBTOTAL TOTAL GALLONS	BYP T BLACI
JANUARY	708,356	30,652,292	2,138,532	0	0	656,145	0	8,976	0	0	34,164,301	
FEBRUARY	0	0	0	0	0	0	0	0	0	0	0	
MARCH	0	0	0	0	0	0	0	0	0	0	0	
APRIL	0	0	0	0	0	0	0	0	0	0	0	
MAY	0	0	0	0	0	0	0	0	0	0	0	
JUNE	0	0	0	0	0	0	0	0	0	0	0	
JULY	0	0	0	0	0	0	0	0	0	0	0	
AUGUST	0	0	0	0	0	0	0	0	0	0	0	
SEPTEMBER	0	0	0	0	0	0	0	0	0	0	0	
OCTOBER	0	0	0	0	0	0	0	0	0	0	0	
NOVEMBER	0	0	0	0	0	0	0	0	0	0	0	
DECEMBER	0	0	0	0	0	0	0	0	0	0	0	
TOTAL M.G.	708,356	30,652,292	2,138,532	0	0	656,145	0	8,976	0	0	34,164,301	
TOTAL AF	2.17	94.10	6.57	0.00	0.00	2.01	0.00	0.03	0.00	0.00	104.88	

BLACKLAKE DIVISION	BL #3	BL #4	SUBTOTAL TOTAL GALLONS	BYPASS FROM TOWN	TOTAL GALLONS BL	TOTAL ACRE FEET BLACKLAKE
JANUARY	3,940,389	1,337,499	5,277,888	0	5,277,888	16.20
FEBRUARY	0	0	0	0	0	0.00
MARCH	0	0	0	0	0	0.00
APRIL	0	0	0	0	0	0.00
MAY	0	0	0	0	0	0.00
JUNE	0	0	0	0	0	0.00
JULY	0	0	0	0	0	0.00
AUGUST	0	0	0	0	0	0.00
SEPTEMBER	0	0	0	0	0	0.00
OCTOBER	0	0	0	0	0	0.00
NOVEMBER	0	0	0	0	0	0.00
DECEMBER	0	0	0	0	0	0.00
TOTAL M.G.	3,940,389	1,337,499	5,277,888	0	5,277,888	16.20
TOTAL AF	12.10	4.11	16.20	0.00	16.20	16.20

TOTAL TOWN AND BLACKLAKE	TOWN	BLACKLAKE	TOTAL GALLONS	TOTAL ACRE FEET
JANUARY	34,164,301	5,277,888	39,442,189	121.09
FEBRUARY	0	0	0	0.00
MARCH	0	0	0	0.00
APRIL	0	0	0	0.00
MAY	0	0	0	0.00
JUNE	0	0	0	0.00
JULY	0	0	0	0.00
AUGUST	0	0	0	0.00
SEPTEMBER	0	0	0	0.00
OCTOBER	0	0	0	0.00
NOVEMBER	0	0	0	0.00
DECEMBER	0	0	0	0.00
TOTAL M.G.	34,164,301	5,277,888	39,442,189	121.09
TOTAL AF	104.88	16.20	121.09	121.09

T:\Documents\SERVICES\WATER\PROD AND CONSUMPTION\Production & Consumption\ANNUAL BY WELL\ANNUAL PRODUCTION.xls

NIPOMO COMMUNITY

BOARD MEMBERS

MICHAEL WINN, PRESIDENT
LARRY VIERHEILIG, VICE PRESIDENT
CLIFFORD TROTTER, DIRECTOR
ED EBY, DIRECTOR
JAMES HARRISON, DIRECTOR



SERVICES DISTRICT

STAFF

BRUCE BUEL, GENERAL MANAGER
LISA BOGNUDA, ASSISTANT ADMINISTRATOR
JON SEITZ, GENERAL COUNSEL

148 SOUTH WILSON STREET POST OFFICE BOX 326 NIPOMO, CA 93444 - 0326
(805) 929-1133 FAX (805) 929-1932 Website address: NCSD.CA.GOV

June 1, 2007

Mr. Harold Snyder
P. O. Box 926
Nipomo, CA 93444

SUBJECT: MAY 25, 2007 PUBLIC RECORDS REQUEST RE WELL LEVEL DATA


Dear Mr. Snyder,

Attached is an updated version of the well level data per your request.

If you have any questions, please don't hesitate to call me.

Sincerely,

NIPOMO COMMUNITY SERVICES DISTRICT



Bruce Buel
General Manager

CC: Public Records Request File
Chronological File

T:\DOCUMENTS\STAFF FOLDERS\BRUCE\LETTERS\070601Snyder2.DOC

**NCS D
WELL LEVELS**

	9/2/04	10/6/04	11/1/04	12/9/04	1/4/05	2/1/05	2/28/05	4/7/05	5/1/05	6/3/05	7/7/05	8/5/05	9/6/05	10/5/05	11/1/05	12/1/05	1/1/06	
EUREKA (elev. 173.6 ft.)																		
Well Pumping (X = Yes)	X							X		x	x	x	x	x			x	
measured depth	193	184	149	152	168	145	147	171	151	186	202	207	206	202	174	186	195	
depth (msl)	-19.4	-10.4	24.6	21.6	5.6	28.6	26.6	2.6	22.6	-12.4	-28.4	-33.4	-32.4	-28.4	-0.4	-12.4	-21.4	
VIA CONCHA (elev. 263.9)																		
Well Pumping (X = Yes)	X	X							x		x	x	x					
measured depth	330	328	263	300	346	249	234	314	273	314	326	326	362	369	362			
depth (msl)	-66.1	-64.1	0.9	-36.1	-82.1	14.9	29.9	-50.1	-9.1	-50.1	-62.1	-62.1	-98.1	-105.1	-98.1			
BLACK LAKE #3 (elev 319.1)																		
Well Pumping (X = Yes)	X							X			x							
measured depth	361	315	315	316		290	285	335	304		349	294	273	278	305	252	252	
depth (msl)	-41.9	4.1	4.1	3.1		29.1	34.1	-15.9	15.1		-29.9	25.1	46.1	41.1	14.1	67.1	67.1	
BLACK LAKE #4 (elev 301.4)																		
Well Pumping (X = Yes)	X						X	x	x	X	x	x	x					
measured depth	369	295	295	393	354	270	277	300	290	295	350	360	326	345	368	375	319	
depth (msl)	-67.6	6.4	6.4	-91.6	-52.6	31.4	24.4	1.4	11.4	6.4	-48.6	-58.6	-24.6	-43.6	-66.6	-73.6	-17.6	
SUNDALE (elev 251.0)																		
Well Pumping (X = Yes)	X	X	X		x		X			X	x	x	x					
measured depth	260	267.6	256	258	263	235	233	240	261	279	268	265	320	309	253	313	224	
depth (msl)	-9	-16.6	-5	-7	-12	16	18	11	-10	-28	-17	-14	-69	-58	-2	-62	27	
BEVINGTON (elev. 317.1 ft)																		
Well Pumping (X = Yes)	X												x					
measured depth	332	344	309	309	325	295	298	300	304	325	359	334	399	385	399	387	387	
depth (msl)	-14.9	-26.9	8.1	8.1	-7.9	22.1	19.1	17.1	13.1	-7.9	-41.9	-16.9	-81.9	-67.9	-81.9	-69.9	-69.9	
Knollwood (elev 279)																		
Well Pumping (X = Yes)								X	X				x				x	
measured depth		296	287	291		252	249	271	272			238	292	283	276	261	249	
depth (msl)		-17	-8	-12		27	30	8	7			41	-13	-4	3	18	30	
DANA #1/Mandi (320.9)																		
Well Pumping (X = Yes)																		
measured depth	301	300	302	300	281	277	273	277	283	285	290	298	294	297	286	280	319	
depth (msl)	19.9	20.9	18.9	20.9	39.9	43.9	47.9	43.9	37.9	35.9	30.9	22.9	26.9	23.9	34.9	40.9	1.9	
DANA #2/Cheyene (307.7)																		
Well Pumping (X = Yes)																		
measured depth											255	254	254	254	243	238	309	
depth (msl)											52.7	53.7	53.7	53.7	64.7	69.7	-1.3	
OMIYA (elev. 389.6)																		
Well Pumping (X = Yes)																		
measured depth	307	301	296	301	308	296	301	287	294	298	298	300		316	300	302	319	
depth (msl)	82.6	88.6	93.6	88.6	81.6	93.6	88.6	102.6	95.6	91.6	91.6	89.6		73.6	89.6	87.6	70.6	
OLYMPIC (elev 346.4)																		
Well Pumping (X = Yes)																	x	x
measured depth	291	317	286	296	298	289	282	310	303	311	287	293	344	321	344	360	353	
depth (msl)	55.4	29.4	60.4	50.4	48.4	57.4	64.4	36.4	43.4	35.4	59.4	53.4	2.4	25.4	2.4	-13.6	-6.6	
DANA Sc. 3 (HS) (elev. 360?)																		
Well Pumping (X = Yes)										x								
measured depth											274							
depth (msl)											86							
SAVAGE (elev. 310)																		
Well Pumping (X = Yes)																		
measured depth	82	81	93	93	74	61	54	46	51	40	44.3	48	63	61	62	56	50	
depth (msl)	228	229	217	217	236	249	256	264	259	270	265.7	262	247	249	248	254	260	
CHURCH (elev 300)																		
Well Pumping (X = Yes)																		
measured depth	77	90	92	90	83	62	58	80	110	117	49	53	117	119	71	106	140	
depth (msl)	223	210	208	210	217	238	242	220	190	183	251		183	181	229	194	160	
HERMRECK (elev. 340)																		
Well Pumping (X = Yes)													61					
measured depth													61					
depth (msl)																		

11/1/05	12/1/05	1/1/06	2/1/06	3/1/06	4/3/06	5/2/06	6/8/06	7/11/06	8/9/06	9/15/06	10/18/06	11/10/06	12/9/06	1/9/07	2/13/07	3/12/07	4/9/07	5/14/07
x							x	x						x				x
174	186	195	156	150	144	148	201	204	181	185	176	177	168	185	149	182	190	197
-0.4	-12.4	-21.4	17.6	23.6	29.6	25.6	-27.4											
				x	x	x	x	x	x	x	x		x	x		x	x	
362					312	327	322	349	364	317	330	364	340	288	263	n/a	291	296
-98.1					-48.1	-63.1	-58.1		-100.1									
305	252	252	260	292	295	246	287	284	285	285	280	264	278	255	254	250	255	264
14.1	67.1	67.1	59.1	27.1	24.1	73.1	32.1		34.1									
		x		x	x			x	x	x								
368	375	319	361	355	349	341	349	347	350	352	329	306	345	322	320	n/a	292	306
-66.6	-73.6	-17.6	-59.6	-53.6	-47.6	-39.6	-47.6		-48.6									
								x	x	x		x	x				x	x
253	313	224	237	211	209	197	210	185	171	139	232	193	250	223	218	224	242	257
-2	-62	27	14	40	42	54	41	66	80									
		x					x	x	x	x					x	x	x	x
399	387	387	344	350	299	302	383	388	408	411	336	324	327	311	363	381	376	396
-81.9	-69.9	-69.9	-26.9	-32.9	18.1	15.1	-65.9	-70.9	-90.9									
	x		x				x	x	x	x	x	x	x		x	x	x	x
276	261	249	274	279	274	279	295	304	312	312	302	301	297	265	293	285	299	302
3	18	30	5	0	5	0	-16	-25	-33									
286	280	319		270	307	305	277	298	300	304	295	297	288	280	271	276	286	292
34.9	40.9	1.9		50.9	13.9	15.9	43.9	22.9	20.9									
243	238	309	312	271	305	317	268	279	301	286	273	276	265	255	252	254	266	270
64.7	69.7	-1.3	-4.3	36.7	2.7	-9.3	39.7	28.7	6.7									
300	302	319	317	324	308	308	306	335	319	340	324	n/a	n/a	n/a	n/a	n/a	n/a	n/a
89.6	87.6	70.6	72.6	65.6	81.6	81.6	83.6	54.6	70.6									
	x	x	x		x		x					x			x	x	x	x
344	360	353	356	353	344	351	348	355	284	off-line	293	358	348	311	357	354	357	358
2.4	-13.6	-6.6	-9.6	-6.6	2.4	-4.6	-1.6	-8.6	62.4									

62	56	50	51	42	39	27	26	33	38	45	51	52	43	42	39	37	42	51
248	254	260	259	268	271	283	284	277	272									
71	106	140	152	60	55	47	46		64	65	286	73	69	67	61	108	129	134
229	194	160	148	240	245	253	254		236									

(MONITOR WELL) #1	38	38
(MONITOR WELL) #2	41	41
(MONITOR WELL) #3	43	43
pizzio monitor well	27	20