

Cleath & Associates

Engineering Geologists
Hydrogeologists
(805) 543-1413
1390 Oceanaire Drive
San Luis Obispo
California 93405

July 27, 2007

John Scardino
Woodlands Ventures, LLC
31200 Via Colinas, Suite 200
Westlake Village, California 91362

SUBJECT: July 2007 Ground Water Elevation Monitoring Report for The Woodlands Development, Nipomo Mesa, San Luis Obispo County, California

Dear Mr. Scardino:

This report documents the monitoring of water levels at thirteen wells in the vicinity of The Woodlands project and at the six wells on The Woodlands property. The monitoring program is being performed to enable compliance with Mitigation Measure 4.1-6d of the Woodlands Specific Plan Environmental Impact Report (1998):

"Prior to approval of discretionary development (e.g. prior to recordation of the final map, Development Plan approval), the applicant shall conduct a complete survey of wells that could be affected by cumulative water level interference. The applicant shall then implement means to allow for continued production of these wells under drought conditions to the satisfaction of the County Engineer."

Cleath & Associates conducted a private domestic well survey between March and May 2000 and has been monitoring water levels in selected offsite wells and in The Woodlands wells on a monthly basis since March 1999. Well locations are shown on Figure 1. All of the onsite wells and offsite wells have been land surveyed by Wallace Group to establish map coordinates and monitoring reference point elevations.

Onsite Wells

Four of the onsite wells were constructed as production wells for the project, with the Highway 1 Monitoring well and the Flintcote well utilized as monitoring wells only. The Highway 1 Monitoring well was installed prior to the production wells to identify the aquifer zones beneath the site, evaluate water quality in these zones, and to determine general design parameters for the production wells. The Flintcote well was drilled in 1944, and the five Woodlands project wells were drilled in 1993 and 1994.

Currently, ground water production is occurring at all four production wells. Permanent pumps have been installed in each of the four production wells and production has been monitored by flow meters at each of the wells.



The Homestead well will continue to be the primary supply well at the site, and the Mesa well will serve as its backup well. The Highway 1 well is configured for golf course irrigation. The Dawn well will not be pumped significantly. According to Mike Wentzel of Fluid Resource Management, a small amount of effluent was used in the golf course irrigation system beginning in the early months of 2007 to test the wastewater irrigation system. Over a four-month period, approximately 443,000 gallons of treated effluent were blended with well water in the golf course ponds and subsequently used for irrigation. Well production volumes for the first half of 2007 are included in Table 1 below.

Table 1
Woodlands Water Usage Summary, Through Mid-July, 2007

| Month | Well | | | | Total |
|--------------|----------|-----------|-----------|-----------|------------|
| | Dawn | Homestead | Mesa | Highway 1 | |
| January | 0.1 | 0.0 | meter off | 1.3 | 1.4 |
| February | 0.0 | 12.9 | meter off | 4.1 | 17.0 |
| March | 0.0 | 16.1 | meter off | 9.7 | 25.8 |
| April | 0.9 | 0.7 | 16.86* | 9.3 | 10.9 |
| May | 1.0 | 5.1 | 4.8 | 11.9 | 22.8 |
| June | 0.1 | 10.8 | 6.1 | 27.4 | 44.4 |
| July | 0.0 | 4.1 | 0.0 | 24.3 | 28.4 |
| Total | 2 | 50 | 11 | 88 | 151 |

Volumes in acre-feet

*Meter was off during site visits from September 2006 through March 2007.

Ground water elevations for the onsite wells and monthly precipitation are shown on Figure 2. Water level data are attached. Seasonal water level fluctuations have ranged between approximately 25 feet and 45 feet in the six onsite wells during the eight-year monitoring period. Since 2002, the range of seasonal fluctuation has increased in each of the wells because of higher pumping rates during the dry seasons as compared to the wet seasons. The slightly declining average water levels indicated in the hydrograph from the year 1999 through 2005 is a result of changing climatic conditions in the area during that period. From 2004 to the fall of 2006 average water levels were stable because of higher than normal precipitation amounts during the winter of 2004 - 2005, and the late winter and spring precipitation in 2006. Water levels in the four production wells and the Flintcote well were 29 feet to 31 feet lower in July 2007 than in February 2007, representing a typical seasonal water level fluctuation for the wells. Water levels were slightly higher in July 2007 than in July 2006 in the Mesa, Dawn, and Highway 1 wells; and slightly lower in July 2007 than in July 2006 in the Homestead and Flintcote wells.

The slightly higher average water levels measured during 1999 and 2000 of the monitoring program reflect the higher than normal precipitation of the mid and late 1990s. Average to below average annual precipitation occurred from the year 2000 through the winter of 2003 - 2004, and precipitation was significantly below average during the winter of 2006 - 2007. Historically, water levels generally drop from February through September of each year, after which they recover and rise.



Offsite Wells

Wells 9K4, 15G1, 10N, and 22H are currently used as domestic supply wells to single-family homes and are pumped on a regular basis. Wells 10K, 10Q, 14N, and 22G have been inactive since monitoring began. Well 10R2 is used for domestic and irrigation supply, and has been pumped on a regular basis since the summer of 2003. Well 10F is unequipped. Wells 15B3, 15B4, and 10R3 are equipped, but inactive, and are located on properties currently being developed. Well 10R1 was abandoned in January 2007. The 14 offsite wells are listed in Table 2.

Ground water elevations for the offsite wells are shown on Figures 3, 4, and 5. Water levels in wells 10R2, 10F, 9K4, and 15B4 have shown the greatest amount of seasonal fluctuation of all the monitored off-site wells, fluctuating as much as 48 feet in well 15B4. Fluctuations in the other offsite wells penetrating the deeper aquifer or mixed aquifers ranged between 18 feet in well 14N and 33 feet in well 15G1. Water levels in wells 15G1 and 10R3, both penetrating the deeper aquifer or mixed aquifers, were both slightly lower in July 2007, than in July 2006. Water levels in well 14N, 10R2, and 10F were from two to five feet higher in July 2007, than in July 2006. Table 3 shows the aquifers penetrated by the offsite and onsite wells.

Hydrographs of wells 22G, 22H, 10K, and 10Q are relatively flat, compared to hydrographs of all the other wells which fluctuate in response to regional pumping. This data, and the relatively high water levels suggest that these wells have been completed within the unconfined dune sand aquifer, whereas other offsite and onsite wells were either completed within a deeper, confined aquifer, or completed within portions of both aquifers.

Ground Water Movement

Estimated confined aquifer ground water flow directions and hydraulic gradients on The Woodlands property are shown in Figure 6. Ground water during July 2007 is inferred to flow to the northwest beneath most of the site at an estimated average hydraulic gradient of 0.0020 vertical feet of head loss per horizontal foot of distance. In the southern portion of the property, a pumping depression is evident as a result of pumping at the Homestead well.

Wells used for the confined aquifer hydraulic gradient calculations represent the same or similar hydraulic pressure zones. Five onsite wells were used to calculate the hydraulic gradient for the July 2007 monitoring event. The Highway 1 Monitoring well is completed within multiple pressure zones and therefore is not used in gradient calculations.



Conclusions and Recommendations

Mitigation Measure 4.1-6d of the project EIR requires that the applicant shall implement means to allow for continued production of offsite wells that have been significantly affected by well interference from The Woodlands project. Monthly water level monitoring allows early detection of wells most vulnerable to well interference during drought, and will allow for the mitigation of potentially significant water-level impacts before they occur.

There are 19 wells currently being monitored at the Woodlands project. There are six onsite wells and a total of 13 offsite wells in the program. Based on observed water levels, there are two principal groups of aquifer zones being tapped by the various wells: shallow aquifers (unconfined) and deep aquifers (confined). Table 3 shows the aquifers penetrated by each well in the Woodlands monitoring program. Water level monitoring results show no evidence of significant water-level impacts to offsite wells from ground water production in the four producing onsite wells. Observed water level fluctuations are related to seasonal changes in precipitation and regional well pumping.

Cleath & Associates recommends the following:

- Abandonment of the Highway 1 monitoring well. The well was installed prior to the production wells to identify the aquifer zones beneath the site, evaluate water quality in these zones, and to determine general design parameters for the production wells. Because the well is completed across multiple aquifer zones, water levels do not compare well with other wells on the site that are completed within the deep zones only. The well should be abandoned in accordance with Department of Water Resources Water Well Standards, Section 23, Requirements for Destroying Wells.
- Installation of a casing liner and filter pack in the Flintcote well to ensure the continued monitoring of the well in the event of failure of the old steel casing.
- Continue to monitor and record production data from well flow meters.

Water level data sheets including depths to ground water, ground water elevations, and changes in water levels for each well are included as an attachment. If you have any questions regarding this letter report, please call our office.

Sincerely,

David R. Williams
Associate Geologist

attachments
cc. Tom Whalen

Figure 2
Water Levels: February 1999 - July 2007
The Woodlands Onsite Wells




Table 2
Woodlands Offsite Wells

| Well Number | Reference Point | Total depth (in feet) | Well Type | Well Status | Date Monitoring Began | Drillers | Year Drilled | Comments |
|--------------|--|-----------------------|----------------------------|--------------------|---------------------------------|---------------------|--------------|--|
| 11N/35W-14N | Top of sounding tube (271.2) | -- | Irrigation | Equipped, inactive | Nov-00 | Floyd V. Wells | 1975 | -- |
| 11N/35W-10F | Steel plate on top of casing (277.9) | 600 | School supply & Irrigation | Unequipped | Dec-02 | Enloe Well Drilling | 2002 | Cascading water enters well at approximately 206 feet depth |
| 11N/35W-10N | Top of casing (246.0) | 360 | Domestic | Active | Oct-00 | Floyd V. Wells | 1981 | Discontinued Feb-01, Resumed monitoring in Nov-04 |
| 11N/35W-22G | Top of casing (279.8) | -- | Domestic | Equipped, inactive | Feb-03 | -- | -- | -- |
| 11N/35W-15G1 | Top of sounding tube (234.8) | 380 | Domestic | Active | Oct-00 | Water Well Supply | 1985 | Pump set at 225 feet depth |
| 11N/35W-10R1 | Top of casing (275) | 353 | Irrigation | Abandoned | Dec-05 | -- | -- | Well abandoned January 2007 |
| 11N/35W-10R2 | Top of casing (269.1) | 365 | Domestic Irrigation | Active | Nov-03 | Longwell | 1956 | Pumping often |
| 11N/35W-10R3 | Top of casing (est. 276) | -- | Domestic | Unequipped | Apr-06 | -- | -- | -- |
| 11N/35W-9K4 | Top of sounding port (County GPS=168.53) | -- | Domestic | Active | Jan-2004 by Cleath & Associates | Floyd V. Wells | 1960's | Monitored by County Public Works Dept. in October and April since 1973 |
| 11N/35W-10K | Top of casing (249.3) | 210 | Domestic | Unequipped | Feb-05 | -- | -- | -- |
| 11N/35W-22H | Top of casing (270.1) | -- | Domestic | Active | Dec-04 | -- | -- | -- |
| 11N/35W-10Q | Top of casing (284.5) | 257 | Domestic | Inactive | May-05 | -- | -- | -- |
| 11N/35W-15B3 | Concrete slab (237.6) | 500 | Domestic | Inactive | Sep-05 | Central Coast | 2005 | Unimproved lots |
| 11N/35W-15B4 | Concrete slab (244.8) | 500 | Domestic | Inactive | Sep-05 | Central Coast | 2005 | Unimproved lots |

Figure 3
Water Levels: February 1999 to July 2007
The Woodlands Offsite - Southeast Wells




Figure 4
Water Levels: February 1999 to July 2007
The Woodlands Offsite - Northern Wells






Figure 5
Water Levels: February 1999 to July 2007
The Woodlands Offsite - Northeast Wells





EXPLANATION:

- Impact Area Boundary:** Dashed blue line
- Site Boundary:** Solid green line
- Parcels with one or more domestic wells:** Shaded gray area
- Houses:** Small black dots
- Domestic Wells (Inferred):** Small black dots
- Offsite Monitoring Well Location:** Red circle with number
- Mesa (9.30):** Blue circle with number
- Onsite Production Well Location, ground water elevation in feet above sea level:** Blue circle with number
- Nipomo Community Services District Well:** Blue circle
- Onsite Ground water elevation contour on July 16, 2007, for confined aquifer zones, elevation in feet above sea level:** Blue line with number
- Ground water flow direction:** Blue arrow

Base Map: San Luis Obispo County
Building & Planning Dept.
Assessor's Parcel Maps

Scale In Feet
500 2000 5000

Figure 6
Onsite Ground Water Elevation Contours on July 16, 2007 for Confined Aquifer Zones

The Woodlands
Cleath & Associates
July 2007

Table 3
Aquifers Penetrated by Woodlands Onsite and Offsite Wells

| Common Well Name | Aquifer | | |
|-------------------------|------------------------------------|--|-----------------------|
| | Deep Aquifer (confined) | Shallow Aquifer (water table) | Mixed Aquifers |
| Mesa | X | | |
| Dawn | X | | |
| Hwy. 1 Production | X | | |
| Hwy. 1 Monitoring | | | X |
| Homestead | X | | |
| Flintcote | X | | |
| 11N/35W-14N | | | X |
| 11N/35W-10F | X | | |
| 11N/35W-10N | | | X |
| 11N/35W-22G | | X | |
| 11N/35W-15G1 | | | X |
| 11N/35W-10R1 | | | X |
| 11N/35W-10R2 | | | X |
| 11N/35W-10R3 | | | X |
| 11N/35W-9K4 | | | X |
| 11N/35W-10K | | X | |
| 11N/35W-22H | | X | |
| 11N/35W-10Q | | X | |
| 11N/35W-15B3 | X | | |
| 11N/35W-15B4 | X | | |

**Water levels Mesa Road Well
The Woodlands Onsite**

Reference Point: 243.3 feet above sea level
(through 10/16/05)

Reference Point: 246.7 feet above sea level
(from 11/20/05)

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|--------|-------------|---------------------------------|
| 3/2/99 | 196.51 | 46.79 | |
| 4/5/99 | 193.65 | 49.65 | -2.86 |
| 5/12/99 | 208.17 | 35.13 | 14.52 |
| 6/9/99 | 210.72 | 32.58 | 2.55 |
| 7/16/99 | 220.75 | 22.55 | 10.03 |
| 8/12/99 | 218.09 | 25.21 | -2.66 |
| 9/14/99 | 217.36 | 25.94 | -0.73 |
| 10/14/99 | 215.25 | 28.05 | -2.11 |
| 11/16/99 | 202.82 | 40.48 | -12.43 |
| 12/15/99 | 201.51 | 41.79 | -1.31 |
| 1/14/00 | 201.49 | 41.81 | -0.02 |
| 2/15/00 | 190.94 | 52.36 | -10.55 |
| 3/17/00 | 196.15 | 47.15 | 5.21 |
| 4/18/00 | 200.97 | 42.33 | 4.82 |
| 5/16/00 | 209.48 | 33.82 | 8.51 |
| 6/14/00 | 214.23 | 29.07 | 4.75 |
| 7/17/00 | 217.15 | 26.15 | 2.92 |
| 8/16/00 | 223.06 | 20.24 | 5.91 |
| 9/15/00 | 223.77 | 19.53 | 0.71 |
| 10/12/00 | 216.67 | 26.63 | -7.10 |
| 11/10/00 | 205.96 | 37.34 | -10.71 |
| 12/15/00 | 202.10 | 41.20 | -3.86 |
| 1/15/01 | 195.96 | 47.34 | -6.14 |
| 2/15/01 | 192.63 | 50.67 | -3.33 |
| 3/16/01 | 191.13 | 52.17 | -1.50 |
| 4/16/01 | 197.75 | 45.55 | 6.62 |
| 5/15/01 | 211.18 | 32.12 | 13.43 |
| 6/18/01 | 218.73 | 24.57 | 7.55 |
| 7/16/01 | 219.28 | 24.02 | 0.55 |
| 8/16/01 | 219.83 | 23.47 | 0.55 |
| 9/17/01 | 222.22 | 21.08 | 2.39 |
| 10/18/01 | 214.53 | 28.77 | -7.69 |
| 11/26/01 | 197.09 | 46.21 | -17.44 |
| 12/27/01 | 192.06 | 51.24 | -5.03 |
| 2/18/02 | 196.38 | 46.92 | 4.32 |
| 3/13/02 | 199.74 | 43.56 | 3.36 |
| 4/18/02 | 211.57 | 31.73 | 11.83 |
| 5/15/02 | 213.26 | 30.04 | 1.69 |
| 6/13/02 | 218.88 | 24.42 | 5.62 |
| 7/16/02 | 222.75 | 20.55 | 3.87 |
| 8/15/02 | 227.89 | 15.41 | 9.01 |
| 9/18/02 | 227.00 | 16.30 | -0.89 |
| 10/18/02 | 222.02 | 21.28 | -4.98 |
| 11/15/02 | 205.19 | 38.11 | -16.83 |
| 12/23/02 | 196.74 | 46.56 | -8.45 |
| 1/15/03 | 195.75 | 47.55 | -0.99 |
| 2/24/03 | 197.60 | 45.70 | 1.85 |
| 3/14/03 | 200.87 | 42.43 | 3.27 |
| 4/15/03 | 205.38 | 37.92 | 4.51 |
| 5/15/03 | 214.25 | 29.05 | 8.87 |
| 6/17/03 | 222.43 | 20.87 | 8.18 |

Water levels Mesa Road Well
The Woodlands Onsite

Reference Point:
 (through 10/16/05) 243.3 feet above sea level

Reference Point:
 (from 11/20/05) 246.7 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|-----------|-------------|---------------------------------|
| 8/15/03 | 230.47 | 12.83 | 8.04 |
| 9/24/03 | 226.93 | 16.37 | -3.54 |
| 10/20/03 | 220.2 | 23.10 | -6.73 |
| 11/18/03 | 225.31 | 17.99 | 5.11 |
| 12/31/03 | 203.42 | 39.88 | -21.89 |
| 1/19/04 | 203.62 | 39.68 | 0.20 |
| 2/17/04 | 204.84 | 38.46 | 1.22 |
| 3/12/04 | 207.72 | 35.58 | 2.88 |
| 4/15/04 | 213.21 | 30.09 | 5.49 |
| 5/17/04 | 231.58 | 11.72 | 18.37 |
| 6/15/04 | 231.61 | 11.69 | 0.03 |
| 7/16/04 | 237.63 | 5.67 | 6.02 |
| 8/26/04 | 236.65 | 6.65 | -0.98 |
| 9/17/04 | 240.16 | 3.14 | 3.51 |
| 12/14/04 | 213.6 | 29.70 | -26.56 |
| 1/19/05 | 203.67 | 39.63 | -9.93 |
| 2/16/05 | 201.25 | 42.05 | -2.42 |
| 3/17/05 | 210 | 33.30 | 8.75 |
| 4/18/05 | 214.70 | 28.60 | 4.70 |
| 5/17/05 | 215.07 | 28.23 | 0.37 |
| 6/24/05 | 230.79 | 12.51 | 15.72 |
| 7/13/05 | 231.84 | 11.46 | 1.05 |
| 8/19/05 | 242 | 1.30 | 10.16 |
| 9/18/05 | 242.89 | 0.41 | 0.89 |
| 10/16/05 | 238.04 | 5.26 | -4.85 |
| 11/20/05 | no access | | |
| 12/18/05 | no access | | |
| 1/13/06 | pumping | | |
| 2/15/06 | 216.96 | 29.74 | -21.08 |
| 3/13/06 | pumping | | |
| 4/17/06 | 205.3 | 41.40 | -11.66 |
| 5/16/06 | pumping | | |
| 6/14/06 | 233.9 | 12.80 | 28.60 |
| 7/12/06 | 245.42 | 1.28 | 11.52 |
| 8/14/06 | 235.43 | 11.27 | -9.99 |
| 9/15/06 | pumping | | |
| 10/16/06 | 229.58 | 17.12 | -5.85 |
| 11/15/06 | 234.7 | 12.00 | 5.12 |
| 12/19/06 | 220.4 | 26.30 | -14.30 |
| 1/11/07 | 214.92 | 31.78 | -5.48 |
| 2/14/07 | 209.44 | 37.26 | -5.48 |
| 3/13/07 | 216.33 | 30.37 | 6.89 |
| 4/16/07 | pumping | | |
| 5/16/07 | 236.88 | 9.82 | 20.55 |
| 6/19/07 | 236.4 | 10.30 | -0.48 |
| 7/16/07 | 237.4 | 9.30 | 1.00 |

Water levels Dawn Well
The Woodlands Onsite

Reference Point:
 (through 2/15/05) **248.1 feet above sea level**

Reference Point:
 (from 4/18/05) **233.8 feet above sea level**

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|--------|-------------|---------------------------------|
| 3/2/99 | 214.33 | 33.77 | - |
| 4/5/99 | 210.96 | 37.14 | -3.37 |
| 5/12/99 | 225.20 | 22.90 | 14.24 |
| 6/9/99 | 229.21 | 18.89 | 4.01 |
| 7/16/99 | 233.67 | 14.43 | 4.46 |
| 8/12/99 | 233.55 | 14.55 | -0.12 |
| 9/14/99 | 231.49 | 16.61 | -2.06 |
| 10/14/99 | 231.03 | 17.07 | -0.46 |
| 11/16/99 | 220.46 | 27.64 | -10.57 |
| 12/15/99 | 218.23 | 29.87 | -2.23 |
| 1/14/00 | 219.30 | 28.80 | 1.07 |
| 2/15/00 | 206.79 | 41.31 | -12.51 |
| 3/17/00 | 207.77 | 40.33 | 0.98 |
| 4/18/00 | 217.77 | 30.33 | 10.00 |
| 5/16/00 | 228.61 | 19.49 | 10.84 |
| 6/14/00 | 234.62 | 13.48 | 16.85 |
| 7/17/00 | 236.36 | 11.74 | 18.59 |
| 8/16/00 | 239.55 | 8.55 | 21.78 |
| 9/15/00 | 239.57 | 8.53 | 21.80 |
| 10/12/00 | 229.02 | 19.08 | 11.25 |
| 11/10/00 | 220.07 | 28.03 | -8.54 |
| 12/15/00 | 220.75 | 27.35 | -13.87 |
| 1/15/01 | 212.50 | 35.60 | -23.86 |
| 2/15/01 | 208.30 | 39.80 | -31.25 |
| 3/16/01 | 205.05 | 43.05 | -3.25 |
| 4/16/01 | 212.84 | 35.26 | 7.79 |
| 5/15/01 | 228.38 | 19.72 | 15.54 |
| 6/18/01 | 234.88 | 13.22 | 6.50 |
| 7/16/01 | 236.09 | 12.01 | 1.21 |
| 8/16/01 | 238.94 | 9.16 | 2.85 |
| 9/17/01 | 236.57 | 11.53 | -2.37 |
| 10/18/01 | 231.20 | 16.90 | -5.37 |
| 11/26/01 | 212.88 | 35.22 | -18.32 |
| 12/27/01 | 207.58 | 40.52 | -5.30 |
| 2/18/02 | 211.13 | 36.97 | 3.55 |
| 3/13/02 | 214.58 | 33.52 | 3.45 |
| 4/18/02 | 223.98 | 24.12 | 9.40 |
| 5/15/02 | 231.31 | 16.79 | 7.33 |
| 6/13/02 | 237.23 | 10.87 | 5.92 |
| 7/16/02 | 241.72 | 6.38 | 4.49 |
| 8/15/02 | 241.94 | 6.16 | 0.22 |
| 9/18/02 | 241.33 | 6.77 | -0.61 |
| 10/18/02 | 235.42 | 12.68 | -5.91 |
| 11/15/02 | 220.88 | 27.22 | -14.54 |
| 12/23/02 | 212.27 | 35.83 | -8.61 |
| 1/15/03 | 210.51 | 37.59 | -1.76 |
| 2/24/03 | 212.33 | 35.77 | 1.82 |
| 3/14/03 | 216.54 | 31.56 | 4.21 |
| 4/15/03 | 221.79 | 20.34 | 5.11 |
| 5/15/03 | 222.56 | 25.54 | 0.80 |
| 6/17/03 | 236.23 | 11.87 | 13.67 |

Water levels Dawn Well
The Woodlands Onsite

Reference Point:
 (through 2/15/05) 248.1 feet above sea level

Reference Point:
 (from 4/18/05) 233.8 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|---------|-------------|---------------------------------|
| 8/15/03 | 244.40 | 3.70 | 8.17 |
| 9/24/03 | 243.89 | 4.21 | -0.51 |
| 10/20/03 | 239.31 | 8.79 | -4.58 |
| 11/18/03 | 209.96 | 38.14 | -29.35 |
| 12/31/03 | 214.08 | 34.02 | 4.12 |
| 1/19/04 | 214.72 | 33.38 | 0.64 |
| 2/17/04 | 215.80 | 32.30 | 1.08 |
| 4/15/04 | 222.99 | 25.11 | 7.19 |
| 5/17/04 | 238.78 | 9.32 | 15.79 |
| 6/15/04 | 248.02 | 0.08 | 9.24 |
| 7/16/04 | 250.39 | -2.29 | 2.37 |
| 8/23/04 | 251.14 | -3.04 | 0.75 |
| 9/17/04 | 253.52 | -5.42 | 2.38 |
| 10/18/04 | 240.57 | 7.53 | -12.95 |
| 11/16/04 | 221.6 | 26.50 | -18.97 |
| 12/14/04 | 219.85 | 28.25 | -1.75 |
| 1/19/05 | 211.53 | 36.57 | -8.32 |
| 2/15/05 | 210.85 | 37.25 | -0.68 |
| 4/18/05 | pumping | | |
| 5/19/05 | 216.56 | 17.24 | 5.71 |
| 6/24/05 | pumping | | |
| 7/18/05 | 232.89 | 0.91 | 16.33 |
| 8/19/05 | pumping | | |
| 9/18/05 | pumping | | |
| 10/16/05 | hung up | | |
| 11/20/05 | 222.00 | 11.80 | -10.89 |
| 12/18/05 | 214.91 | 18.89 | -7.09 |
| 1/13/06 | 206.08 | 27.72 | -8.83 |
| 2/15/06 | 217.22 | 16.58 | 11.14 |
| 3/13/06 | 204.32 | 29.48 | -12.90 |
| 4/17/06 | 202.2 | 31.60 | -2.12 |
| 5/16/06 | 217.14 | 16.66 | 14.94 |
| 6/14/06 | 229.95 | 3.85 | 12.81 |
| 7/12/06 | 236.24 | -2.44 | 6.29 |
| 8/14/06 | 238.56 | -4.76 | 2.32 |
| 9/15/06 | 239.58 | -5.78 | 1.02 |
| 10/16/06 | pumping | | |
| 11/15/06 | 228.67 | 5.13 | -10.91 |
| 12/19/06 | 212.16 | 21.64 | -16.51 |
| 1/11/07 | 212.50 | 21.30 | 0.34 |
| 2/14/07 | 204.90 | 28.90 | -7.60 |
| 3/13/07 | 213.00 | 20.80 | 8.10 |
| 4/16/07 | 223.82 | 9.98 | 10.82 |
| 5/16/07 | 229.41 | 4.39 | 5.59 |
| 6/19/07 | 235.22 | -1.42 | 5.81 |
| 7/16/07 | 235.91 | -2.11 | 0.69 |

Water levels Highway 1 Production Well
The Woodlands Onsite
 Reference Point: 245.3 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|--------|-------------|---------------------------------|
| 3/2/99 | 207.24 | 38.06 | |
| 4/5/99 | 204.77 | 40.53 | -2.47 |
| 5/12/99 | 217.31 | 27.99 | 12.54 |
| 6/9/99 | 221.33 | 23.97 | 4.02 |
| 7/16/99 | 228.24 | 17.06 | 6.91 |
| 8/12/99 | 227.54 | 17.76 | -0.70 |
| 9/14/99 | 225.75 | 19.55 | -1.79 |
| 10/14/99 | 224.66 | 20.64 | -1.09 |
| 11/16/99 | 212.89 | 32.41 | -11.77 |
| 12/15/99 | 211.22 | 34.08 | -1.67 |
| 1/14/00 | 211.85 | 33.45 | 0.63 |
| 2/15/00 | 201.33 | 43.97 | -10.52 |
| 3/17/00 | 203.39 | 41.91 | 2.06 |
| 4/18/00 | 211.94 | 33.36 | 8.55 |
| 5/16/00 | 219.96 | 25.34 | 8.02 |
| 6/14/00 | 225.13 | 20.17 | 5.17 |
| 7/17/00 | 227.59 | 17.71 | 2.46 |
| 8/16/00 | 229.78 | 15.52 | 2.19 |
| 9/15/00 | 230.52 | 14.78 | 0.74 |
| 10/12/00 | 223.06 | 22.24 | -7.46 |
| 11/10/00 | 214.59 | 30.71 | -8.47 |
| 12/15/00 | 212.05 | 33.25 | -2.54 |
| 1/15/01 | 206.92 | 38.38 | -5.13 |
| 2/15/01 | 203.17 | 42.13 | -3.75 |
| 3/16/01 | 201.03 | 44.27 | -2.14 |
| 4/16/01 | 207.68 | 37.62 | 6.65 |
| 5/15/01 | 220.80 | 24.50 | 13.12 |
| 6/18/01 | 226.28 | 19.02 | 5.48 |
| 7/16/01 | 227.33 | 17.97 | 1.05 |
| 8/16/01 | 229.58 | 15.72 | 2.25 |
| 9/17/01 | 228.72 | 16.58 | -0.86 |
| 10/18/01 | 223.90 | 21.40 | -4.82 |
| 11/26/01 | 206.82 | 38.48 | -17.08 |
| 12/27/01 | 201.01 | 44.29 | -5.81 |
| 2/18/02 | 206.53 | 38.77 | 5.52 |
| 3/13/02 | 210.52 | 34.78 | 3.99 |
| 4/18/02 | 219.70 | 25.60 | 9.18 |
| 5/15/02 | 223.26 | 22.04 | 3.56 |
| 6/13/02 | 228.09 | 17.21 | 4.83 |
| 7/16/02 | 232.62 | 12.68 | 4.53 |
| 8/15/02 | 236.58 | 8.72 | 3.96 |
| 9/18/02 | 235.56 | 9.74 | -1.02 |
| 10/18/02 | 229.83 | 15.47 | -5.73 |
| 11/15/02 | 214.79 | 30.51 | -15.04 |
| 12/23/02 | 207.08 | 38.22 | -7.71 |
| 1/15/03 | 205.84 | 39.46 | -1.24 |
| 2/24/03 | 208.32 | 36.98 | 2.48 |
| 3/14/03 | 210.18 | 35.12 | 1.86 |
| 4/15/03 | 215.04 | 30.26 | 4.86 |
| 5/15/03 | 220.33 | 24.97 | 5.29 |
| 6/17/03 | 229.20 | 16.10 | 8.87 |

Water levels Highway 1 Production Well
The Woodlands Onsite
 Reference Point: 245.3 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|---------|-------------|---------------------------------|
| 8/15/03 | 238.44 | 6.86 | 9.24 |
| 9/24/03 | 235.93 | 9.37 | -2.51 |
| 10/20/03 | 230.79 | 14.51 | -5.14 |
| 11/18/03 | 217.79 | 27.51 | -13.00 |
| 12/31/03 | 210.7 | 34.60 | -7.09 |
| 1/19/04 | 211.34 | 33.96 | 0.64 |
| 2/17/04 | 212.58 | 32.72 | 1.24 |
| 4/15/04 | 221.28 | 24.02 | 8.70 |
| 8/26/04 | pumping | | |
| 11/16/04 | 232.06 | 13.24 | 10.78 |
| 1/19/05 | 223.33 | 21.97 | -8.73 |
| 2/16/05 | 219.91 | 25.39 | -3.42 |
| 3/17/05 | pumping | | |
| 4/18/05 | 220 | 25.30 | 0.09 |
| 5/17/05 | 221.19 | 24.11 | 1.19 |
| 6/24/05 | pumping | | |
| 7/13/05 | pumping | | |
| 9/18/05 | 248.11 | -2.81 | 26.92 |
| 10/16/05 | 245.83 | -0.53 | -2.28 |
| 11/20/05 | 227.49 | 17.81 | -18.34 |
| 12/18/05 | 220.64 | 24.66 | -6.85 |
| 1/13/06 | 213.03 | 32.27 | -7.61 |
| 2/15/06 | 222.06 | 23.24 | 9.03 |
| 3/13/06 | 211.7 | 33.60 | -10.36 |
| 4/17/06 | 211.02 | 34.28 | -0.68 |
| 5/16/06 | pumping | | |
| 6/14/06 | pumping | | |
| 7/12/06 | 245.5 | -0.20 | 34.48 |
| 8/14/06 | pumping | | |
| 9/15/06 | pumping | | |
| 10/16/06 | 235.1 | | |
| 11/15/06 | 236.98 | 8.32 | -8.52 |
| 12/19/06 | 222.91 | 22.39 | -14.07 |
| 1/11/07 | 221.40 | 23.90 | -1.51 |
| 2/14/07 | 214.01 | 31.29 | -7.39 |
| 3/13/07 | pumping | | |
| 4/16/07 | 235.80 | 9.50 | 21.79 |
| 5/16/07 | 240.04 | 5.26 | 4.24 |
| 6/19/07 | 243.46 | 1.84 | 3.42 |
| 7/16/07 | 243.92 | 1.38 | 0.46 |

Water levels Highway 1 Monitoring Well
The Woodlands Onsite
 Reference Point: 244.3 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|--------|-------------|---------------------------------|
| 3/2/99 | 195.03 | 49.27 | |
| 4/5/99 | 193.27 | 51.03 | -1.76 |
| 5/12/99 | 201.96 | 42.34 | 8.69 |
| 6/9/99 | 205.07 | 39.23 | 3.11 |
| 7/16/99 | 210.32 | 33.98 | 5.25 |
| 8/12/99 | 209.00 | 35.30 | -1.32 |
| 9/14/99 | 208.57 | 35.73 | -0.43 |
| 10/14/99 | 206.03 | 38.27 | -2.54 |
| 11/16/99 | 199.14 | 45.16 | -6.89 |
| 12/15/99 | 198.25 | 46.05 | -0.89 |
| 1/14/00 | 197.98 | 46.32 | -0.27 |
| 2/15/00 | 190.40 | 53.90 | -7.58 |
| 3/17/00 | 191.55 | 52.75 | 1.15 |
| 4/18/00 | 198.13 | 46.17 | 6.58 |
| 5/16/00 | 203.86 | 40.44 | 5.73 |
| 6/14/00 | 207.77 | 36.53 | 3.91 |
| 7/17/00 | 209.80 | 34.50 | 2.03 |
| 8/16/00 | 211.50 | 32.80 | 1.70 |
| 9/15/00 | 212.12 | 32.18 | 0.62 |
| 10/12/00 | 206.63 | 37.67 | -5.49 |
| 11/10/00 | 200.17 | 44.13 | -6.46 |
| 12/15/00 | 198.23 | 46.07 | -1.94 |
| 1/15/01 | 194.45 | 49.85 | -3.78 |
| 2/15/01 | 191.69 | 52.61 | -2.76 |
| 3/16/01 | 189.93 | 54.37 | -1.76 |
| 4/16/01 | 194.70 | 49.60 | 4.77 |
| 5/15/01 | 204.48 | 39.82 | 9.78 |
| 6/18/01 | 208.80 | 35.50 | 4.32 |
| 7/16/01 | 209.65 | 34.65 | 0.85 |
| 8/16/01 | 211.28 | 33.02 | 1.63 |
| 9/17/01 | 210.62 | 33.68 | -0.66 |
| 10/18/01 | 206.82 | 37.48 | -3.80 |
| 11/26/01 | 194.48 | 49.82 | -12.34 |
| 12/27/01 | 191.03 | 53.27 | -3.45 |
| 2/18/02 | 193.83 | 50.47 | 2.80 |
| 3/13/02 | 196.68 | 47.62 | 2.85 |
| 4/18/02 | 203.41 | 40.89 | 6.73 |
| 5/15/02 | 206.23 | 38.07 | 2.82 |
| 6/13/02 | 209.99 | 34.31 | 3.76 |
| 7/16/02 | 213.76 | 30.54 | 3.77 |
| 8/15/02 | 216.59 | 27.71 | 2.83 |
| 9/18/02 | 215.88 | 28.42 | -0.71 |
| 10/18/02 | 211.33 | 32.97 | -4.55 |
| 11/15/02 | 200.40 | 43.90 | -10.93 |
| 12/23/02 | 194.60 | 49.70 | -5.80 |
| 1/15/03 | 193.67 | 50.63 | -0.93 |
| 2/24/03 | 195.45 | 48.85 | 1.78 |
| 3/14/03 | 196.53 | 47.77 | 1.08 |
| 4/15/03 | 200.58 | 43.72 | 4.05 |
| 5/15/03 | 204.20 | 40.10 | 3.62 |
| 6/17/03 | 211.25 | 33.05 | 7.05 |

Water levels Highway 1 Monitoring Well
The Woodlands Onsite
 Reference Point: 244.3 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|-----------|-------------|---------------------------------|
| 8/15/03 | 218.64 | 25.66 | 7.39 |
| 9/24/03 | 216.79 | 27.51 | -1.85 |
| 10/20/03 | 212.75 | 31.55 | -4.04 |
| 11/18/03 | 203.52 | 40.78 | -9.23 |
| 12/31/03 | 200.67 | 43.63 | -2.85 |
| 1/19/04 | 201.08 | 43.22 | 0.41 |
| 2/17/04 | 202.19 | 42.11 | 1.11 |
| 4/15/04 | 208.68 | 35.62 | 6.49 |
| 5/17/04 | 223.08 | 21.22 | 14.40 |
| 6/15/04 | 228.90 | 15.40 | 5.82 |
| 7/16/04 | 229.48 | 14.82 | 0.58 |
| 8/27/04 | 234.73 | 9.57 | 5.25 |
| 9/17/04 | 235.39 | 8.91 | 0.66 |
| 11/16/04 | 207.66 | 36.64 | -27.73 |
| 12/14/04 | 206.60 | 37.70 | -1.06 |
| 1/19/05 | 200.70 | 43.60 | -5.90 |
| 2/16/05 | 198.63 | 45.67 | -2.07 |
| 3/17/05 | 202.16 | 42.14 | 3.53 |
| 4/18/05 | 208.40 | 35.90 | 6.24 |
| 5/17/05 | 207.16 | 37.14 | -1.24 |
| 6/24/05 | 222.84 | 21.46 | 15.68 |
| 7/13/05 | 221.94 | 22.36 | -0.90 |
| 8/18/05 | 222.57 | 21.73 | 0.63 |
| 9/18/05 | 229.94 | 14.36 | 7.37 |
| 10/16/05 | 228.58 | 15.72 | -1.36 |
| 11/20/05 | no access | | |
| 12/18/05 | no access | | |
| 1/13/06 | no access | | |
| 2/15/06 | no access | | |
| 3/13/06 | 200.55 | 43.75 | -28.03 |
| 4/17/06 | 199.7 | 44.60 | -0.85 |
| 5/16/06 | 218.58 | 25.72 | 18.88 |
| 6/14/06 | 226.93 | 17.37 | 8.35 |
| 7/12/06 | 227.98 | 16.32 | 1.05 |
| 8/14/06 | 232.19 | 12.11 | 4.21 |
| 9/15/06 | 235.44 | 8.86 | 3.25 |
| 10/16/06 | 219.76 | 24.54 | -15.68 |
| 11/15/06 | 220.86 | 23.44 | 1.10 |
| 12/19/06 | 209.42 | 34.88 | -11.44 |
| 1/11/07 | 208.04 | 36.26 | -1.38 |
| 2/14/07 | 202.26 | 42.04 | -5.78 |
| 3/13/07 | 211.54 | 32.76 | 9.28 |
| 4/16/07 | 219.7 | 24.60 | 8.16 |
| 5/16/07 | 223.37 | 20.93 | 3.67 |
| 6/19/07 | 226.24 | 18.06 | 2.87 |
| 7/16/07 | 226.52 | 17.78 | 0.28 |

Water levels Homestead Well
The Woodlands Onsite
 Reference Point: 184.9 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|--------|-------------|---------------------------------|
| 3/2/99 | 140.09 | 44.81 | |
| 4/5/99 | 137.75 | 47.15 | -2.34 |
| 5/12/99 | 150.81 | 34.09 | 13.06 |
| 6/9/99 | 154.00 | 30.90 | 3.19 |
| 7/16/99 | 161.05 | 23.85 | 7.05 |
| 8/12/99 | 160.07 | 24.83 | -0.98 |
| 9/14/99 | 158.10 | 26.80 | -1.97 |
| 10/14/99 | 156.79 | 28.11 | -1.31 |
| 11/16/99 | 144.62 | 40.28 | -12.17 |
| 12/15/99 | 144.00 | 40.90 | -0.62 |
| 1/14/00 | 143.96 | 40.94 | -0.04 |
| 2/15/00 | 133.18 | 51.72 | -10.78 |
| 3/17/00 | 134.80 | 50.10 | 1.62 |
| 4/18/00 | 143.30 | 41.60 | 8.50 |
| 5/16/00 | 151.60 | 33.30 | 8.30 |
| 6/14/00 | 156.13 | 28.77 | 4.53 |
| 7/17/00 | 159.37 | 25.53 | 3.24 |
| 8/16/00 | 162.52 | 22.38 | 3.15 |
| 9/15/00 | 163.25 | 21.65 | 0.73 |
| 10/12/00 | 154.50 | 30.40 | -8.75 |
| 11/10/00 | 146.79 | 38.11 | -7.71 |
| 12/15/00 | 143.66 | 41.24 | -3.13 |
| 1/15/01 | 138.29 | 46.61 | -5.37 |
| 2/15/01 | 134.95 | 49.95 | -3.34 |
| 3/16/01 | 133.26 | 51.64 | -1.69 |
| 4/16/01 | 140.36 | 44.54 | 7.10 |
| 5/15/01 | 153.48 | 31.42 | 13.12 |
| 6/18/01 | 158.42 | 26.48 | 4.94 |
| 7/16/01 | 159.79 | 25.11 | 1.37 |
| 8/16/01 | 161.83 | 23.07 | 2.04 |
| 9/17/01 | 161.53 | 23.37 | -0.30 |
| 10/18/01 | 155.22 | 29.68 | -6.31 |
| 11/26/01 | 139.32 | 45.58 | -15.90 |
| 12/27/01 | 134.63 | 50.27 | -4.69 |
| 2/18/02 | 139.33 | 45.57 | 4.70 |
| 3/13/02 | 142.33 | 42.57 | 3.00 |
| 4/18/02 | 152.38 | 32.52 | 10.05 |
| 5/15/02 | 155.77 | 29.13 | 3.39 |
| 6/13/02 | 159.79 | 25.11 | 4.02 |
| 7/16/02 | 164.44 | 20.46 | 4.65 |
| 8/15/02 | 168.51 | 16.39 | 4.07 |
| 9/18/02 | 164.96 | 19.94 | -3.55 |
| 10/18/02 | 161.52 | 23.38 | -3.44 |
| 11/15/02 | 146.06 | 38.84 | -15.46 |
| 12/23/02 | 139.6 | 45.30 | -6.46 |
| 1/15/03 | 138.24 | 46.66 | -1.36 |
| 2/24/03 | 140.34 | 44.56 | 2.10 |
| 3/14/03 | 143.31 | 41.59 | 2.97 |
| 4/15/03 | 148.23 | 36.67 | 4.92 |
| 5/15/03 | -- | | |
| 6/17/03 | 161.11 | 23.79 | 12.88 |

Water levels Homestead Well
The Woodlands Onsite
 Reference Point: 184.9 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|---------|-------------|---------------------------------|
| 8/15/03 | 173.33 | 11.57 | 12.22 |
| 9/24/03 | 169.96 | 14.94 | -3.37 |
| 10/20/03 | 165.02 | 19.88 | -4.94 |
| 11/18/03 | 152.48 | 32.42 | -12.54 |
| 12/31/03 | 143.33 | 41.57 | -9.15 |
| 1/19/04 | 146.1 | 38.80 | 2.77 |
| 2/17/04 | 161.13 | 23.77 | 15.03 |
| 4/15/04 | 169.56 | 15.34 | 8.43 |
| 5/17/04 | pumping | | |
| 7/16/04 | pumping | | |
| 8/23/04 | pumping | | |
| 9/17/04 | pumping | | |
| 10/18/04 | pumping | | |
| 11/16/04 | pumping | | |
| 12/14/04 | 154.5 | 30.40 | -15.06 |
| 1/19/05 | 147.6 | 37.30 | -6.90 |
| 2/16/05 | pumping | | |
| 3/17/05 | 151 | 33.90 | 3.40 |
| 4/18/05 | pumping | | |
| 5/17/05 | 161.3 | 23.60 | 10.30 |
| 6/24/05 | pumping | | |
| 6/30/05 | 172 | 12.90 | 10.70 |
| 7/18/05 | 173.57 | 11.33 | 1.57 |
| 8/18/05 | pumping | | |
| 9/17/05 | 179.12 | 5.78 | 5.55 |
| 10/16/05 | 178.66 | 6.24 | -0.46 |
| 11/20/05 | 159.94 | 24.96 | -18.72 |
| 12/18/05 | 155.00 | 29.90 | -4.94 |
| 1/13/06 | pumping | | |
| 2/15/06 | 155.27 | 29.63 | 0.27 |
| 3/13/06 | 145.37 | 39.53 | -9.90 |
| 4/17/06 | 144.27 | 40.63 | -1.10 |
| 5/16/06 | 161.44 | 23.46 | 17.17 |
| 6/14/06 | 170.16 | 14.74 | 8.72 |
| 7/12/06 | 176.32 | 8.58 | 6.16 |
| 8/14/06 | 179.16 | 5.74 | 2.84 |
| 9/15/06 | 188.27 | -3.37 | 9.11 |
| 10/16/06 | 168.39 | 16.51 | -19.88 |
| 11/15/06 | pumping | | |
| 12/19/06 | pumping | | |
| 1/11/07 | 163.50 | 21.40 | -4.89 |
| 2/14/07 | 155.76 | 29.14 | -7.74 |
| 3/13/07 | 155.13 | 29.77 | -0.63 |
| 4/16/07 | pumping | | |
| 5/16/07 | 181.48 | 3.42 | 26.35 |
| 6/19/07 | 179.48 | 5.42 | -2.00 |
| 7/16/07 | 185.53 | -0.63 | 6.05 |

Water Levels Flintcote Well
The Woodlands Onsite
 Reference Point: 241.6 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|--------|-------------|---------------------------------|
| 10/3/44 | 195 | 46.60 | |
| 8/1/92 | 231 | 10.60 | 36.00 |
| 3/2/99 | 195.91 | 45.69 | -35.09 |
| 4/5/99 | 194.08 | 47.52 | -1.83 |
| 5/12/99 | 205.63 | 35.97 | 11.55 |
| 6/9/99 | 209.88 | 31.72 | 4.25 |
| 7/16/99 | 216.54 | 25.06 | 6.66 |
| 8/12/99 | 215.64 | 25.96 | -0.90 |
| 9/14/99 | 215.18 | 26.42 | -0.46 |
| 10/14/99 | 212.68 | 28.92 | -2.50 |
| 11/16/99 | 204.53 | 37.07 | -8.15 |
| 12/15/99 | 201.81 | 39.79 | -2.72 |
| 1/14/00 | 202.39 | 39.21 | 0.58 |
| 2/15/00 | 192.50 | 49.10 | -9.89 |
| 3/17/00 | 192.05 | 49.55 | -0.45 |
| 4/18/00 | 203.88 | 37.72 | 11.83 |
| 5/16/00 | 209.49 | 32.11 | 5.61 |
| 6/14/00 | 212.12 | 29.48 | 2.63 |
| 7/17/00 | 216.90 | 24.70 | 4.78 |
| 8/16/00 | 218.78 | 22.82 | 1.88 |
| 9/15/00 | 219.87 | 21.73 | 1.09 |
| 10/12/00 | 214.51 | 27.09 | -5.36 |
| 11/10/00 | 204.09 | 37.51 | -10.42 |
| 12/15/00 | 202.88 | 38.72 | -1.21 |
| 1/15/01 | 198.38 | 43.22 | -4.50 |
| 2/15/01 | 194.21 | 47.39 | -4.17 |
| 3/16/01 | 190.34 | 51.26 | -3.87 |
| 4/16/01 | 197.90 | 43.70 | 7.56 |
| 5/15/01 | 210.21 | 31.39 | 12.31 |
| 6/18/01 | 215.51 | 26.09 | 5.30 |
| 7/16/01 | 217.17 | 24.43 | 1.66 |
| 8/16/01 | 218.01 | 23.59 | 0.84 |
| 9/17/01 | 217.98 | 23.62 | -0.03 |
| 10/18/01 | 212.81 | 28.79 | -5.17 |
| 11/26/01 | 198.48 | 43.12 | -14.33 |
| 12/27/01 | 192.63 | 48.97 | -5.85 |
| 2/18/02 | 197.47 | 44.13 | 4.84 |
| 3/13/02 | 199.73 | 41.87 | 2.26 |
| 4/18/02 | 207.49 | 34.11 | 7.76 |
| 5/15/02 | 210.88 | 30.72 | 3.39 |
| 6/13/02 | 215.05 | 26.55 | 4.17 |
| 7/16/02 | 220.24 | 21.36 | 5.19 |
| 8/15/02 | 224.37 | 17.23 | 4.13 |
| 9/18/02 | 223.25 | 18.35 | -1.12 |
| 10/18/02 | 218.21 | 23.39 | -5.04 |
| 11/15/02 | 205.17 | 36.43 | -13.04 |
| 12/23/02 | 198.54 | 43.06 | -6.63 |
| 1/15/03 | 195.93 | 45.67 | -2.61 |
| 2/24/03 | 198.45 | 43.15 | 2.52 |
| 3/14/03 | 199.01 | 42.59 | 0.56 |
| 4/15/03 | 206.65 | 34.95 | 7.64 |

Water Levels Flintcote Well
The Woodlands Onsite
 Reference Point: 241.6 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|--------|-------------|---------------------------------|
| 5/15/03 | 208.68 | 32.92 | 2.03 |
| 6/17/03 | 218.73 | 22.87 | 10.05 |
| 8/15/03 | 225.73 | 15.87 | 7.00 |
| 9/24/03 | 224.87 | 16.73 | -0.86 |
| 10/20/03 | 219.99 | 21.61 | -4.88 |
| 11/18/03 | 209.67 | 31.93 | -10.32 |
| 12/31/03 | 201.22 | 40.38 | -8.45 |
| 1/19/04 | 201.06 | 40.54 | -0.16 |
| 2/17/04 | 203.17 | 38.43 | 2.11 |
| 4/15/04 | 209.32 | 32.28 | 6.15 |
| 5/17/04 | 222.58 | 19.02 | 13.26 |
| 6/15/04 | 230.12 | 11.48 | 7.54 |
| 7/16/04 | 232.95 | 8.65 | 2.83 |
| 8/23/04 | 234.25 | 7.35 | 1.30 |
| 9/17/04 | 236.52 | 5.08 | 2.27 |
| 10/18/04 | 220.04 | 21.56 | -16.48 |
| 11/16/04 | 208.78 | 32.82 | -11.26 |
| 12/14/04 | 208.14 | 33.46 | -0.64 |
| 1/19/05 | 198.47 | 43.13 | -9.67 |
| 2/16/05 | 199.91 | 41.69 | 1.44 |
| 3/17/05 | 202.25 | 39.35 | 2.34 |
| 4/18/05 | 208.85 | 32.75 | 6.60 |
| 5/17/05 | 210.21 | 31.39 | 1.36 |
| 6/24/05 | 223.84 | 17.76 | 13.63 |
| 7/13/05 | 225.88 | 15.72 | 2.04 |
| 8/18/05 | 228.15 | 13.45 | 2.27 |
| 9/18/05 | 233.33 | 8.27 | 5.18 |
| 10/16/05 | 235.43 | 6.17 | 2.10 |
| 11/20/05 | 216.93 | 24.67 | -18.50 |
| 12/18/05 | 212.46 | 29.14 | -4.47 |
| 1/13/06 | 203.50 | 38.10 | -8.96 |
| 2/15/06 | 210.82 | 30.78 | 7.32 |
| 3/13/06 | 203.28 | 38.32 | -7.54 |
| 4/17/06 | 201.15 | 40.45 | -2.13 |
| 5/16/06 | 215.13 | 26.47 | 13.98 |
| 7/12/06 | 233.3 | 8.30 | 18.17 |
| 8/14/06 | 236.99 | 4.61 | 3.69 |
| 9/15/06 | 239.96 | 1.64 | 2.97 |
| 10/16/06 | 227.88 | 13.72 | -12.08 |
| 11/15/06 | 228.92 | 12.68 | 1.04 |
| 12/19/06 | 214.93 | 26.67 | -12.95 |
| 1/11/07 | 210.07 | 31.53 | -4.86 |
| 2/14/07 | 206.30 | 35.30 | -3.77 |
| 3/13/07 | 209.14 | 32.46 | 2.84 |
| 4/16/07 | 224.85 | 16.75 | 15.71 |
| 5/16/07 | 229.75 | 11.85 | 4.90 |
| 6/19/07 | 232.32 | 9.28 | 2.57 |
| 7/16/07 | 234.79 | 6.81 | 2.47 |

Water levels, Well 11N/35W-14N
The Woodlands Offsite
 Reference Point: 271.2 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|--------|-------------|---------------------------------|
| 11/10/00 | 201.00 | 70.20 | -- |
| 12/15/00 | 200.38 | 70.82 | -0.62 |
| 1/15/01 | 197.88 | 73.32 | -2.50 |
| 2/15/01 | 195.28 | 75.92 | -2.60 |
| 3/16/01 | 193.19 | 78.01 | -2.09 |
| 4/16/01 | 197.18 | 74.02 | 3.99 |
| 5/15/01 | 203.05 | 68.15 | 5.87 |
| 6/18/01 | 206.12 | 65.08 | 3.07 |
| 7/16/01 | 207.30 | 63.90 | 1.18 |
| 8/16/01 | 207.93 | 63.27 | 0.63 |
| 9/17/01 | 207.95 | 63.25 | 0.02 |
| 10/18/01 | 205.83 | 65.37 | -2.12 |
| 11/26/01 | 198.01 | 73.19 | -7.82 |
| 12/27/01 | 194.05 | 77.15 | -3.96 |
| 2/18/02 | 196.13 | 75.07 | 2.08 |
| 3/13/02 | 197.55 | 73.65 | 1.42 |
| 4/18/02 | 201.74 | 69.46 | 4.19 |
| 5/15/02 | 203.33 | 67.87 | 1.59 |
| 6/13/02 | 205.49 | 65.71 | 2.16 |
| 7/16/02 | 208.19 | 63.01 | 2.70 |
| 8/15/02 | 209.65 | 61.55 | 1.46 |
| 9/18/02 | 209.88 | 61.32 | 0.23 |
| 10/18/02 | 207.77 | 63.43 | -2.11 |
| 11/15/02 | 200.96 | 70.24 | -6.81 |
| 12/23/02 | 196.92 | 74.28 | -4.04 |
| 1/15/03 | 194.80 | 76.40 | -2.12 |
| 2/24/03 | 195.98 | 75.22 | 1.18 |
| 3/14/03 | 195.95 | 75.25 | -0.03 |
| 4/15/03 | 195.88 | 75.32 | -0.07 |
| 5/15/03 | 201.60 | 69.60 | 5.72 |
| 6/17/03 | 201.49 | 69.71 | -0.11 |
| 8/15/03 | 197.02 | 74.18 | -4.47 |
| 9/24/03 | 196.89 | 74.31 | -0.13 |
| 10/20/03 | 195.32 | 75.88 | -1.57 |
| 11/18/03 | 192.49 | 78.71 | -2.83 |
| 12/31/03 | 186.89 | 84.31 | -5.60 |
| 1/19/04 | 188.46 | 82.74 | 1.57 |
| 2/17/04 | 188.8 | 82.40 | 0.34 |
| 3/12/04 | 187.28 | 83.92 | -1.52 |
| 4/15/04 | 192.52 | 78.68 | 5.24 |
| 5/17/04 | 192.05 | 79.15 | -0.47 |
| 6/15/04 | 196.77 | 74.43 | 4.72 |
| 7/16/04 | 196.88 | 74.32 | 0.11 |
| 8/23/04 | 197.51 | 73.69 | 0.63 |
| 9/17/04 | 198.32 | 72.88 | 0.81 |
| 10/18/04 | 195.53 | 75.67 | -2.79 |
| 11/16/04 | 189.04 | 82.16 | -6.49 |
| 12/14/04 | 188.14 | 83.06 | -0.90 |
| 1/19/05 | 184.18 | 87.02 | -3.96 |
| 2/15/05 | 184.76 | 86.44 | 0.58 |
| 3/17/05 | 186.99 | 84.21 | 2.23 |
| 4/18/05 | 186.36 | 84.84 | -0.63 |
| 5/17/05 | 187.79 | 83.41 | 1.43 |

Water levels, Well 11N/35W-14N
The Woodlands Offsite
Reference Point: 271.2 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|--------|-------------|---------------------------------|
| 7/13/05 | 187.91 | 83.29 | 0.12 |
| 8/19/05 | 201.94 | 69.26 | 14.03 |
| 9/17/05 | 199.94 | 71.26 | -2.00 |
| 10/15/05 | 199.53 | 71.67 | -0.41 |
| 11/16/05 | 192.61 | 78.59 | -6.92 |
| 12/17/05 | 191.50 | 79.70 | -1.11 |
| 1/13/06 | 187.48 | 83.72 | -4.02 |
| 2/15/06 | 190.42 | 80.78 | 2.94 |
| 3/13/06 | 187.41 | 83.79 | -3.01 |
| 4/17/06 | 186.92 | 84.28 | -0.49 |
| 5/16/06 | 192.62 | 78.58 | 5.70 |
| 6/14/06 | 196.55 | 74.65 | 3.93 |
| 7/12/06 | 199.91 | 71.29 | 3.36 |
| 8/14/06 | 200.87 | 70.33 | 0.96 |
| 9/15/06 | 201.13 | 70.07 | 0.26 |
| 10/16/06 | 195.48 | 75.72 | -5.65 |
| 11/15/06 | 196.34 | 74.86 | 0.86 |
| 12/19/06 | 191.65 | 79.55 | -4.69 |
| 1/11/07 | 189.27 | 81.93 | -2.38 |
| 2/14/07 | 188.21 | 82.99 | -1.06 |
| 3/13/07 | 189.13 | 82.07 | 0.92 |
| 5/16/07 | 195.49 | 75.71 | 6.36 |
| 6/19/07 | 195.40 | 75.80 | -0.09 |
| 7/16/07 | 196.63 | 74.57 | 1.23 |

Water levels, Well 11N/35W-10F
The Woodlands Offsite
 Reference Point: 277.9 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|--------|-------------|---------------------------------|
| 12/23/02 | 248.79 | 29.11 | - |
| 1/15/03 | 247.70 | 30.20 | -1.09 |
| 2/24/03 | 250.68 | 27.22 | 2.98 |
| 3/14/03 | 253.63 | 24.27 | 2.95 |
| 4/15/03 | 260.19 | 17.71 | 6.56 |
| 5/15/03 | 258.32 | 19.58 | -1.87 |
| 6/17/03 | 261.21 | 16.69 | 2.89 |
| 8/15/03 | 284.50 | -6.60 | 23.29 |
| 9/24/03 | 285.91 | -8.01 | 1.41 |
| 10/20/03 | 282.61 | -4.71 | -3.30 |
| 11/18/03 | 266.57 | 11.33 | -16.04 |
| 12/31/03 | 249.66 | 28.24 | -16.91 |
| 1/19/04 | 253.19 | 24.71 | 3.53 |
| 2/17/04 | 252.77 | 25.13 | -0.42 |
| 4/15/04 | 260.18 | 17.72 | 7.41 |
| 5/20/04 | 284.46 | -6.56 | 24.28 |
| 6/15/04 | 286.40 | -8.50 | 1.94 |
| 7/16/04 | 289.99 | -12.09 | 3.59 |
| 8/23/04 | 291.87 | -13.97 | 1.88 |
| 9/17/04 | 293.79 | -15.89 | 1.92 |
| 10/18/04 | 278.95 | -1.05 | -14.84 |
| 11/16/04 | 259.75 | 18.15 | -19.20 |
| 12/14/04 | 256.21 | 21.69 | -3.54 |
| 1/19/05 | 245.88 | 32.02 | -10.33 |
| 2/15/05 | 245.96 | 31.94 | 0.08 |
| 3/17/05 | 250.00 | 27.90 | 4.04 |
| 4/19/05 | 259.32 | 18.58 | 9.32 |
| 5/19/05 | 264.40 | 13.50 | 5.08 |
| 6/30/05 | 281.70 | -3.80 | 17.30 |
| 8/19/05 | 286.20 | -8.30 | 4.50 |
| 9/17/05 | 289.97 | -12.07 | 3.77 |
| 10/15/05 | 287.82 | -9.92 | -2.15 |
| 11/16/05 | 274.74 | 3.16 | -13.08 |
| 12/17/05 | 267.57 | 10.33 | -7.17 |
| 1/13/06 | 258.46 | 19.44 | -9.11 |
| 2/15/06 | 272.75 | 5.15 | 14.29 |
| 3/13/06 | 255.72 | 22.18 | -17.03 |
| 4/17/06 | 253.00 | 24.90 | -2.72 |
| 5/16/06 | 265.83 | 12.07 | 12.83 |
| 6/14/06 | 282.23 | -4.33 | 16.40 |
| 7/12/06 | 286.77 | -8.87 | 4.54 |
| 8/14/06 | 289.27 | -11.37 | 2.50 |
| 9/15/06 | 289.06 | -11.16 | -0.21 |
| 10/16/06 | 283.35 | -5.45 | -5.71 |
| 11/15/06 | 278.88 | -0.98 | -4.47 |
| 12/19/06 | 261.06 | 16.84 | -17.82 |
| 1/11/07 | 263.87 | 14.03 | 2.81 |
| 2/14/07 | 255.39 | 22.51 | -8.48 |
| 3/13/07 | 264.74 | 13.16 | 9.35 |
| 4/16/07 | 271.84 | 6.06 | 7.10 |
| 5/16/07 | 277.28 | 0.62 | 5.44 |
| 6/19/07 | 285.86 | -7.96 | 8.58 |
| 7/16/07 | 285.15 | -7.25 | -0.71 |

Water levels, Well 11N/35W-10N
The Woodlands Offsite
 Reference Point: 246.0 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|--------------|-------------|---------------------------------|
| 10/12/00 | 214.32 | 31.68 | — |
| 11/10/00 | 207.65 | 38.35 | -6.67 |
| 12/15/00 | 208.02 | 37.98 | 0.37 |
| 1/15/01 | 202.15 | 43.85 | -5.87 |
| 2/15/01 | 198.15 | 47.85 | -4.00 |
| | discontinued | | |
| 11/16/04 | 213.21 | 32.79 | 15.06 |
| 12/14/04 | 212.13 | 33.87 | -1.08 |
| 3/17/05 | 203.28 | 42.72 | -8.85 |
| 4/18/05 | 212.63 | 33.37 | 9.35 |
| 5/19/05 | 213.69 | 32.31 | 1.06 |
| 6/24/05 | 220.00 | 26.00 | 6.31 |
| 7/13/05 | 227.51 | 18.49 | 7.51 |
| 8/19/05 | pumping | | |
| 9/17/05 | 231.00 | 15.00 | 3.49 |
| 10/15/05 | 231.45 | 14.55 | 0.45 |
| 11/16/05 | 223.76 | 22.24 | -7.69 |
| 12/17/05 | pumping | | |
| 1/13/06 | 217.07 | 28.93 | -6.69 |
| 2/15/06 | pumping | | |
| 3/13/06 | 213.15 | 32.85 | -3.92 |
| 4/16/06 | pumping | | |
| 5/16/06 | 216.81 | 29.19 | 3.66 |
| 6/16/06 | 228.15 | 17.85 | 11.34 |
| 7/12/06 | 232.85 | 13.15 | 4.70 |
| 8/14/06 | 235.27 | 10.73 | 2.42 |
| 9/15/06 | 236.22 | 9.78 | 0.95 |
| 10/16/06 | 234.73 | 11.27 | -1.49 |
| 11/15/06 | pumping | | |
| 12/19/06 | 216.18 | 29.82 | -18.55 |
| 1/11/07 | 217.61 | 28.39 | 1.43 |
| 2/14/07 | 208.67 | 37.33 | -8.94 |
| 3/13/07 | 217.63 | 28.37 | 8.96 |
| 4/16/07 | 224.17 | 21.83 | 6.54 |
| 5/16/07 | 229.37 | 16.63 | 5.20 |
| 6/19/07 | 234.52 | 11.48 | 5.15 |
| 7/16/07 | pumping | | |

Water levels, Well 11N/35W-22G
The Woodlands Offsite
 Reference Point: 279.8 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|-------------|-------------|---------------------------------|
| 2/24/03 | 194.52 | 85.28 | - |
| 3/14/03 | 194.09 | 85.71 | -0.43 |
| 4/15/03 | 194.65 | 85.15 | 0.56 |
| 5/15/03 | 194.41 | 85.39 | -0.24 |
| 6/17/03 | 194.84 | 84.96 | 0.43 |
| 8/15/03 | 194.88 | 84.92 | 0.04 |
| 9/24/03 | 194.93 | 84.87 | 0.05 |
| 10/20/03 | 194.83 | 84.97 | -0.10 |
| 11/18/03 | 195.16 | 84.64 | 0.33 |
| 12/31/03 | 194.41 | 85.39 | -0.75 |
| 1/19/04 | 194.84 | 84.96 | 0.43 |
| 2/17/04 | 194.53 | 85.27 | -0.31 |
| 4/15/04 | 200.38 | 79.42 | 5.85 |
| 5/20/04 | 194.58 | 85.22 | -5.80 |
| 6/15/04 | 194.47 | 85.33 | -0.11 |
| 7/16/04 | 194.4 | 85.40 | -0.07 |
| 8/23/04 | 194.42 | 85.38 | 0.02 |
| 9/17/04 | 195.07 | 84.73 | 0.65 |
| 10/19/04 | 195.00 | 84.80 | -0.07 |
| 11/16/04 | 198.56 | 81.24 | 3.56 |
| 12/14/04 | 194.79 | 85.01 | -3.77 |
| 2/16/05 | 193.94 | 85.86 | -0.85 |
| 4/18/05 | 195.60 | 84.20 | 1.66 |
| 5/17/05 | 194.76 | 85.04 | -0.84 |
| 6/24/05 | 195.00 | 84.80 | 0.24 |
| 7/13/05 | 194.95 | 84.85 | -0.05 |
| 8/19/05 | 195.13 | 84.67 | 0.18 |
| 9/17/05 | 195.2 | 84.60 | 0.07 |
| 10/15/05 | 195.18 | 84.62 | -0.02 |
| 11/16/05 | 194.97 | 84.83 | -0.21 |
| 12/17/05 | 194.87 | 84.93 | -0.10 |
| 1/13/06 | 194.70 | 85.10 | -0.17 |
| 2/15/06 | 194.81 | 84.99 | 0.11 |
| 3/13/06 | 193.72 | 86.08 | -1.09 |
| 4/17/06 | 194.75 | 85.05 | 1.03 |
| 5/16/06 | 194.83 | 84.97 | 0.08 |
| 6/14/06 | 194.94 | 84.86 | 0.11 |
| 7/12/06 | 194.97 | 84.83 | 0.03 |
| 8/14/06 | obstruction | | |
| 9/15/06 | 195.35 | 84.45 | 0.38 |
| 10/16/06 | 195.17 | 84.63 | -0.18 |
| 11/15/06 | 195.14 | 84.66 | -0.03 |
| 12/19/06 | 195.10 | 84.70 | -0.04 |
| 1/11/07 | 195.52 | 84.28 | 0.42 |
| 2/14/07 | 195.00 | 84.80 | -0.52 |
| 3/13/07 | 194.91 | 84.89 | -0.09 |
| 4/16/07 | 195.10 | 84.70 | 0.19 |
| 5/16/07 | 195.15 | 84.65 | 0.05 |
| 6/19/07 | 195.25 | 84.55 | 0.10 |
| 7/16/07 | 195.41 | 84.39 | 0.16 |

Water levels, Well 11N/35W-15G1
The Woodlands Offsite
 Reference Point: 234.8 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|--------|-------------|---------------------------------|
| 10/12/00 | 211.94 | 22.86 | — |
| 11/10/00 | 194.16 | 40.64 | -17.78 |
| 12/15/00 | 193.45 | 41.35 | -0.71 |
| 1/15/01 | 189.03 | 45.77 | -4.42 |
| 2/15/01 | 185.21 | 49.59 | -3.82 |
| 3/16/01 | 182.00 | 52.80 | -3.21 |
| 4/16/01 | 188.00 | 46.80 | 6.00 |
| 5/15/01 | 197.28 | 37.52 | 9.28 |
| 6/18/01 | 202.46 | 32.34 | 5.18 |
| 7/16/01 | 204.43 | 30.37 | 1.97 |
| 8/16/01 | 205.06 | 29.74 | 0.63 |
| 9/17/01 | 204.11 | 30.69 | -0.95 |
| 10/18/01 | 200.91 | 33.89 | -3.20 |
| 11/26/01 | 188.96 | 45.84 | -11.95 |
| 12/27/01 | 183.68 | 51.12 | -5.28 |
| 2/18/02 | 186.08 | 48.72 | 2.40 |
| 3/13/02 | 188.20 | 46.60 | 2.12 |
| 4/18/02 | 193.54 | 41.26 | 5.34 |
| 5/15/02 | 197.13 | 37.67 | 3.59 |
| 6/13/02 | 201.31 | 33.49 | 4.18 |
| 7/16/02 | 205.28 | 29.52 | 3.97 |
| 8/15/02 | 207.78 | 27.02 | 2.50 |
| 9/18/02 | 206.85 | 27.95 | -0.93 |
| 10/18/02 | 203.13 | 31.67 | -3.72 |
| 11/15/02 | 193.54 | 41.26 | -9.59 |
| 12/23/02 | 187.75 | 47.05 | -5.79 |
| 1/15/03 | 185.45 | 49.35 | -2.30 |
| 2/24/03 | 187.73 | 47.07 | 2.28 |
| 3/14/03 | 187.35 | 47.45 | -0.38 |
| 4/15/03 | 192.31 | 42.49 | 4.96 |
| 5/15/03 | 193.87 | 40.93 | 1.56 |
| 6/17/03 | 201.92 | 32.88 | 8.05 |
| 8/15/03 | 208.81 | 25.99 | 6.89 |
| 9/24/03 | 208.17 | 26.63 | -0.64 |
| 10/20/03 | 204.96 | 29.84 | -3.21 |
| 11/18/03 | 195.85 | 38.95 | -9.11 |
| 12/31/03 | 190.57 | 44.23 | -5.28 |
| 1/19/04 | 190.51 | 44.29 | -0.06 |
| 2/17/04 | 191.74 | 43.06 | 1.23 |
| 4/15/04 | 195.47 | 39.33 | 3.73 |
| 5/20/04 | 212.67 | 22.13 | 17.20 |
| 6/15/04 | 215.09 | 19.71 | 2.42 |
| 7/16/04 | 218.07 | 16.73 | 2.98 |
| 8/23/04 | 217.8 | 17.00 | -0.27 |
| 9/17/04 | 220.7 | 14.10 | 2.90 |
| 10/18/04 | 211.52 | 23.28 | -9.18 |
| 11/16/04 | 196.21 | 38.59 | -15.31 |
| 12/14/04 | 195.04 | 39.76 | -1.17 |
| 1/19/05 | 187.52 | 47.28 | -7.52 |
| 2/15/05 | 187.5 | 47.30 | -0.02 |
| 3/17/05 | 189.76 | 45.04 | 2.26 |
| 4/18/05 | 194.12 | 40.68 | 4.36 |

Water levels, Well 11N/35W-15G1
The Woodlands Offsite
Reference Point: 234.8 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|--------|-------------|---------------------------------|
| 5/17/05 | 195.02 | 39.78 | 0.90 |
| 7/13/05 | 207.76 | 27.04 | 12.74 |
| 8/19/05 | 215.82 | 18.98 | 8.06 |
| 9/17/05 | 216.26 | 18.54 | 0.44 |
| 10/15/05 | 217.06 | 17.74 | 0.80 |
| 11/16/05 | 207.12 | 27.68 | -9.94 |
| 12/17/05 | 201.25 | 33.55 | -5.87 |
| 1/13/06 | 194.04 | 40.76 | -7.21 |
| 2/15/06 | 201.13 | 33.67 | 7.09 |
| 3/13/06 | 192.65 | 42.15 | -8.48 |
| 4/17/06 | 191.24 | 43.56 | -1.41 |
| 5/16/06 | 203.07 | 31.73 | 11.83 |
| 6/14/06 | 212.41 | 22.39 | 9.34 |
| 7/12/06 | 218.11 | 16.69 | 5.70 |
| 8/14/06 | 221.5 | 13.30 | 3.39 |
| 9/15/06 | 221.92 | 12.88 | 0.42 |
| 10/16/06 | 216.54 | 18.26 | -5.38 |
| 11/15/06 | 213.59 | 21.21 | -2.95 |
| 12/19/06 | 201.00 | 33.80 | -12.59 |
| 1/11/07 | 200.16 | 34.64 | -0.84 |
| 2/14/07 | 194.82 | 39.98 | -5.34 |
| 3/13/07 | 199.70 | 35.10 | 4.88 |
| 4/16/07 | 209.65 | 25.15 | 9.95 |
| 5/16/07 | 214.45 | 20.35 | 4.80 |
| 6/19/07 | 218.72 | 16.08 | 4.27 |
| 7/16/07 | 219.92 | 14.88 | 1.20 |

Water Levels, Well 11N/35W-10R1
The Woodlands Offsite
*Reference Point: 275 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|--------|-------------|---------------------------------|
| 12/17/05 | 175.00 | 100.00 | |
| 1/13/06 | 174.32 | 100.68 | -0.68 |
| 2/15/06 | 175.36 | 99.64 | 1.04 |
| 3/13/06 | 173.98 | 101.02 | -1.38 |
| 4/17/06 | 173.75 | 101.25 | -0.23 |
| 5/16/06 | 175.19 | 99.81 | 1.44 |
| 6/14/06 | 187.75 | 87.25 | 12.56 |
| 7/12/06 | 188.15 | 86.85 | 0.40 |
| 8/14/06 | 189.10 | 85.90 | 0.95 |
| 9/15/06 | 188.70 | 86.30 | -0.40 |
| 10/16/06 | 177.68 | 97.32 | -11.02 |
| 11/15/06 | 187.23 | 87.77 | 9.55 |
| 12/19/06 | 175.40 | 99.60 | -11.83 |

*Reference point based on San Luis Obispo County GPS measurement.
Well levels were monitored by the San Luis Obispo County Public Works
Department as part of the County's Ground Water Monitoring Program from
1969 to 1993. Cleath & Associates began monitoring the well on November
20, 2005

Well abandoned January 2007

Water levels, Well 11N/35W-10R2
The Woodlands Offsite
 Reference Point: 269.1 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|---------|-------------|---------------------------------|
| 11/15/02 | 238.80 | 30.30 | - |
| 12/23/02 | 230.28 | 38.82 | -8.52 |
| 1/15/03 | 228.55 | 40.55 | -1.73 |
| 2/24/03 | 229.31 | 39.79 | 0.76 |
| 3/14/03 | 232.45 | 36.65 | 3.14 |
| 4/15/03 | 237.12 | 31.98 | 4.67 |
| 5/15/03 | 244.78 | 24.32 | 7.66 |
| 6/17/03 | 254.51 | 14.59 | 9.73 |
| 8/15/03 | 263.51 | 5.59 | 9.00 |
| 9/24/03 | 261.36 | 7.74 | -2.15 |
| 11/18/03 | 265.00 | 4.10 | 3.64 |
| 12/31/03 | 237.20 | 31.90 | -27.80 |
| 4/15/04 | 249.13 | 19.97 | 11.93 |
| 5/20/04 | 264.56 | 4.54 | 15.43 |
| 6/15/04 | 264.88 | 4.22 | 0.32 |
| 2/15/05 | 234.26 | 34.84 | -30.62 |
| 3/17/05 | 240.00 | 29.10 | 5.74 |
| 4/19/05 | 250.59 | 18.51 | 10.59 |
| 5/19/05 | 250.00 | 19.10 | -0.59 |
| 6/24/05 | pumping | | |
| 7/13/05 | 265.27 | 3.83 | 15.27 |
| 8/19/05 | 271.44 | -2.34 | 6.17 |
| 9/17/05 | 273.75 | -4.65 | 2.31 |
| 10/16/05 | pumping | | |
| 11/20/05 | 258.00 | 11.10 | -15.75 |
| 12/17/05 | 256.00 | 13.10 | -2.00 |
| 1/13/06 | pumping | | |
| 2/15/06 | 250.60 | 18.50 | -5.40 |
| 3/13/06 | pumping | | |
| 4/17/06 | 239.50 | 29.60 | -11.10 |
| 5/16/06 | 257.70 | 11.40 | 18.20 |
| 6/14/06 | pumping | | |
| 7/12/06 | 274.60 | -5.50 | 16.90 |
| 8/14/06 | pumping | | |
| 9/15/06 | 278.04 | -8.94 | 3.44 |
| 10/16/06 | 265.43 | 3.67 | -12.61 |
| 11/15/06 | 266.71 | 2.39 | 1.28 |
| 12/19/06 | 249.79 | 19.31 | -16.92 |
| 1/11/07 | 244.10 | 25.00 | -5.69 |
| 2/14/07 | 243.06 | 26.04 | -1.04 |
| 3/13/07 | pumping | | |
| 4/16/07 | pumping | | |
| 5/16/07 | pumping | | |
| 6/19/07 | 268.53 | 0.57 | 25.47 |
| 7/16/07 | 269.73 | -0.63 | 1.20 |

Water levels, Well 11N/35W-10R3
The Woodlands Offsite
*Reference Point: 276 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|--------|-------------|---------------------------------|
| 4/17/06 | 255.43 | 20.57 | |
| 5/16/06 | 271.15 | 4.85 | 15.72 |
| 6/14/06 | 278.60 | -2.60 | 7.45 |
| 7/12/06 | 287.32 | -11.32 | 8.72 |
| 8/14/06 | 292.31 | -16.31 | 4.99 |
| 9/15/06 | 292.56 | -16.56 | 0.25 |
| 10/16/06 | 283.45 | -7.45 | -9.11 |
| 11/15/06 | 282.23 | -6.23 | -1.22 |
| 12/19/06 | 263.20 | 12.80 | -19.03 |
| 1/11/07 | 257.57 | 18.43 | -5.63 |
| 2/14/07 | 260.34 | 15.66 | 2.77 |
| 3/13/07 | 267.31 | 8.69 | 6.97 |
| 5/16/07 | 282.5 | -6.50 | 15.19 |
| 6/19/07 | 285.84 | -9.84 | 3.34 |
| 7/16/07 | 287.45 | -11.45 | 1.61 |

*Reference point estimated from topographic map.

Water levels, Well 11N/35W-9K4
The Woodlands Offsite
***Reference Point:** 168.5 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|------------|-------------|---------------------------------|
| 4/10/99 | 130.60 | 37.90 | |
| 10/26/99 | 173.00 | -4.50 | 42.40 |
| 1/19/00 | 140.70 | 27.80 | -32.30 |
| 10/5/00 | 171.00 | -2.50 | 30.30 |
| 4/16/01 | 154.80 | 13.70 | -16.20 |
| 10/3/01 | 169.00 | -0.50 | 14.20 |
| 10/7/02 | 162.20 | 6.30 | -6.80 |
| 4/16/03 | 140.20 | 28.30 | -22.00 |
| 10/13/03 | 158.10 | 10.40 | 17.90 |
| 1/19/04 | 135.58 | 32.92 | -22.52 |
| 2/17/04 | 137.72 | 30.78 | 2.14 |
| 3/12/04 | 144.00 | 24.50 | 6.28 |
| 4/15/04 | 150.00 | 18.50 | 6.00 |
| 6/15/04 | 176.58 | -8.08 | 26.58 |
| 8/23/04 | 172.09 | -3.59 | -4.49 |
| 9/17/04 | 175.78 | -7.28 | 3.69 |
| 10/18/04 | 160.94 | 7.56 | -14.84 |
| 11/16/04 | 146.86 | 21.64 | -14.08 |
| 12/14/04 | 145.50 | 23.00 | -1.36 |
| 1/19/05 | 136.50 | 32.00 | -9.00 |
| 2/16/05 | 137.00 | 31.50 | 0.50 |
| 3/17/05 | 139.11 | 29.39 | 2.11 |
| 4/19/05 | pumping | | |
| 5/19/05 | 144.00 | 24.50 | 4.89 |
| 6/24/05 | pumping | | |
| 7/17/05 | 166.60 | 1.90 | 22.60 |
| 8/19/05 | 176.60 | -8.10 | 10.00 |
| 9/18/05 | 172.30 | -3.80 | -4.30 |
| 10/15/05 | 170.31 | -1.81 | -1.99 |
| 11/20/05 | 151.44 | 17.06 | -18.87 |
| 1/13/06 | 138.16 | 30.34 | -13.28 |
| 2/15/06 | 149.60 | 18.90 | 11.44 |
| 3/13/06 | 136.78 | 31.72 | -12.82 |
| 4/17/06 | 134.76 | 33.74 | -2.02 |
| 5/16/06 | pumping | | |
| 6/14/06 | recovering | | |
| 7/12/06 | recovering | | |
| 8/14/06 | 170.80 | -2.30 | 36.04 |
| 9/15/06 | pumping | | |
| 10/18/06 | 160.44 | 8.06 | -10.36 |
| 11/15/06 | 159.52 | 8.98 | -0.92 |
| 12/19/06 | 154.35 | 14.15 | -5.17 |
| 1/11/07 | 147.40 | 21.10 | -6.95 |
| 2/14/07 | 138.83 | 29.67 | -8.57 |
| 3/13/07 | 142.38 | 26.12 | 3.55 |
| 4/16/07 | 161.00 | 7.50 | 18.62 |
| 6/19/07 | 171.32 | -2.82 | 10.32 |
| 7/16/07 | pumping | | |

*Reference point based on San Luis Obispo County GPS measurement.
Well levels shown from April 1999 to October 2003 were monitored by the
San Luis Obispo County Public Works Department. Cleath & Associates
began monitoring the well on January 19, 2004.

Water levels, Well 11N/35W-10K
The Woodlands Offsite
 Reference Point: 249.3 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|--------|-------------|---------------------------------|
| 2/16/05 | 154.59 | 94.71 | - |
| 3/20/05 | 153.16 | 96.14 | -1.43 |
| 4/19/05 | 154.27 | 95.03 | 1.11 |
| 5/19/05 | 153.67 | 95.63 | -0.60 |
| 6/24/05 | 153.71 | 95.59 | 0.04 |
| 7/13/05 | 153.75 | 95.55 | 0.04 |
| 8/19/05 | 153.86 | 95.44 | 0.11 |
| 9/17/05 | 153.84 | 95.46 | -0.02 |
| 10/15/05 | 153.95 | 95.35 | 0.11 |
| 11/16/05 | 153.95 | 95.35 | 0.00 |
| 12/17/05 | 153.81 | 95.49 | -0.14 |
| 1/13/06 | 153.66 | 95.64 | -0.15 |
| 2/15/06 | 153.61 | 95.69 | -0.05 |
| 3/13/06 | 153.64 | 95.66 | 0.03 |
| 4/17/06 | 153.50 | 95.80 | -0.14 |
| 5/16/06 | 153.38 | 95.92 | -0.12 |
| 6/14/06 | 153.44 | 95.86 | 0.06 |
| 7/12/06 | 153.51 | 95.79 | 0.07 |
| 8/14/06 | 153.61 | 95.69 | 0.10 |
| 9/15/06 | 153.70 | 95.60 | 0.09 |
| 10/16/06 | 153.60 | 95.70 | -0.10 |
| 11/15/06 | 153.63 | 95.67 | 0.03 |
| 12/19/06 | 153.62 | 95.68 | -0.01 |
| 1/11/07 | 153.40 | 95.90 | -0.22 |
| 2/14/07 | 153.43 | 95.87 | 0.03 |
| 3/13/07 | 153.23 | 96.07 | -0.20 |
| 4/16/07 | 153.25 | 96.05 | 0.02 |
| 5/16/07 | 153.17 | 96.13 | -0.08 |
| 6/19/07 | 153.30 | 96.00 | 0.13 |
| 7/16/07 | 153.29 | 96.01 | -0.01 |

Water levels, Well 11N/35W-22H
The Woodlands Offsite
 Reference Point: 270.1 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|---------|-------------|---------------------------------|
| 12/14/04 | 186.20 | 83.90 | — |
| 2/15/05 | 185.71 | 84.39 | -0.49 |
| 3/20/05 | 184.11 | 85.99 | -1.6 |
| 4/18/05 | 185.68 | 84.42 | 1.57 |
| 5/19/05 | 185.37 | 84.73 | -0.31 |
| 6/24/05 | 185.21 | 84.89 | -0.16 |
| 7/13/05 | 185.23 | 84.87 | 0.02 |
| 8/19/05 | 185.12 | 84.98 | -0.11 |
| 9/17/05 | 185.20 | 84.90 | 0.08 |
| 10/15/05 | 185.36 | 84.74 | 0.16 |
| 11/16/05 | 185.08 | 85.02 | -0.28 |
| 12/17/05 | 184.94 | 85.16 | -0.14 |
| 1/13/06 | 184.78 | 85.32 | -0.16 |
| 2/15/06 | 184.93 | 85.17 | 0.15 |
| 3/13/06 | 184.85 | 85.25 | -0.08 |
| 4/17/06 | 184.86 | 85.24 | 0.01 |
| 5/16/06 | 185.00 | 85.10 | 0.14 |
| 6/14/06 | 185.21 | 84.89 | 0.21 |
| 7/12/06 | 185.16 | 84.94 | -0.05 |
| 8/14/06 | 185.31 | 84.79 | 0.15 |
| 9/15/06 | 185.57 | 84.53 | 0.41 |
| 10/16/06 | pumping | | |
| 11/15/06 | 185.30 | 84.80 | -0.27 |
| 12/19/06 | 185.18 | 84.92 | -0.12 |
| 1/11/07 | 185.02 | 85.08 | -0.16 |
| 2/14/07 | 185.14 | 84.96 | 0.12 |
| 3/13/07 | 185.05 | 85.05 | -0.09 |
| 4/16/07 | 185.40 | 84.70 | 0.35 |
| 6/19/07 | 185.60 | 84.50 | 0.20 |
| 7/16/07 | 185.74 | 84.36 | 0.14 |

Water levels, Well 11N/35W-10Q
The Woodlands Offsite
 Reference Point: 284.5 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|--------|-------------|---------------------------------|
| 5/19/05 | 182.66 | 101.84 | — |
| 6/24/05 | 182.70 | 101.80 | 0.04 |
| 7/13/05 | 182.62 | 101.88 | -0.08 |
| 8/19/05 | 182.71 | 101.79 | 0.09 |
| 9/17/05 | 182.62 | 101.88 | -0.09 |
| 10/15/05 | 182.71 | 101.79 | 0.09 |
| 11/16/05 | 182.70 | 101.80 | -0.01 |
| 12/17/05 | 182.53 | 101.97 | -0.17 |
| 1/13/06 | 182.31 | 102.19 | -0.22 |
| 2/15/06 | 182.33 | 102.17 | 0.02 |
| 3/13/06 | 182.31 | 102.19 | -0.02 |
| 4/17/06 | 182.19 | 102.31 | -0.12 |
| 5/16/06 | 182.10 | 102.40 | -0.09 |
| 6/14/06 | 182.22 | 102.28 | 0.12 |
| 7/12/06 | 182.31 | 102.19 | 0.09 |
| 8/14/06 | 182.43 | 102.07 | 0.12 |
| 9/15/06 | 182.48 | 102.02 | 0.05 |
| 10/16/06 | 182.34 | 102.16 | -0.14 |
| 11/15/06 | 182.40 | 102.10 | 0.06 |
| 12/19/06 | 182.32 | 102.18 | -0.08 |
| 1/11/07 | 182.08 | 102.42 | -0.24 |
| 2/14/07 | 182.16 | 102.34 | 0.08 |
| 3/13/07 | 181.91 | 102.59 | -0.25 |
| 4/16/07 | 181.95 | 102.55 | 0.04 |
| 5/16/07 | 181.87 | 102.63 | -0.08 |
| 6/19/07 | 182.02 | 102.48 | 0.15 |
| 7/16/07 | 181.86 | 102.64 | -0.16 |

Water levels, Well 11N/35W-15B3
The Woodlands Offsite
 Reference Point: 239.41 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|---------|-------------|---------------------------------|
| 9/7/05 | 232.34 | 7.07 | — |
| 10/15/05 | 231.58 | 7.83 | -0.76 |
| 11/16/05 | 211.76 | 27.65 | -19.82 |
| 12/17/05 | 207.89 | 31.52 | -3.87 |
| 1/13/06 | 197.00 | 42.41 | -10.89 |
| 2/15/06 | 206.35 | 33.06 | 9.35 |
| 3/13/06 | pumping | | |
| 4/17/06 | 194.11 | 45.30 | -12.24 |
| 5/30/06 | 214.29 | 25.12 | 20.18 |
| 6/14/06 | hung up | | |
| 7/12/06 | hung up | | |
| 8/14/06 | 230.11 | 9.30 | 15.82 |
| 9/15/06 | 233.22 | 6.19 | 3.11 |
| 10/16/06 | hung up | | |
| 11/15/06 | 220.78 | 18.63 | -12.44 |
| 12/19/06 | 206.83 | 32.58 | -13.95 |
| 1/11/07 | 204.04 | 35.37 | -2.79 |
| 2/14/07 | 189.09 | 50.32 | -14.95 |
| 3/13/07 | 204.76 | 34.65 | 15.67 |

Water levels, Well 11N/35W-15B4
The Woodlands Offsite
 Reference Point: 246.62 feet above sea level

| Date | Depth | Water Elev. | Change (from previous depth) |
|----------|--------|-------------|---------------------------------|
| 9/7/05 | 247.29 | -0.67 | — |
| 10/15/05 | 246.65 | -0.03 | -0.64 |
| 11/16/05 | 226.44 | 20.18 | -20.21 |
| 12/17/05 | 222.19 | 24.43 | -4.25 |
| 1/13/06 | 212.46 | 34.16 | -9.73 |
| 3/13/06 | 211.20 | 35.42 | -1.26 |
| 4/17/06 | 209.82 | 36.80 | -1.38 |
| 5/30/06 | 232.04 | 14.58 | 22.22 |
| 6/14/06 | 236.98 | 9.64 | 4.94 |
| 7/12/06 | 246.75 | -0.13 | 9.77 |
| 8/14/06 | 248.05 | -8.64 | 1.30 |
| 9/15/06 | 250.74 | -11.33 | 2.69 |
| 10/16/06 | 235.51 | 3.90 | -15.23 |
| 11/15/06 | 237.77 | 1.64 | 2.26 |
| 12/19/06 | 222.36 | 17.05 | -15.41 |
| 1/11/07 | 218.21 | 21.20 | -4.15 |
| 2/14/07 | 212.92 | 26.49 | -5.29 |
| 3/13/07 | 220.1 | 19.31 | 7.18 |
| 4/16/07 | 235.4 | 4.01 | 15.30 |
| 5/16/07 | 238.77 | 0.02 | 3.39 |
| 6/19/07 | 241.5 | -2.09 | 2.71 |